

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 12/5/2023 5:44:47 PM

JOB DESCRIPTION

RED-HILL Quarterly

JOB NUMBER

380-65999-1

Eurofins Eaton Analytical Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Eaton Analytical, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW,Water matrices)

Authorization



Generated
12/5/2023 5:44:47 PM

Authorized for release by
Rachelle Arada, Project Manager
Rachelle.Arada@et.eurofinsus.com
(626)386-1106

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Detection Summary	8
Client Sample Results	9
Action Limit Summary	15
Surrogate Summary	16
QC Sample Results	20
QC Association Summary	56
Lab Chronicle	62
Certification Summary	64
Method Summary	67
Sample Summary	68
Subcontract Data	69
Chain of Custody	144
Receipt Checklists	150

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
^3+	Reporting Limit Check Standard is outside acceptance limits, high biased
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	Presumptive evidence of material.
T	Result is a tentatively identified compound (TIC) and an estimated value.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Metals

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
HF	Parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. Sample was analyzed outside of hold time.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Subcontract

Qualifier	Qualifier Description
U	This analyte was not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
%	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Job ID: 380-65999-1

Laboratory: Eurofins Eaton Analytical Pomona

Narrative

Job Narrative 380-65999-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/6/2023 9:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 1.4°C and 4.0°C

Subcontract Work

Methods 8015 Ethanol, 8015 Gas (Purgeable) LL (EAL), 8015 LL DRO/MRO/JP5/JP8: These methods were subcontracted to EMAX Laboratories Inc. The subcontract laboratory certifications are different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

Method 625 Acid/Base/PAH + TICs: This method was subcontracted to Physis Environmental Laboratories. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA

Method 525.2_PREC: The continuing calibration verification (CCV) associated with batch 380-59331 recovered above the upper control limit for 2,4'-DDT, Benzo[a]pyrene and Benzo[k]fluoranthene. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: Ka'amilo Wells (380-65999-1) and (CCVIS 380-59331/2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals

Method 200.8: The continuing calibration blank (CCB) for analytical batch 380-58962 contained Silver above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry

Method 2320B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 380-59342 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the

Case Narrative

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Job ID: 380-65999-1 (Continued)

Laboratory: Eurofins Eaton Analytical Pomona (Continued)

associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

Detection Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Lab Sample ID: 380-65999-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Die�drin	0.034		0.010	ug/L	1	505		Total/NA
Chlordane (n.o.s.)	0.16		0.10	ug/L	1	505		Total/NA
Bromide	220		5.0	ug/L	1	300.0		Total/NA
Chloride	140		2.5	mg/L	5	300.0		Total/NA
Nitrate as N	1.4		0.25	mg/L	5	300.0		Total/NA
Sulfate	26		1.3	mg/L	5	300.0		Total/NA
Calcium	25		1.0	mg/L	1	200.7 Rev 4.4		Total/NA
Magnesium	24		0.10	mg/L	1	200.7 Rev 4.4		Total/NA
Potassium	2.8		1.0	mg/L	1	200.7 Rev 4.4		Total/NA
Sodium	58		1.0	mg/L	1	200.7 Rev 4.4		Total/NA
Chromium	1.5		1.0	ug/L	1	200.8		Total Recoverable
Copper	28		2.0	ug/L	1	200.8		Total Recoverable
Alkalinity	68		2.0	mg/L	1	SM 2320B		Total/NA
Bicarbonate Alkalinity as CaCO ₃	68		2.0	mg/L	1	SM 2320B		Total/NA
Specific Conductance	640		2.0	umhos/cm	1	SM 2510B		Total/NA
Total Dissolved Solids	350		20	mg/L	1	SM 2540C		Total/NA
Fluoride	0.050		0.050	mg/L	1	SM 4500 F C		Total/NA
pH	7.5 HF			SU	1	SM 4500 H+ B		Total/NA

Client Sample ID: TRAVEL BLANK

Lab Sample ID: 380-65999-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17

Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Tertiary Butyl Alcohol (TBA)	<2.0		2.0	ug/L			10/10/23 20:34	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	100		70 - 130				10/10/23 20:34	1
4-Bromofluorobenzene (Surr)	97		70 - 130				10/10/23 20:34	1
1,2-Dichloroethane-d4 (Surr)	118		70 - 130				10/10/23 20:34	1

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
2,4'-DDE	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
2,4'-DDT	<0.097 *+		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
2,4-Dinitrotoluene	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
2,6-Dinitrotoluene	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
4,4'-DDD	<0.097 *+		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
4,4'-DDE	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
4,4'-DDT	<0.097 *+		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Acenaphthene	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Acenaphthylene	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Acetochlor	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Alachlor	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
alpha-BHC	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
alpha-Chlordane	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Anthracene	<0.019		0.019	ug/L		10/12/23 11:20	10/13/23 17:48	1
Atrazine	<0.049 *+		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Benz(a)anthracene	<0.049 *+		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Benzo[a]pyrene	<0.019 *+		0.019	ug/L		10/12/23 11:20	10/13/23 17:48	1
Benzo[b]fluoranthene	<0.019		0.019	ug/L		10/12/23 11:20	10/13/23 17:48	1
Benzo[g,h,i]perylene	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Benzo[k]fluoranthene	<0.019 *+		0.019	ug/L		10/12/23 11:20	10/13/23 17:48	1
beta-BHC	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Bis(2-ethylhexyl) phthalate	<0.58		0.58	ug/L		10/12/23 11:20	10/13/23 17:48	1
Bromacil	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Butachlor	<0.049 ^3+		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Butylbenzylphthalate	<0.49		0.49	ug/L		10/12/23 11:20	10/13/23 17:48	1
Chlorobenzilate	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Chloroneb	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Chlorothalonil (Draconil, Bravo)	<0.097 ^3+		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Chlorpyrifos	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Chrysene	<0.019		0.019	ug/L		10/12/23 11:20	10/13/23 17:48	1
delta-BHC	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Di(2-ethylhexyl)adipate	<0.58 ^3+		0.58	ug/L		10/12/23 11:20	10/13/23 17:48	1
Dibenz(a,h)anthracene	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Diclorvos (DDVP)	<0.049		0.049	ug/L		10/12/23 11:20	10/13/23 17:48	1
Dieldrin	<0.19		0.19	ug/L		10/12/23 11:20	10/13/23 17:48	1
Diethylphthalate	<0.49		0.49	ug/L		10/12/23 11:20	10/13/23 17:48	1
Dimethylphthalate	<0.49		0.49	ug/L		10/12/23 11:20	10/13/23 17:48	1
Di-n-butyl phthalate	<0.97		0.97	ug/L		10/12/23 11:20	10/13/23 17:48	1
Di-n-octyl phthalate	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1
Endosulfan I (Alpha)	<0.097		0.097	ug/L		10/12/23 11:20	10/13/23 17:48	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17

Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Endosulfan II (Beta)	<0.097	^3+	0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Endosulfan sulfate	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Endrin	<0.097	*+	0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Endrin aldehyde	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
EPTC	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Fluoranthene	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Fluorene	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
gamma-BHC (Lindane)	<0.039		0.039	ug/L	10/12/23 11:20	10/13/23 17:48		1
gamma-Chlordane	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Heptachlor	<0.039		0.039	ug/L	10/12/23 11:20	10/13/23 17:48		1
Heptachlor epoxide (isomer B)	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Hexachlorobenzene	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Hexachlorocyclopentadiene	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Indeno[1,2,3-cd]pyrene	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Isophorone	<0.49		0.49	ug/L	10/12/23 11:20	10/13/23 17:48		1
Malathion	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Methoxychlor	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Metolachlor	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Molinate	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Naphthalene	<0.29		0.29	ug/L	10/12/23 11:20	10/13/23 17:48		1
Parathion	<0.097	*+	0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Pendimethalin (Penoxaline)	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Phenanthrene	<0.039		0.039	ug/L	10/12/23 11:20	10/13/23 17:48		1
Propachlor	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Pyrene	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Simazine	<0.049	*+	0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Terbacil	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Terbutylazine	<0.097	*+	0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
Thiobencarb	<0.19		0.19	ug/L	10/12/23 11:20	10/13/23 17:48		1
Total Permethrin (mixed isomers)	<0.19		0.19	ug/L	10/12/23 11:20	10/13/23 17:48		1
trans-Nonachlor	<0.049		0.049	ug/L	10/12/23 11:20	10/13/23 17:48		1
Trifluralin	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
1-Methylnaphthalene	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1
2-Methylnaphthalene	<0.097		0.097	ug/L	10/12/23 11:20	10/13/23 17:48		1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Hexadecanamide	0.81	T J N	ug/L		6.68	629-54-9	10/12/23 11:20	10/13/23 17:48	1
Tetracosane	0.51	T J N	ug/L		7.47	646-31-1	10/12/23 11:20	10/13/23 17:48	1
Unknown	7.1	T J	ug/L		7.53	N/A	10/12/23 11:20	10/13/23 17:48	1
Unknown	1.0	T J	ug/L		8.01	N/A	10/12/23 11:20	10/13/23 17:48	1
Unknown	1.1	T J	ug/L		8.61	N/A	10/12/23 11:20	10/13/23 17:48	1
Unknown	0.99	T J	ug/L		9.27	N/A	10/12/23 11:20	10/13/23 17:48	1
Octacosane	0.81	T J N	ug/L		9.98	630-02-4	10/12/23 11:20	10/13/23 17:48	1
Unknown	0.56	T J	ug/L		10.73	N/A	10/12/23 11:20	10/13/23 17:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	94		70 - 130			
Perylene-d12	94		70 - 130			
Triphenylphosphate	109		70 - 130			

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17

Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: EPA-DW2 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichloropropane	<0.020		0.020	ug/L		10/09/23 11:30	10/09/23 20:57	1
1,2-Dibromo-3-Chloropropane	<0.010		0.010	ug/L		10/09/23 11:30	10/09/23 20:57	1
1,2-Dibromoethane	<0.010		0.010	ug/L		10/09/23 11:30	10/09/23 20:57	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1,2-Dibromopropane (Surr)	104		60 - 140			10/09/23 11:30	10/09/23 20:57	1

Method: EPA 505 - Organochlorine Pesticides/PCBs (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
Dieldrin	0.034		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
Toxaphene	<0.50		0.50	ug/L		10/11/23 13:32	10/12/23 09:54	1
Alachlor	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
Chlordane (n.o.s.)	0.16		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
Endrin	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
Heptachlor	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
Heptachlor epoxide	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
gamma-BHC (Lindane)	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 09:54	1
Methoxychlor	<0.050		0.050	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1016	<0.070		0.070	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1221	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1232	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1242	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1248	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1254	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
PCB-1260	<0.070		0.070	ug/L		10/11/23 13:32	10/12/23 09:54	1
Polychlorinated biphenyls, Total	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 09:54	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	99		70 - 130			10/11/23 13:32	10/12/23 09:54	1
Tetrachloro-m-xylene	82		70 - 130			10/11/23 13:32	10/12/23 09:54	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	220		5.0	ug/L			10/17/23 18:11	1
Chloride	140		2.5	mg/L			10/07/23 03:25	5
Nitrate as N	1.4		0.25	mg/L			10/07/23 03:25	5
Nitrite as N	<0.25		0.25	mg/L			10/07/23 03:25	5
Sulfate	26		1.3	mg/L			10/07/23 03:25	5

Method: EPA 200.7 Rev 4.4 - Metals (ICP)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	25		1.0	mg/L			10/16/23 14:41	1
Magnesium	24		0.10	mg/L			10/16/23 14:41	1
Potassium	2.8		1.0	mg/L			10/16/23 14:41	1
Sodium	58		1.0	mg/L			10/16/23 14:41	1

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Arsenic	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 16:14	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Beryllium	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 19:23	1
Cadmium	<0.50		0.50	ug/L		10/11/23 09:17	10/11/23 16:14	1
Chromium	1.5		1.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Copper	28		2.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Lead	<0.50		0.50	ug/L		10/11/23 09:17	10/11/23 16:14	1
Nickel	<5.0		5.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Selenium	<5.0		5.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Silver	<0.50 ^2		0.50	ug/L		10/11/23 09:17	10/11/23 16:14	1
Thallium	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 16:14	1
Zinc	<20		20	ug/L		10/11/23 09:17	10/11/23 16:14	1

Method: EPA 245.1 - Mercury (CVAA)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.10		0.10	ug/L		10/11/23 11:20	10/11/23 16:42	1

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity (SM 2320B)	68		2.0	mg/L			10/12/23 19:26	1
Bicarbonate Alkalinity as CaCO3 (SM 2320B)	68		2.0	mg/L			10/12/23 19:26	1
Carbonate Alkalinity as CaCO3 (SM 2320B)	<2.0		2.0	mg/L			10/12/23 19:26	1
Specific Conductance (SM 2510B)	640		2.0	umhos/cm			10/12/23 19:26	1
Total Dissolved Solids (SM 2540C)	350		20	mg/L			10/09/23 15:24	1
Fluoride (SM 4500 F C)	0.050		0.050	mg/L			10/12/23 19:52	1
pH (SM 4500 H+ B)	7.5 HF			SU			10/12/23 19:26	1
Sulfide (SM 4500 S2 D)	<0.050		0.050	mg/L			10/10/23 12:26	1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.005	0.001	ug/L		10/12/23 00:00	11/10/23 02:21	1
1-Methylphenanthrene	ND		0.005	0.001	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,3,5-Trimethylnaphthalene	ND		0.005	0.001	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,4,5-Trichlorophenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,4,6-Trichlorophenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,4-Dichlorophenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,4-Dinitrophenol	ND		0.2	0.1	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,6-Dichlorophenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,6-Dimethylnaphthalene	ND		0.005	0.001	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,6-Di-tert-butyl-4-methylphenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2,6-Di-tert-butylphenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Chloronaphthalene	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Chlorophenol	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Methyl-4,6-dinitrophenol	ND		0.2	0.1	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Methylnaphthalene	ND		0.005	0.001	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Methylphenol	ND		0.2	0.1	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Nitroaniline	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
2-Nitrophenol	ND		0.2	0.1	ug/L		10/12/23 00:00	11/10/23 02:21	1
3+4-Methylphenol	ND		0.2	0.1	ug/L		10/12/23 00:00	11/10/23 02:21	1
3-Nitroaniline	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1
4-Bromophenylphenyl ether	ND		0.1	0.05	ug/L		10/12/23 00:00	11/10/23 02:21	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chloro-3-methylphenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
4-Chloroaniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
4-Chlorophenylphenyl ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
4-Nitroaniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
4-Nitrophenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
6-tert-butyl-2,4-dimethylphenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Acenaphthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Acenaphthylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Aniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benz[a]anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzidine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzo[a]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzo[b]fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzo[e]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzo[g,h,i]perylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzo[k]fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzoic Acid	ND		0.2	0.1	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Benzyl Alcohol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Biphenyl	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Bis(2-Chloroethoxy) methane	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Bis(2-Chloroethyl) ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Bis(2-Chloroisopropyl) ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Chrysene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Dibenz[a,h]anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Dibenzo[a,l]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Dibenzofuran	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Dibenzothiophene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Disalicylidene propanediamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Fluorene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Hexachloroethane	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Indeno[1,2,3-cd]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Naphthalene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Nitrobenzene	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
N-Nitrosodi-n-propylamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
N-Nitrosodiphenylamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Pentachlorophenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Perylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Phenanthrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Phenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
p-tert-Butylphenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/10/23 02:21	1	1
Pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/10/23 02:21	1	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
(2,4,6-Tribromophenol)	45		31 - 143	10/12/23 00:00	11/10/23 02:21	1
(d10-Acenaphthene)	61		27 - 133	10/12/23 00:00	11/10/23 02:21	1
(d10-Phenanthrene)	63		43 - 129	10/12/23 00:00	11/10/23 02:21	1
(d12-Chrysene)	141		52 - 144	10/12/23 00:00	11/10/23 02:21	1
(d12-Perylene)	149		36 - 161	10/12/23 00:00	11/10/23 02:21	1

Eurofins Eaton Analytical Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1

Matrix: Water

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
(d5-Phenol)	69		0 - 85	10/12/23 00:00	11/10/23 02:21	1
(d8-Naphthalene)	62		25 - 125	10/12/23 00:00	11/10/23 02:21	1

Method: 8015 Ethanol - SW846 8015B Gasoline Range Organics

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
ETHANOL	ND	U	2000		ug/L			10/11/23 14:53	1

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.02		mg/L			10/10/23 20:50	1

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DIESEL	ND	U	0.03		mg/L			10/14/23 15:47	1
JP5	ND	U	0.059		mg/L			10/14/23 15:47	1
JP8	ND	U	0.059		mg/L			10/14/23 15:47	1
MOTOR OIL	ND	U	0.059		mg/L			10/14/23 15:47	1

Client Sample ID: TRAVEL BLANK

Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-2

Matrix: Water

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS SIM)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Tertiary Butyl Alcohol (TBA)	<2.0		2.0	ug/L			10/10/23 20:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	97		70 - 130		10/10/23 20:58	1
4-Bromofluorobenzene (Surr)	93		70 - 130		10/10/23 20:58	1
1,2-Dichloroethane-d4 (Surr)	118		70 - 130		10/10/23 20:58	1

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.02		mg/L			10/10/23 21:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE	89		60 - 140		10/10/23 21:31	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells

Lab Sample ID: 380-65999-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	HI Org Limit	EPAMCL Limit	S Limit	Method	Prep Type
Alachlor	<0.049		ug/L		2		525.2	Total/NA
Atrazine	<0.049	*+	ug/L		3		525.2	Total/NA
Benzo[a]pyrene	<0.019	*+	ug/L		0.2		525.2	Total/NA
Bis(2-ethylhexyl) phthalate	<0.58		ug/L		6		525.2	Total/NA
Di(2-ethylhexyl)adipate	<0.58	^3+	ug/L		400		525.2	Total/NA
Endrin	<0.097	*+	ug/L		2		525.2	Total/NA
gamma-BHC (Lindane)	<0.039		ug/L		0.2		525.2	Total/NA
Heptachlor	<0.039		ug/L		0.4		525.2	Total/NA
Heptachlor epoxide (isomer B)	<0.049		ug/L		0.2		525.2	Total/NA
Hexachlorobenzene	<0.049		ug/L		1		525.2	Total/NA
Hexachlorocyclopentadiene	<0.049		ug/L		50		525.2	Total/NA
Methoxychlor	<0.097		ug/L		40		525.2	Total/NA
Simazine	<0.049	*+	ug/L		4		525.2	Total/NA
1,2,3-Trichloropropane	<0.020		ug/L	0.6000			504.1	Total/NA
1,2-Dibromo-3-Chloropropane	<0.010		ug/L		0.2		504.1	Total/NA
1,2-Dibromoethane	<0.010		ug/L		0.05		504.1	Total/NA
Toxaphene	<0.50		ug/L		3		505	Total/NA
Alachlor	<0.10		ug/L		2		505	Total/NA
Endrin	<0.010		ug/L		2		505	Total/NA
Heptachlor	<0.010		ug/L		0.4		505	Total/NA
Heptachlor epoxide	<0.010		ug/L		0.2		505	Total/NA
gamma-BHC (Lindane)	<0.010		ug/L		0.2		505	Total/NA
Methoxychlor	<0.050		ug/L		40		505	Total/NA
Polychlorinated biphenyls, Total	<0.10		ug/L		0.5		505	Total/NA
Chloride	140		mg/L			250	300.0	Total/NA
Nitrate as N	1.4		mg/L		10		300.0	Total/NA
Nitrite as N	<0.25		mg/L		1		300.0	Total/NA
Sulfate	26		mg/L			250	300.0	Total/NA
Mercury	<0.10		ug/L		2		245.1	Total/NA
Total Dissolved Solids	350		mg/L			500	SM 2540C	Total/NA
Fluoride	0.050		mg/L		4	2	SM 4500 F C	Total/NA

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 524.2 - Volatile Organic Compounds (GC/MS SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		TOL (70-130)	BFB (70-130)	DCA (70-130)
380-65999-1	Ka'amilo Wells	100	97	118
380-65999-2	TRAVEL BLANK	97	93	118
LCS 380-58700/2	Lab Control Sample	98	95	114
LCSD 380-58700/3	Lab Control Sample Dup	101	99	115
MB 380-58700/5	Method Blank	98	101	112

Surrogate Legend

TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 524.2 - Volatile Organic Compounds (GC/MS SIM)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		TOL (50-150)	BFB (50-150)	DCA (50-150)
MRL 380-58700/4	Lab Control Sample	100	96	115

Surrogate Legend

TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		2NMX (70-130)	PRY (70-130)	TPP (70-130)
380-65999-1	Ka'amilo Wells	94	94	109
380-66047-CZ-1-A MS	Matrix Spike	98	97	110
380-66047-DA-1-A MSD	Matrix Spike Duplicate	98	100	112
LCS 380-58970/23-A	Lab Control Sample	96	97	110
LCSD 380-58970/24-A	Lab Control Sample Dup	98	95	110
MB 380-58970/21-A	Method Blank	100	85	107
MRL 380-58970/22-A	Lab Control Sample	98	89	105

Surrogate Legend

2NMX = 2-Nitro-m-xylene
PRY = Perylene-d12
TPP = Triphenylphosphate

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)		
		DBPP1 (60-140)		
380-65868-J-1-A MS	Matrix Spike	112		
380-65869-H-1-A DU	Duplicate	104		
380-65999-1	Ka'amilo Wells	104		

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC) (Continued)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	DBPP1 (60-140)												
LCS 380-58522/29-A	Lab Control Sample	104												
MBL 380-58522/4-A	Method Blank	88												
MRL 380-58522/2-A	Lab Control Sample	100												
MRL 380-58522/3-A	Lab Control Sample	108												

Surrogate Legend

DBPP = 1,2-Dibromopropane (Surr)

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TCX1 (70-130)	TCX2 (70-130)											
380-65869-C-1-A MS	Matrix Spike	103												
380-65869-D-1-A MS	Matrix Spike		91											
380-65999-1	Ka'amilo Wells	99	82											
LCS 380-58874/10-A	Lab Control Sample	111												
LCS 380-58874/18-A	Lab Control Sample	99												
LCS 380-58874/26-A	Lab Control Sample	102												
LCS 380-58874/34-A	Lab Control Sample	100												
MB 380-58874/43-A	Method Blank	106	98											
MRL 380-58874/41-A	Lab Control Sample	99												
MRL 380-58874/42-A	Lab Control Sample		96											

Surrogate Legend

TCX = Tetrachloro-m-xylene

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i

Matrix: BlankMatrix

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	Acenaphthl (27-133)	Phenanth (43-129)	CRY (52-144)	NPT (25-125)	PHL (0-130)	PRY (36-161)	TBP (30-130)						
111832-B1	Method Blank	101	100	97	104	107	92	44						
111832-BS1	Lab Control Sample	103	99	95	101	112	93	59						
111832-BS2	Lab Control Sample Dup	97	96	94	96	103	89	55						

Surrogate Legend

(d10-Acenaphthene) = (d10-Acenaphthene)

(d10-Phenanthrene) = (d10-Phenanthrene)

CRY = (d12-Chrysene)

NPT = (d8-Naphthalene)

PHL = (d5-Phenol)

PRY = (d12-Perylene)

TBP = (2,4,6-Tribromophenol)

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)								
Lab Sample ID	Client Sample ID	Acenaphthl (27-133)	Phenanth (43-129)	CRY (52-144)	NPT (25-125)	PHL (0-85)	PRY (36-161)	TBP (31-143)
380-65999-1	Ka'amilo Wells	61	63	141	62	69	149	45

Surrogate Legend

(d10-Acenaphthene) = (d10-Acenaphthene)

(d10-Phenanthrene) = (d10-Phenanthrene)

CRY = (d12-Chrysene)

NPT = (d8-Naphthalene)

PHL = (d5-Phenol)

PRY = (d12-Perylene)

TBP = (2,4,6-Tribromophenol)

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BFB					
23VGH7J01B	Method Blank						

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BFB (70-130)					
23VGH7J01C	LCD	103					
23VGH7J01L	Lab Control Sample	102					

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BFB (60-140)					
380-65999-1	Ka'amilo Wells	95					
380-65999-2	TRAVEL BLANK	89					

Surrogate Legend

BFB = BROMOFLUOROBENZENE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: WATER

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BB (60-130)	XACOSAI (60-130)				
23DSJ014WL	Lab Control Sample	68	99				
23J5J014WL	Lab Control Sample	66	97				

Eurofins Eaton Analytical Pomona

Surrogate Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO (Continued)

Matrix: WATER

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BB (60-130)	XACOSA! (60-130)						
23J8J014WL	Lab Control Sample	90	102						

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BB (60-130)	XACOSA! (60-130)						
380-65999-1	Ka'amilo Wells	76	99						

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Matrix: WATER

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BB	XACOSA!						
23DSJ014WB	Method Blank								

Surrogate Legend

BB = BROMOBENZENE

HEXACOSANE = HEXACOSANE

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 524.2 - Volatile Organic Compounds (GC/MS SIM)

Lab Sample ID: MB 380-58700/5

Matrix: Water

Analysis Batch: 58700

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Tertiary Butyl Alcohol (TBA)	<2.0		2.0	ug/L			10/10/23 15:07	1
Surrogate								
Surrogate	MB %Recovery	MB Qualifier	Limits		Prepared	Analyzed	Dil Fac	
Toluene-d8 (Surr)	98		70 - 130			10/10/23 15:07	1	
4-Bromofluorobenzene (Surr)	101		70 - 130			10/10/23 15:07	1	
1,2-Dichloroethane-d4 (Surr)	112		70 - 130			10/10/23 15:07	1	

Lab Sample ID: LCS 380-58700/2

Matrix: Water

Analysis Batch: 58700

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	
Tertiary Butyl Alcohol (TBA)		5.00	5.17		ug/L		103	70 - 130
Surrogate		%Recovery						Limits
Toluene-d8 (Surr)	98		70 - 130					
4-Bromofluorobenzene (Surr)	95		70 - 130					
1,2-Dichloroethane-d4 (Surr)	114		70 - 130					

Lab Sample ID: LCSD 380-58700/3

Matrix: Water

Analysis Batch: 58700

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte		Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec		RPD	
Tertiary Butyl Alcohol (TBA)		5.00	5.58		ug/L		112	70 - 130	8	20
Surrogate		%Recovery						Limits	RPD	Limit
Toluene-d8 (Surr)	101		70 - 130							
4-Bromofluorobenzene (Surr)	99		70 - 130							
1,2-Dichloroethane-d4 (Surr)	115		70 - 130							

Lab Sample ID: MRL 380-58700/4

Matrix: Water

Analysis Batch: 58700

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	
Tertiary Butyl Alcohol (TBA)		2.00	2.24		ug/L		112	50 - 150
Surrogate		%Recovery						Limits
Toluene-d8 (Surr)	100		50 - 150					
4-Bromofluorobenzene (Surr)	96		50 - 150					
1,2-Dichloroethane-d4 (Surr)	115		50 - 150					

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 380-58970/21-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58970

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2,4'-DDD	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
2,4'-DDE	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
2,4'-DDT	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
2,4-Dinitrotoluene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
2,6-Dinitrotoluene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
4,4'-DDD	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
4,4'-DDE	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
4,4'-DDT	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Acenaphthene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Acenaphthylene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Acetochlor	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Alachlor	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
alpha-BHC	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
alpha-Chlordane	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Anthracene	<0.020		0.020	ug/L	10/12/23 08:00	10/13/23 15:47		1
Atrazine	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Benz(a)anthracene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Benzo[a]pyrene	<0.020		0.020	ug/L	10/12/23 08:00	10/13/23 15:47		1
Benzo[b]fluoranthene	<0.020		0.020	ug/L	10/12/23 08:00	10/13/23 15:47		1
Benzo[g,h,i]perylene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Benzo[k]fluoranthene	<0.020		0.020	ug/L	10/12/23 08:00	10/13/23 15:47		1
beta-BHC	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Bis(2-ethylhexyl) phthalate	<0.59		0.59	ug/L	10/12/23 08:00	10/13/23 15:47		1
Bromacil	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Butachlor	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Butylbenzylphthalate	<0.50		0.50	ug/L	10/12/23 08:00	10/13/23 15:47		1
Chlorobenzilate	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Chloroneb	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Chlorothalonil (Draconil, Bravo)	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Chlorpyrifos	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Chrysene	<0.020		0.020	ug/L	10/12/23 08:00	10/13/23 15:47		1
delta-BHC	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Di(2-ethylhexyl)adipate	<0.59		0.59	ug/L	10/12/23 08:00	10/13/23 15:47		1
Dibenz(a,h)anthracene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Diclorvos (DDVP)	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1
Dieldrin	<0.20		0.20	ug/L	10/12/23 08:00	10/13/23 15:47		1
Diethylphthalate	<0.50		0.50	ug/L	10/12/23 08:00	10/13/23 15:47		1
Dimethylphthalate	<0.50		0.50	ug/L	10/12/23 08:00	10/13/23 15:47		1
Di-n-butyl phthalate	<0.99		0.99	ug/L	10/12/23 08:00	10/13/23 15:47		1
Di-n-octyl phthalate	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Endosulfan I (Alpha)	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Endosulfan II (Beta)	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Endosulfan sulfate	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Endrin	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Endrin aldehyde	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
EPTC	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Fluoranthene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47		1
Fluorene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47		1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 380-58970/21-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58970

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
gamma-BHC (Lindane)	<0.040		0.040	ug/L	10/12/23 08:00	10/13/23 15:47	1	
gamma-Chlordane	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Heptachlor	<0.040		0.040	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Heptachlor epoxide (isomer B)	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Hexachlorobenzene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Hexachlorocyclopentadiene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Indeno[1,2,3-cd]pyrene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Isophorone	<0.50		0.50	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Malathion	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Methoxychlor	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Metolachlor	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Molinate	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Naphthalene	<0.30		0.30	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Parathion	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Pendimethalin (Penoxaline)	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Phenanthrene	<0.040		0.040	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Propachlor	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Pyrene	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Simazine	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Terbacil	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Terbutylazine	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Thiobencarb	<0.20		0.20	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Total Permethrin (mixed isomers)	<0.20		0.20	ug/L	10/12/23 08:00	10/13/23 15:47	1	
trans-Nonachlor	<0.050		0.050	ug/L	10/12/23 08:00	10/13/23 15:47	1	
Trifluralin	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
1-Methylnaphthalene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	
2-Methylnaphthalene	<0.099		0.099	ug/L	10/12/23 08:00	10/13/23 15:47	1	

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Cyclohexane, 1-methyl-2-propyl-	1.04	T J N	ug/L		2.32	4291-79-6	10/12/23 08:00	10/13/23 15:47	1
Unknown	2.37	T J	ug/L		2.43	N/A	10/12/23 08:00	10/13/23 15:47	1
Unknown	1.24	T J	ug/L		5.85	N/A	10/12/23 08:00	10/13/23 15:47	1
Unknown	0.518	T J	ug/L		6.55	N/A	10/12/23 08:00	10/13/23 15:47	1
1,4-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester	0.567	T J N	ug/L		9.89	6422-86-2	10/12/23 08:00	10/13/23 15:47	1
Unknown	0.732	T J	ug/L		10.15	N/A	10/12/23 08:00	10/13/23 15:47	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Nitro-m-xylene	100		70 - 130	10/12/23 08:00	10/13/23 15:47	1
Perylene-d12	85		70 - 130	10/12/23 08:00	10/13/23 15:47	1
Triphenylphosphate	107		70 - 130	10/12/23 08:00	10/13/23 15:47	1

Lab Sample ID: LCS 380-58970/23-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 58970

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
2,4'-DDD	1.98	2.32		ug/L	117	70 - 130	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-58970/23-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
2,4'-DDE	1.98	2.35		ug/L	118	70 - 130	
2,4'-DDT	1.98	2.68	*+	ug/L	135	70 - 130	
2,4-Dinitrotoluene	1.98	2.45		ug/L	123	70 - 130	
2,6-Dinitrotoluene	1.98	2.27		ug/L	115	70 - 130	
4,4'-DDD	1.98	2.57		ug/L	129	70 - 130	
4,4'-DDE	1.98	2.25		ug/L	113	70 - 130	
4,4'-DDT	1.98	2.56		ug/L	129	70 - 130	
Acenaphthene	1.98	2.07		ug/L	105	70 - 130	
Acenaphthylene	1.98	2.22		ug/L	112	70 - 130	
Acetochlor	1.98	2.46		ug/L	124	70 - 130	
Alachlor	1.98	2.25		ug/L	114	70 - 130	
alpha-BHC	1.98	2.21		ug/L	112	70 - 130	
alpha-Chlordane	1.98	1.99		ug/L	100	70 - 130	
Anthracene	1.98	2.20		ug/L	111	70 - 130	
Atrazine	1.98	2.66	*+	ug/L	134	70 - 130	
Benz(a)anthracene	1.98	2.53		ug/L	127	70 - 130	
Benzo[a]pyrene	1.98	2.59		ug/L	130	70 - 130	
Benzo[b]fluoranthene	1.98	2.53		ug/L	127	70 - 130	
Benzo[g,h,i]perylene	1.98	2.10		ug/L	106	70 - 130	
Benzo[k]fluoranthene	1.98	2.54		ug/L	128	70 - 130	
beta-BHC	1.98	2.28		ug/L	115	70 - 130	
Bis(2-ethylhexyl) phthalate	1.98	2.09		ug/L	106	70 - 130	
Bromacil	1.98	2.41		ug/L	122	70 - 130	
Butachlor	1.98	2.31		ug/L	116	70 - 130	
Butylbenzylphthalate	1.98	2.47		ug/L	125	70 - 130	
Chlorobenzilate	1.98	2.21		ug/L	111	70 - 130	
Chloroneb	1.98	2.17		ug/L	109	70 - 130	
Chlorothalonil (Draconil, Bravo)	1.98	2.28		ug/L	115	70 - 130	
Chlorpyrifos	1.98	2.40		ug/L	121	70 - 130	
Chrysene	1.98	2.17		ug/L	109	70 - 130	
delta-BHC	1.98	2.02		ug/L	102	70 - 130	
Di(2-ethylhexyl)adipate	1.98	2.44		ug/L	123	70 - 130	
Dibenz(a,h)anthracene	1.98	2.18		ug/L	110	70 - 130	
Diclorvos (DDVP)	1.98	2.24		ug/L	113	70 - 130	
Dieldrin	1.98	2.27		ug/L	114	70 - 130	
Diethylphthalate	1.98	2.33		ug/L	117	70 - 130	
Dimethylphthalate	1.98	2.29		ug/L	116	70 - 130	
Di-n-butyl phthalate	3.97	4.66		ug/L	118	70 - 130	
Di-n-octyl phthalate	1.98	2.11		ug/L	106	70 - 130	
Endosulfan I (Alpha)	1.98	1.98		ug/L	100	70 - 130	
Endosulfan II (Beta)	1.98	2.32		ug/L	117	70 - 130	
Endosulfan sulfate	1.98	2.34		ug/L	118	70 - 130	
Endrin	1.98	2.57		ug/L	130	70 - 130	
Endrin aldehyde	1.98	1.61		ug/L	81	70 - 130	
EPTC	1.98	2.20		ug/L	111	70 - 130	
Fluoranthene	1.98	2.27		ug/L	114	70 - 130	
Fluorene	1.98	2.27		ug/L	114	70 - 130	
gamma-BHC (Lindane)	1.98	2.16		ug/L	109	70 - 130	
gamma-Chlordane	1.98	2.05		ug/L	103	70 - 130	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 380-58970/23-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Heptachlor	1.98	2.40		ug/L	121	70 - 130	
Heptachlor epoxide (isomer B)	1.98	2.03		ug/L	102	70 - 130	
Hexachlorobenzene	1.98	2.15		ug/L	108	70 - 130	
Hexachlorocyclopentadiene	1.98	1.97		ug/L	100	70 - 130	
Indeno[1,2,3-cd]pyrene	1.98	2.20		ug/L	111	70 - 130	
Isophorone	1.98	2.01		ug/L	101	70 - 130	
Malathion	1.98	2.25		ug/L	113	70 - 130	
Methoxychlor	1.98	2.44		ug/L	123	70 - 130	
Metolachlor	1.98	2.44		ug/L	123	70 - 130	
Molinate	1.98	2.37		ug/L	120	70 - 130	
Naphthalene	1.98	2.09		ug/L	105	70 - 130	
Parathion	1.98	2.64 *+		ug/L	133	70 - 130	
Pendimethalin (Penoxaline)	1.98	2.49		ug/L	125	70 - 130	
Phenanthrene	1.98	2.03		ug/L	102	70 - 130	
Propachlor	1.98	2.57		ug/L	129	70 - 130	
Pyrene	1.98	2.36		ug/L	119	70 - 130	
Simazine	1.98	2.73 *+		ug/L	138	70 - 130	
Terbacil	1.98	2.30		ug/L	116	70 - 130	
Terbutylazine	1.98	2.66 *+		ug/L	134	70 - 130	
Thiobencarb	1.98	2.52		ug/L	127	70 - 130	
trans-Nonachlor	1.98	2.18		ug/L	110	70 - 130	
Trifluralin	1.98	2.21		ug/L	111	70 - 130	
1-Methylnaphthalene	1.98	2.12		ug/L	107	70 - 130	
2-Methylnaphthalene	1.98	2.19		ug/L	110	70 - 130	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Nitro-m-xylene	96		70 - 130
Perlylene-d12	97		70 - 130
Triphenylphosphate	110		70 - 130

Lab Sample ID: LCSD 380-58970/24-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4'-DDD	1.98	2.36		ug/L	119	70 - 130		2	20
2,4'-DDE	1.98	2.40		ug/L	121	70 - 130		2	20
2,4'-DDT	1.98	2.77 *+		ug/L	140	70 - 130		3	20
2,4-Dinitrotoluene	1.98	2.30		ug/L	116	70 - 130		6	20
2,6-Dinitrotoluene	1.98	2.19		ug/L	110	70 - 130		4	20
4,4'-DDD	1.98	2.67 *+		ug/L	135	70 - 130		4	20
4,4'-DDE	1.98	2.33		ug/L	118	70 - 130		4	20
4,4'-DDT	1.98	2.64 *+		ug/L	133	70 - 130		3	20
Acenaphthene	1.98	2.15		ug/L	108	70 - 130		3	20
Acenaphthylene	1.98	2.25		ug/L	114	70 - 130		2	20
Acetochlor	1.98	2.42		ug/L	122	70 - 130		1	20
Alachlor	1.98	2.26		ug/L	114	70 - 130		0	20
alpha-BHC	1.98	2.09		ug/L	105	70 - 130		6	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-58970/24-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
alpha-Chlordane	1.98	2.07		ug/L		104	70 - 130	4	20
Anthracene	1.98	2.20		ug/L		111	70 - 130	0	20
Atrazine	1.98	2.53		ug/L		128	70 - 130	5	20
Benz(a)anthracene	1.98	2.60	*+	ug/L		131	70 - 130	3	20
Benzo[a]pyrene	1.98	2.63	*+	ug/L		133	70 - 130	2	20
Benzo[b]fluoranthene	1.98	2.58		ug/L		130	70 - 130	2	20
Benzo[g,h,i]perylene	1.98	2.29		ug/L		116	70 - 130	9	20
Benzo[k]fluoranthene	1.98	2.72	*+	ug/L		137	70 - 130	7	20
beta-BHC	1.98	2.10		ug/L		106	70 - 130	8	20
Bis(2-ethylhexyl) phthalate	1.98	2.19		ug/L		110	70 - 130	4	20
Bromacil	1.98	2.42		ug/L		122	70 - 130	0	20
Butachlor	1.98	2.34		ug/L		118	70 - 130	2	20
Butylbenzylphthalate	1.98	2.42		ug/L		122	70 - 130	2	20
Chlorobenzilate	1.98	2.09		ug/L		106	70 - 130	5	20
Chloroneb	1.98	2.34		ug/L		118	70 - 130	8	20
Chlorothalonil (Draconil, Bravo)	1.98	2.21		ug/L		112	70 - 130	3	20
Chlorpyrifos	1.98	2.39		ug/L		121	70 - 130	0	20
Chrysene	1.98	2.27		ug/L		115	70 - 130	5	20
delta-BHC	1.98	1.99		ug/L		101	70 - 130	1	20
Di(2-ethylhexyl)adipate	1.98	2.54		ug/L		128	70 - 130	4	20
Dibenz(a,h)anthracene	1.98	2.32		ug/L		117	70 - 130	7	20
Diclorvos (DDVP)	1.98	2.33		ug/L		118	70 - 130	4	20
Dieldrin	1.98	2.28		ug/L		115	70 - 130	1	20
Diethylphthalate	1.98	2.24		ug/L		113	70 - 130	4	20
Dimethylphthalate	1.98	2.24		ug/L		113	70 - 130	2	20
Di-n-butyl phthalate	3.96	4.74		ug/L		120	70 - 130	2	20
Di-n-octyl phthalate	1.98	2.21		ug/L		112	70 - 130	5	20
Endosulfan I (Alpha)	1.98	2.02		ug/L		102	70 - 130	2	20
Endosulfan II (Beta)	1.98	2.39		ug/L		121	70 - 130	3	20
Endosulfan sulfate	1.98	2.34		ug/L		118	70 - 130	0	20
Endrin	1.98	2.60	*+	ug/L		131	70 - 130	1	20
Endrin aldehyde	1.98	1.59		ug/L		80	70 - 130	1	20
EPTC	1.98	2.23		ug/L		113	70 - 130	1	20
Fluoranthene	1.98	2.29		ug/L		115	70 - 130	1	20
Fluorene	1.98	2.26		ug/L		114	70 - 130	0	20
gamma-BHC (Lindane)	1.98	2.08		ug/L		105	70 - 130	4	20
gamma-Chlordane	1.98	2.09		ug/L		105	70 - 130	2	20
Heptachlor	1.98	2.41		ug/L		122	70 - 130	1	20
Heptachlor epoxide (isomer B)	1.98	2.00		ug/L		101	70 - 130	2	20
Hexachlorobenzene	1.98	2.14		ug/L		108	70 - 130	0	20
Hexachlorocyclopentadiene	1.98	2.08		ug/L		105	70 - 130	5	20
Indeno[1,2,3-cd]pyrene	1.98	2.31		ug/L		117	70 - 130	5	20
Isophorone	1.98	2.11		ug/L		106	70 - 130	5	20
Malathion	1.98	2.25		ug/L		114	70 - 130	0	20
Methoxychlor	1.98	2.49		ug/L		126	70 - 130	2	20
Metolachlor	1.98	2.44		ug/L		123	70 - 130	0	20
Molinate	1.98	2.40		ug/L		121	70 - 130	1	20
Naphthalene	1.98	2.15		ug/L		109	70 - 130	3	20
Parathion	1.98	2.58		ug/L		130	70 - 130	2	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 380-58970/24-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Pendimethalin (Penoxaline)	1.98	2.45		ug/L	124	70 - 130		1	20
Phenanthrene	1.98	2.07		ug/L	104	70 - 130		2	20
Propachlor	1.98	2.47		ug/L	125	70 - 130		4	20
Pyrene	1.98	2.37		ug/L	120	70 - 130		0	20
Simazine	1.98	2.49		ug/L	126	70 - 130		9	20
Terbacil	1.98	2.12		ug/L	107	70 - 130		8	20
Terbutylazine	1.98	2.50		ug/L	126	70 - 130		6	20
Thiobencarb	1.98	2.53		ug/L	128	70 - 130		1	20
trans-Nonachlor	1.98	2.14		ug/L	108	70 - 130		2	20
Trifluralin	1.98	2.17		ug/L	109	70 - 130		2	20
1-Methylnaphthalene	1.98	2.21		ug/L	112	70 - 130		4	20
2-Methylnaphthalene	1.98	2.26		ug/L	114	70 - 130		3	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	95		70 - 130
Triphenylphosphate	110		70 - 130

Lab Sample ID: MRL 380-58970/22-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
2,4'-DDD	0.0993	0.134		ug/L	135	50 - 150	
2,4'-DDE	0.0993	0.119		ug/L	120	50 - 150	
2,4'-DDT	0.0993	0.107		ug/L	107	50 - 150	
2,4-Dinitrotoluene	0.0993	0.123		ug/L	124	50 - 150	
2,6-Dinitrotoluene	0.0993	0.128		ug/L	129	50 - 150	
4,4'-DDD	0.0993	0.116		ug/L	117	50 - 150	
4,4'-DDE	0.0993	0.102		ug/L	103	50 - 150	
4,4'-DDT	0.0993	0.136		ug/L	137	50 - 150	
Acenaphthene	0.0993	0.113		ug/L	114	50 - 150	
Acenaphthylene	0.0993	0.102		ug/L	102	50 - 150	
Acetochlor	0.0497	0.0479	J	ug/L	96	50 - 150	
Alachlor	0.0497	0.0552		ug/L	111	50 - 150	
alpha-BHC	0.0993	0.109		ug/L	109	50 - 150	
alpha-Chlordane	0.0248	<0.029		ug/L	93	50 - 150	
Anthracene	0.0199	0.0218		ug/L	110	50 - 150	
Atrazine	0.0497	<0.048		ug/L	97	50 - 150	
Benz(a)anthracene	0.0497	0.0528		ug/L	106	50 - 150	
Benzo[a]pyrene	0.0199	0.0218		ug/L	110	50 - 150	
Benzo[b]fluoranthene	0.0199	0.0241		ug/L	121	50 - 150	
Benzo[g,h,i]perylene	0.0497	0.0471	J	ug/L	95	50 - 150	
Benzo[k]fluoranthene	0.0199	0.0219		ug/L	110	50 - 150	
beta-BHC	0.0993	0.112		ug/L	113	50 - 150	
Bis(2-ethylhexyl) phthalate	0.596	0.705		ug/L	118	50 - 150	
Bromacil	0.0993	0.132		ug/L	133	50 - 150	
Butachlor	0.0497	0.0776	^3+	ug/L	156	50 - 150	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MRL 380-58970/22-A

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Butylbenzylphthalate	0.149	0.223	J	ug/L	150	50 - 150	
Chlorobenzilate	0.0993	0.127		ug/L	128	50 - 150	
Chloroneb	0.0993	0.101		ug/L	102	50 - 150	
Chlorothalonil (Draconil, Bravo)	0.0993	0.168	^3+	ug/L	169	50 - 150	
Chlorpyrifos	0.0497	0.0530		ug/L	107	50 - 150	
Chrysene	0.0199	0.0208		ug/L	105	50 - 150	
delta-BHC	0.0993	0.112		ug/L	113	50 - 150	
Di(2-ethylhexyl)adipate	0.298	0.519	J ^3+	ug/L	174	50 - 150	
Dibenz(a,h)anthracene	0.0497	0.0437	J	ug/L	88	50 - 150	
Diclorvos (DDVP)	0.0497	0.0546		ug/L	110	50 - 150	
Dieldrin	0.0993	0.128	J	ug/L	128	50 - 150	
Diethylphthalate	0.149	0.191	J	ug/L	128	50 - 150	
Dimethylphthalate	0.298	0.328	J	ug/L	110	50 - 150	
Di-n-butyl phthalate	0.298	0.392	J	ug/L	132	49 - 243	
Di-n-octyl phthalate	0.0993	0.112		ug/L	113	50 - 150	
Endosulfan I (Alpha)	0.0993	0.100		ug/L	101	50 - 150	
Endosulfan II (Beta)	0.0993	0.212	^3+	ug/L	213	50 - 150	
Endosulfan sulfate	0.0993	0.146		ug/L	147	50 - 150	
Endrin	0.0993	0.147		ug/L	148	50 - 150	
Endrin aldehyde	0.0993	<0.083		ug/L	82	50 - 150	
EPTC	0.0993	0.137		ug/L	138	50 - 150	
Fluoranthene	0.0497	0.0544	J	ug/L	110	50 - 150	
Fluorene	0.0497	0.0560		ug/L	113	50 - 150	
gamma-BHC (Lindane)	0.0397	0.0396	J	ug/L	100	50 - 150	
gamma-Chlordane	0.0248	0.0262	J	ug/L	105	50 - 150	
Heptachlor	0.0397	0.0588		ug/L	148	50 - 150	
Heptachlor epoxide (isomer B)	0.0497	0.0492	J	ug/L	99	50 - 150	
Hexachlorobenzene	0.0497	0.0553		ug/L	111	50 - 150	
Hexachlorocyclopentadiene	0.0497	0.0486	J	ug/L	98	50 - 150	
Indeno[1,2,3-cd]pyrene	0.0497	0.0421	J	ug/L	85	50 - 150	
Isophorone	0.0993	0.107	J	ug/L	108	50 - 150	
Malathion	0.0993	0.129		ug/L	129	50 - 150	
Methoxychlor	0.0993	0.112		ug/L	113	50 - 150	
Metolachlor	0.0497	0.0680		ug/L	137	50 - 150	
Molinate	0.0993	0.138		ug/L	139	50 - 150	
Naphthalene	0.0993	0.123	J	ug/L	124	50 - 150	
Parathion	0.0993	0.141		ug/L	142	50 - 150	
Pendimethalin (Penoxaline)	0.0993	0.143		ug/L	144	50 - 150	
Phenanthrene	0.0199	0.0244	J	ug/L	123	50 - 150	
Propachlor	0.0497	0.0548		ug/L	110	50 - 150	
Pyrene	0.0497	0.0543		ug/L	109	50 - 150	
Simazine	0.0497	0.0624		ug/L	126	50 - 150	
Terbacil	0.0993	0.146		ug/L	147	50 - 150	
Terbutylazine	0.0993	0.0996		ug/L	100	50 - 150	
Thiobencarb	0.0993	0.136	J	ug/L	137	50 - 150	
trans-Nonachlor	0.0248	<0.026		ug/L	95	50 - 150	
Trifluralin	0.0993	0.131		ug/L	132	50 - 150	
1-Methylnaphthalene	0.0993	0.125		ug/L	126	50 - 150	
2-Methylnaphthalene	0.0993	0.120		ug/L	121	50 - 150	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Surrogate	MRL	MRL	
	%Recovery	Qualifier	Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	89		70 - 130
Triphenylphosphate	105		70 - 130

Lab Sample ID: 380-66047-CZ-1-A MS

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Matrix Spike
Prep Type: Total/NA
Prep Batch: 58970

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	Limits		
	Result	Qualifier	Added	Result	Qualifier						
2,4'-DDD	<0.097		1.95	2.27		ug/L	116	70 - 130			
2,4'-DDE	<0.097		1.95	2.29		ug/L	117	70 - 130			
2,4'-DDT	<0.097	F1 *+	1.95	2.66	F1	ug/L	136	70 - 130			
2,4-Dinitrotoluene	<0.097		1.95	2.35		ug/L	121	70 - 130			
2,6-Dinitrotoluene	<0.097		1.95	2.25		ug/L	115	70 - 130			
4,4'-DDD	<0.097	F1 *+	1.95	2.59	F1	ug/L	132	70 - 130			
4,4'-DDE	<0.097		1.95	2.18		ug/L	112	70 - 130			
4,4'-DDT	<0.097	*+	1.95	2.48		ug/L	127	70 - 130			
Acenaphthene	<0.097		1.95	2.06		ug/L	105	70 - 130			
Acenaphthylene	<0.097		1.95	2.21		ug/L	113	70 - 130			
Acetochlor	<0.097		1.95	2.38		ug/L	122	70 - 130			
Alachlor	<0.049		1.95	2.16		ug/L	111	70 - 130			
alpha-BHC	<0.097		1.95	2.02		ug/L	104	70 - 130			
alpha-Chlordane	<0.049		1.95	2.02		ug/L	104	70 - 130			
Anthracene	<0.019		1.95	1.96		ug/L	100	70 - 130			
Atrazine	<0.049	*+	1.95	2.49		ug/L	128	70 - 130			
Benz(a)anthracene	<0.049	*+	1.95	2.47		ug/L	126	70 - 130			
Benzo[a]pyrene	<0.019	*+ F1	1.95	2.42		ug/L	124	70 - 130			
Benzo[b]fluoranthene	<0.019	F1	1.95	2.58	F1	ug/L	132	70 - 130			
Benzo[g,h,i]perylene	<0.049		1.95	2.11		ug/L	108	70 - 130			
Benzo[k]fluoranthene	<0.019	*+ F1	1.95	2.47		ug/L	127	70 - 130			
beta-BHC	<0.097		1.95	2.12		ug/L	109	70 - 130			
Bis(2-ethylhexyl) phthalate	<0.58		1.95	1.99		ug/L	102	70 - 130			
Bromacil	<0.097		1.95	2.48		ug/L	127	70 - 130			
Butachlor	<0.049	^3+	1.95	2.31		ug/L	119	70 - 130			
Butylbenzylphthalate	<0.49		1.95	2.37		ug/L	121	70 - 130			
Chlorobenzilate	<0.097		1.95	2.09		ug/L	107	70 - 130			
Chloroneb	<0.097	F1 F2	1.95	2.26		ug/L	116	70 - 130			
Chlorothalonil (Draconil, Bravo)	<0.097	^3+	1.95	2.21		ug/L	113	70 - 130			
Chlorpyrifos	<0.049		1.95	2.38		ug/L	122	70 - 130			
Chrysene	<0.019		1.95	2.17		ug/L	111	70 - 130			
delta-BHC	<0.097		1.95	2.00		ug/L	102	70 - 130			
Di(2-ethylhexyl)adipate	<0.58	^3+	1.95	2.30		ug/L	118	70 - 130			
Dibenz(a,h)anthracene	<0.049		1.95	2.16		ug/L	111	70 - 130			
Diclorvos (DDVP)	<0.049		1.95	2.20		ug/L	113	70 - 130			
Dieldrin	<0.19		1.95	2.25		ug/L	115	70 - 130			
Diethylphthalate	<0.49		1.95	2.18		ug/L	112	70 - 130			
Dimethylphthalate	<0.49		1.95	2.17		ug/L	111	70 - 130			
Di-n-butyl phthalate	<0.97		3.90	4.62		ug/L	115	70 - 130			
Di-n-octyl phthalate	<0.097		1.95	1.95		ug/L	100	70 - 130			
Endosulfan I (Alpha)	<0.097		1.95	1.96		ug/L	100	70 - 130			
Endosulfan II (Beta)	<0.097	^3+	1.95	2.40		ug/L	123	70 - 130			

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-66047-CZ-1-A MS

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Endosulfan sulfate	<0.097		1.95	2.36		ug/L	121	70 - 130	
Endrin	<0.097	*+	1.95	2.47		ug/L	126	70 - 130	
Endrin aldehyde	<0.097	F1	1.95	0.678	F1	ug/L	35	70 - 130	
EPTC	<0.097		1.95	2.16		ug/L	111	70 - 130	
Fluoranthene	<0.097		1.95	2.24		ug/L	115	70 - 130	
Fluorene	<0.049		1.95	2.19		ug/L	112	70 - 130	
gamma-BHC (Lindane)	<0.039		1.95	2.04		ug/L	104	70 - 130	
gamma-Chlordane	<0.049		1.95	2.00		ug/L	103	70 - 130	
Heptachlor	<0.039		1.95	2.38		ug/L	122	70 - 130	
Heptachlor epoxide (isomer B)	<0.049		1.95	1.99		ug/L	102	70 - 130	
Hexachlorobenzene	<0.049		1.95	2.08		ug/L	107	70 - 130	
Hexachlorocyclopentadiene	<0.049		1.95	2.15		ug/L	110	70 - 130	
Indeno[1,2,3-cd]pyrene	<0.049		1.95	2.21		ug/L	113	70 - 130	
Isophorone	<0.49		1.95	2.01		ug/L	103	70 - 130	
Malathion	<0.097		1.95	2.22		ug/L	114	70 - 130	
Methoxychlor	<0.097		1.95	2.48		ug/L	127	70 - 130	
Metolachlor	<0.049		1.95	2.41		ug/L	124	70 - 130	
Molinate	<0.097		1.95	2.32		ug/L	119	70 - 130	
Naphthalene	<0.29		1.95	2.04		ug/L	104	70 - 130	
Parathion	<0.097	F1 *+	1.95	2.65	F1	ug/L	136	70 - 130	
Pendimethalin (Penoxaline)	<0.097		1.95	2.45		ug/L	126	70 - 130	
Phenanthrene	<0.039		1.95	1.99		ug/L	102	70 - 130	
Propachlor	<0.049		1.95	2.44		ug/L	125	70 - 130	
Pyrene	<0.049		1.95	2.36		ug/L	121	70 - 130	
Simazine	<0.049	F1 *+	1.95	2.63	F1	ug/L	135	70 - 130	
Terbacil	<0.097		1.95	2.18		ug/L	112	70 - 130	
Terbutylazine	<0.097	*+	1.95	2.41		ug/L	124	70 - 130	
Thiobencarb	<0.19		1.95	2.49		ug/L	128	70 - 130	
trans-Nonachlor	<0.049		1.95	2.04		ug/L	104	70 - 130	
Trifluralin	<0.097		1.95	2.18		ug/L	112	70 - 130	
1-Methylnaphthalene	<0.097		1.95	2.11		ug/L	108	70 - 130	
2-Methylnaphthalene	<0.097		1.95	2.17		ug/L	111	70 - 130	

MS MS

Surrogate	MS %Recovery	MS Qualifier	MS Limits
2-Nitro-m-xylene	98		70 - 130
Perylene-d12	97		70 - 130
Triphenylphosphate	110		70 - 130

Lab Sample ID: 380-66047-DA-1-A MSD

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
2,4'-DDD	<0.097		1.95	2.29		ug/L	118	70 - 130		1	20
2,4'-DDE	<0.097		1.95	2.33		ug/L	120	70 - 130		2	20
2,4'-DDT	<0.097	F1 *+	1.95	2.66	F1	ug/L	137	70 - 130		0	20
2,4-Dinitrotoluene	<0.097		1.95	2.40		ug/L	123	70 - 130		2	20
2,6-Dinitrotoluene	<0.097		1.95	2.31		ug/L	119	70 - 130		3	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-66047-DA-1-A MSD

Matrix: Water

Analysis Batch: 59331

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58970

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec %Limits	RPD RPD	RPD Limit
4,4'-DDD	<0.097	F1 *+	1.95	2.59	F1	ug/L	133	70 - 130	0	20
4,4'-DDE	<0.097		1.95	2.16		ug/L	111	70 - 130	1	20
4,4'-DDT	<0.097	*+	1.95	2.53		ug/L	130	70 - 130	2	20
Acenaphthene	<0.097		1.95	2.09		ug/L	107	70 - 130	1	20
Acenaphthylene	<0.097		1.95	2.20		ug/L	113	70 - 130	1	20
Acetochlor	<0.097		1.95	2.36		ug/L	121	70 - 130	1	20
Alachlor	<0.049		1.95	2.17		ug/L	111	70 - 130	0	20
alpha-BHC	<0.097		1.95	2.09		ug/L	107	70 - 130	3	20
alpha-Chlordane	<0.049		1.95	2.05		ug/L	105	70 - 130	1	20
Anthracene	<0.019		1.95	2.09		ug/L	107	70 - 130	6	20
Atrazine	<0.049	*+	1.95	2.52		ug/L	130	70 - 130	1	20
Benz(a)anthracene	<0.049	*+	1.95	2.50		ug/L	128	70 - 130	1	20
Benzo[a]pyrene	<0.019	*+ F1	1.95	2.56	F1	ug/L	131	70 - 130	6	20
Benzo[b]fluoranthene	<0.019	F1	1.95	2.56	F1	ug/L	131	70 - 130	1	20
Benzo[g,h,i]perylene	<0.049		1.95	2.16		ug/L	111	70 - 130	2	20
Benzo[k]fluoranthene	<0.019	*+ F1	1.95	2.62	F1	ug/L	134	70 - 130	6	20
beta-BHC	<0.097		1.95	2.11		ug/L	109	70 - 130	0	20
Bis(2-ethylhexyl) phthalate	<0.58		1.95	2.04		ug/L	105	70 - 130	2	20
Bromacil	<0.097		1.95	2.50		ug/L	129	70 - 130	1	20
Butachlor	<0.049	^3+	1.95	2.31		ug/L	118	70 - 130	0	20
Butylbenzylphthalate	<0.49		1.95	2.46		ug/L	126	70 - 130	4	20
Chlorobenzilate	<0.097		1.95	1.92		ug/L	99	70 - 130	8	20
Chloroneb	<0.097	F1 F2	1.95	2.91	F1 F2	ug/L	149	70 - 130	25	20
Chlorothalonil (Draconil, Bravo)	<0.097	^3+	1.95	2.22		ug/L	114	70 - 130	0	20
Chlorpyrifos	<0.049		1.95	2.38		ug/L	122	70 - 130	0	20
Chrysene	<0.019		1.95	2.17		ug/L	112	70 - 130	0	20
delta-BHC	<0.097		1.95	2.02		ug/L	104	70 - 130	1	20
Di(2-ethylhexyl)adipate	<0.58	^3+	1.95	2.35		ug/L	121	70 - 130	2	20
Dibenz(a,h)anthracene	<0.049		1.95	2.19		ug/L	113	70 - 130	1	20
Diclorvos (DDVP)	<0.049		1.95	2.32		ug/L	119	70 - 130	5	20
Dieldrin	<0.19		1.95	2.26		ug/L	116	70 - 130	0	20
Diethylphthalate	<0.49		1.95	2.18		ug/L	112	70 - 130	0	20
Dimethylphthalate	<0.49		1.95	2.08		ug/L	107	70 - 130	4	20
Di-n-butyl phthalate	<0.97		3.89	4.67		ug/L	117	70 - 130	1	20
Di-n-octyl phthalate	<0.097		1.95	2.01		ug/L	103	70 - 130	3	20
Endosulfan I (Alpha)	<0.097		1.95	1.98		ug/L	102	70 - 130	1	20
Endosulfan II (Beta)	<0.097	^3+	1.95	2.36		ug/L	121	70 - 130	2	20
Endosulfan sulfate	<0.097		1.95	2.37		ug/L	122	70 - 130	0	20
Endrin	<0.097	*+	1.95	2.42		ug/L	125	70 - 130	2	20
Endrin aldehyde	<0.097	F1	1.95	0.816	F1	ug/L	42	70 - 130	18	20
EPTC	<0.097		1.95	2.21		ug/L	114	70 - 130	2	20
Fluoranthene	<0.097		1.95	2.26		ug/L	116	70 - 130	1	20
Fluorene	<0.049		1.95	2.23		ug/L	115	70 - 130	2	20
gamma-BHC (Lindane)	<0.039		1.95	2.05		ug/L	105	70 - 130	1	20
gamma-Chlordane	<0.049		1.95	2.02		ug/L	103	70 - 130	1	20
Heptachlor	<0.039		1.95	2.38		ug/L	122	70 - 130	0	20
Heptachlor epoxide (isomer B)	<0.049		1.95	2.06		ug/L	106	70 - 130	3	20
Hexachlorobenzene	<0.049		1.95	2.14		ug/L	110	70 - 130	3	20
Hexachlorocyclopentadiene	<0.049		1.95	2.23		ug/L	114	70 - 130	4	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 380-66047-DA-1-A MSD				Client Sample ID: Matrix Spike Duplicate							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 59331				Prep Batch: 58970							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Indeno[1,2,3-cd]pyrene	<0.049		1.95	2.20		ug/L		113	70 - 130	1	20
Isophorone	<0.49		1.95	2.05		ug/L		105	70 - 130	2	20
Malathion	<0.097		1.95	2.24		ug/L		115	70 - 130	1	20
Methoxychlor	<0.097		1.95	2.50		ug/L		128	70 - 130	1	20
Metolachlor	<0.049		1.95	2.42		ug/L		124	70 - 130	0	20
Molinate	<0.097		1.95	2.33		ug/L		120	70 - 130	0	20
Naphthalene	<0.29		1.95	2.08		ug/L		107	70 - 130	2	20
Parathion	<0.097	F1 *+	1.95	2.64	F1	ug/L		135	70 - 130	1	20
Pendimethalin (Penoxaline)	<0.097		1.95	2.49		ug/L		128	70 - 130	2	20
Phenanthrene	<0.039		1.95	2.01		ug/L		103	70 - 130	1	20
Propachlor	<0.049		1.95	2.46		ug/L		126	70 - 130	1	20
Pyrene	<0.049		1.95	2.34		ug/L		120	70 - 130	1	20
Simazine	<0.049	F1 *+	1.95	2.62	F1	ug/L		134	70 - 130	0	20
Terbacil	<0.097		1.95	2.37		ug/L		122	70 - 130	8	20
Terbutylazine	<0.097	*+	1.95	2.47		ug/L		127	70 - 130	2	20
Thiobencarb	<0.19		1.95	2.48		ug/L		127	70 - 130	0	20
trans-Nonachlor	<0.049		1.95	2.10		ug/L		108	70 - 130	3	20
Trifluralin	<0.097		1.95	2.22		ug/L		114	70 - 130	2	20
1-Methylnaphthalene	<0.097		1.95	2.14		ug/L		110	70 - 130	1	20
2-Methylnaphthalene	<0.097		1.95	2.18		ug/L		112	70 - 130	0	20
MSD MSD											
Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits								
2-Nitro-m-xylene	98		70 - 130								
Perylene-d12	100		70 - 130								
Triphenylphosphate	112		70 - 130								

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

Lab Sample ID: MBL 380-58522/4-A				Client Sample ID: Method Blank							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 59080				Prep Batch: 58522							
Analyte	MBL Result	MBL Qualifier	MBL RL	Unit	D	Prepared	Analyzed	Dil Fac			
1,2,3-Trichloropropane	<0.0040		0.020	ug/L		10/09/23 11:30	10/09/23 15:13	1			
1,2-Dibromo-3-Chloropropane	<0.0020		0.010	ug/L		10/09/23 11:30	10/09/23 15:13	1			
1,2-Dibromoethane	<0.0040		0.010	ug/L		10/09/23 11:30	10/09/23 15:13	1			
Surrogate	MBL %Recovery	MBL Qualifier	MBL Limits								
1,2-Dibromopropane (Surr)	88		60 - 140								
				Prepared							
				Analyzed							
				10/09/23 11:30							
				10/09/23 15:13							
				1							

Lab Sample ID: LCS 380-58522/29-A				Client Sample ID: Lab Control Sample							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 59080				Prep Batch: 58522							
Analyte	Spike Result	LCS Qualifier	LCS Added	Unit	D	%Rec	Limits				
1,2,3-Trichloropropane	0.200	0.227	ug/L		113	70 - 130					
1,2-Dibromo-3-Chloropropane	0.200	0.205	ug/L		102	70 - 130					
1,2-Dibromoethane	0.200	0.239	ug/L		120	70 - 130					

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 504.1 - EDB, DBCP and 1,2,3-TCP (GC) (Continued)

Lab Sample ID: LCS 380-58522/29-A

Matrix: Water

Analysis Batch: 59080

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
1,2-Dibromopropane (Surr)	104		60 - 140

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58522

Lab Sample ID: MRL 380-58522/2-A

Matrix: Water

Analysis Batch: 59080

Analyte		Spike	MRL	MRL		%Rec
		Added	Result	Qualifier	Unit	D
1,2,3-Trichloropropane		0.0200	0.0239		ug/L	120
1,2-Dibromopropane (Surr)	100		60 - 140			

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58522

Lab Sample ID: MRL 380-58522/3-A

Matrix: Water

Analysis Batch: 59080

Analyte		Spike	MRL	MRL		%Rec
		Added	Result	Qualifier	Unit	D
1,2,3-Trichloropropane		0.0500	0.0610		ug/L	122
1,2-Dibromo-3-Chloropropane		0.0100	0.0124		ug/L	124
1,2-Dibromoethane		0.0100	0.0123		ug/L	123
1,2-Dibromopropane (Surr)	108		60 - 140			

Lab Sample ID: 380-65868-J-1-A MS

Matrix: Water

Analysis Batch: 59080

Analyte	Sample	Sample	Spike	MS	MS		%Rec
	Result	Qualifier	Added	Result	Qualifier	Unit	D
1,2,3-Trichloropropane	<0.020		1.26	1.31		ug/L	105
1,2-Dibromo-3-Chloropropane	<0.010		0.251	0.273		ug/L	109
1,2-Dibromoethane	<0.010		0.251	0.276		ug/L	110
1,2-Dibromopropane (Surr)	112		60 - 140				

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58522

Lab Sample ID: 380-65869-H-1-A DU

Matrix: Water

Analysis Batch: 59080

Analyte	Sample	Sample		DU	DU		RPD
	Result	Qualifier		Result	Qualifier	Unit	D
1,2,3-Trichloropropane	<0.020			<0.020		ug/L	NC
1,2-Dibromo-3-Chloropropane	<0.010			<0.0099		ug/L	NC
1,2-Dibromoethane	<0.010			<0.0099		ug/L	NC
1,2-Dibromopropane (Surr)	104		60 - 140				

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 58522

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 505 - Organochlorine Pesticides/PCBs (GC)

Lab Sample ID: MB 380-58874/43-A

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58874

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Aldrin	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
Dieldrin	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
Toxaphene	<0.50		0.50	ug/L		10/11/23 13:32	10/12/23 06:23	1
Alachlor	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
Chlordane (n.o.s.)	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
Endrin	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
Heptachlor	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
Heptachlor epoxide	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
gamma-BHC (Lindane)	<0.010		0.010	ug/L		10/11/23 13:32	10/12/23 06:23	1
Methoxychlor	<0.050		0.050	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1016	<0.070		0.070	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1221	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1232	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1242	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1248	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1254	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1
PCB-1260	<0.070		0.070	ug/L		10/11/23 13:32	10/12/23 06:23	1
Polychlorinated biphenyls, Total	<0.10		0.10	ug/L		10/11/23 13:32	10/12/23 06:23	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Tetrachloro-m-xylene	106		70 - 130	10/11/23 13:32	10/12/23 06:23	1
Tetrachloro-m-xylene	98		70 - 130	10/11/23 13:32	10/12/23 06:23	1

Lab Sample ID: LCS 380-58874/10-A

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 58874

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
Aldrin	0.100	0.0961		ug/L		96	70 - 130
Dieldrin	0.100	0.0914		ug/L		91	70 - 130
Alachlor	1.00	0.901		ug/L		90	70 - 130
Endrin	0.100	0.0914		ug/L		91	70 - 130
Heptachlor	0.100	0.0954		ug/L		95	70 - 130
Heptachlor epoxide	0.100	0.0903		ug/L		90	70 - 130
gamma-BHC (Lindane)	0.100	0.0932		ug/L		93	70 - 130
Methoxychlor	0.500	0.458		ug/L		92	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Tetrachloro-m-xylene	111		70 - 130

Lab Sample ID: LCS 380-58874/18-A

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 58874

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
Toxaphene	2.50	1.96		ug/L		79	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Lab Sample ID: LCS 380-58874/18-A

Matrix: Water

Analysis Batch: 59454

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene	99		70 - 130

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58874

Lab Sample ID: LCS 380-58874/26-A

Matrix: Water

Analysis Batch: 59454

Analyte	Spike	LCS	LCS		%Rec
	Added	Result	Qualifier	Unit	Limits
Chlordane (n.o.s.)	0.500	0.488		ug/L	98 70 - 130

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene	102		70 - 130

Lab Sample ID: LCS 380-58874/34-A

Matrix: Water

Analysis Batch: 59454

Analyte	Spike	LCS	LCS		%Rec
	Added	Result	Qualifier	Unit	Limits
PCB-1254	0.500	0.418		ug/L	84 70 - 130

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene	100		70 - 130

Lab Sample ID: MRL 380-58874/41-A

Matrix: Water

Analysis Batch: 59454

Analyte	Spike	MRL	MRL		%Rec
	Added	Result	Qualifier	Unit	Limits
Aldrin	0.0100	0.0103		ug/L	103 50 - 150
Dieldrin	0.0100	0.0104		ug/L	104 50 - 150
Alachlor	0.100	0.113		ug/L	113 50 - 150
Endrin	0.0100	0.00810	J	ug/L	81 50 - 150
Heptachlor	0.0100	0.00908	J	ug/L	91 50 - 150
Heptachlor epoxide	0.0100	0.00912	J	ug/L	91 50 - 150
gamma-BHC (Lindane)	0.0100	0.00999	J	ug/L	100 50 - 150
Methoxychlor	0.0500	0.0507		ug/L	101 50 - 150

Surrogate	MRL	MRL	
	%Recovery	Qualifier	Limits
Tetrachloro-m-xylene	99		70 - 130

Lab Sample ID: MRL 380-58874/42-A

Matrix: Water

Analysis Batch: 59454

Analyte	Spike	MRL	MRL		%Rec
	Added	Result	Qualifier	Unit	Limits
Chlordane (n.o.s.)	0.100	0.0983	J	ug/L	98 50 - 150

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58874

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

Lab Sample ID: MRL 380-58874/42-A

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58874

Surrogate	MRL	MRL
	%Recovery	Qualifier
Tetrachloro-m-xylene	96	Limits 70 - 130

Lab Sample ID: 380-65869-C-1-A MS

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58874

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				
Aldrin	<0.010		0.0198	0.0182		ug/L		92	65 - 135
Dieldrin	<0.010		0.0198	0.0189		ug/L		95	65 - 135
Alachlor	<0.10		0.198	0.204		ug/L		103	65 - 135
Endrin	<0.010		0.0198	0.0192		ug/L		97	65 - 135
Heptachlor	<0.010		0.0198	0.0198		ug/L		100	65 - 135
Heptachlor epoxide	<0.010		0.0198	0.0168		ug/L		85	65 - 135
gamma-BHC (Lindane)	<0.010		0.0198	0.0182		ug/L		92	65 - 135
Methoxychlor	<0.050		0.0992	0.0971		ug/L		98	65 - 135
<hr/>									
Surrogate	MS	MS	Limits	Unit	D	%Rec	Limits		
	%Recovery	Qualifier							
Tetrachloro-m-xylene	103		70 - 130						

Lab Sample ID: 380-65869-D-1-A MS

Matrix: Water

Analysis Batch: 59454

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58874

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier	Added	Result	Qualifier				
Chlordane (n.o.s.)	<0.10		0.493	0.416		ug/L		84	65 - 135

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
Tetrachloro-m-xylene	91		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 380-58441/39

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Nitrate as N	<0.050		0.050	mg/L			10/07/23 01:03	1
Nitrite as N	<0.050		0.050	mg/L			10/07/23 01:03	1

Lab Sample ID: LCS 380-58441/42

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
	Added	Result	Qualifier				
Nitrate as N	2.50	2.53		mg/L		101	90 - 110
Nitrite as N	1.00	1.02		mg/L		102	90 - 110

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 380-58441/43

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate as N	2.50	2.52		mg/L		101	90 - 110	0	20
Nitrite as N	1.00	1.03		mg/L		103	90 - 110	1	20

Lab Sample ID: MRL 380-58441/40

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	0.0125	0.0142	J	mg/L		113	50 - 150
Nitrite as N	0.0125	0.0134	J	mg/L		107	50 - 150

Lab Sample ID: MRL 380-58441/41

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	0.0500	0.0478	J	mg/L		96	50 - 150
Nitrite as N	0.0500	0.0486	J	mg/L		97	50 - 150

Lab Sample ID: 380-66000-F-1 MS

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Nitrate as N	0.12		1.25	1.43		mg/L		105	80 - 120
Nitrite as N	<0.050		0.500	0.513		mg/L		103	80 - 120

Lab Sample ID: 380-66000-F-1 MSD

Matrix: Water

Analysis Batch: 58441

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Nitrate as N	0.12		1.25	1.44		mg/L		105	80 - 120	0	20
Nitrite as N	<0.050		0.500	0.512		mg/L		102	80 - 120	0	20

Lab Sample ID: MB 380-58442/39

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.50		0.50	mg/L			10/07/23 01:03	1
Sulfate	<0.25		0.25	mg/L			10/07/23 01:03	1

Lab Sample ID: LCS 380-58442/42

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	25.0	26.3		mg/L		105	90 - 110
Sulfate	50.0	51.7		mg/L		104	90 - 110

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 380-58442/43

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	25.0	26.3		mg/L		105	90 - 110	0	20
Sulfate	50.0	51.8		mg/L		104	90 - 110	0	20

Lab Sample ID: MRL 380-58442/40

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.125	0.160	J	mg/L		128	50 - 150
Sulfate	0.250	0.270		mg/L		108	50 - 150

Lab Sample ID: MRL 380-58442/41

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	0.500	0.437	J	mg/L		87	50 - 150
Sulfate	1.00	0.963		mg/L		96	50 - 150

Lab Sample ID: 380-66000-F-1 MS

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	12		12.5	26.5		mg/L		113	80 - 120
Sulfate	2.0		25.0	28.7		mg/L		107	80 - 120

Lab Sample ID: 380-66000-F-1 MSD

Matrix: Water

Analysis Batch: 58442

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	12		12.5	26.5		mg/L		113	80 - 120	0	20
Sulfate	2.0		25.0	28.8		mg/L		107	80 - 120	0	20

Lab Sample ID: MB 380-60066/4

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Bromide	<5.0		5.0	ug/L			10/17/23 15:32	1

Lab Sample ID: LCS 380-60066/5

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromide	100	103		ug/L		103	90 - 110

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 380-60066/6

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Bromide	100	102		ug/L		102	90 - 110	1	10

Lab Sample ID: MRL 380-60066/3

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Bromide	5.00	5.22		ug/L		104	75 - 125

Lab Sample ID: 380-65740-A-1 MS

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Bromide	210		50.0	258	4	ug/L		100	80 - 120

Lab Sample ID: 380-65740-A-1 MSD

Matrix: Water

Analysis Batch: 60066

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit	
Bromide	210		50.0	257	4	ug/L		97	80 - 120	1	20

Method: 200.7 Rev 4.4 - Metals (ICP)

Lab Sample ID: MB 380-59673/18

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Calcium	<1.0		1.0	mg/L			10/16/23 14:27	1
Magnesium	<0.10		0.10	mg/L			10/16/23 14:27	1
Potassium	<1.0		1.0	mg/L			10/16/23 14:27	1
Sodium	<1.0		1.0	mg/L			10/16/23 14:27	1

Lab Sample ID: LCS 380-59673/20

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	50.0	51.9		mg/L		104	85 - 115
Magnesium	20.0	20.1		mg/L		100	85 - 115
Potassium	20.0	20.4		mg/L		102	85 - 115
Sodium	50.0	50.3		mg/L		101	85 - 115

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 200.7 Rev 4.4 - Metals (ICP) (Continued)

Lab Sample ID: LCSD 380-59673/21

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	50.0	51.6		mg/L		103	85 - 115	0	20
Magnesium	20.0	20.1		mg/L		100	85 - 115	0	20
Potassium	20.0	20.4		mg/L		102	85 - 115	0	20
Sodium	50.0	50.0		mg/L		100	85 - 115	1	20

Lab Sample ID: LLCS 380-59673/19

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	1.00	1.05		mg/L		105	50 - 150
Magnesium	0.100	0.0990	J	mg/L		99	50 - 150
Potassium	1.00	0.784	J	mg/L		78	50 - 150
Sodium	1.00	1.10		mg/L		110	50 - 150

Lab Sample ID: 380-65409-C-2 MS

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Calcium	190		50.0	230		mg/L		77	70 - 130
Magnesium	110		20.0	129	4	mg/L		78	70 - 130
Potassium	70		20.0	89.0		mg/L		97	70 - 130

Lab Sample ID: 380-65409-C-2 MSD

Matrix: Water

Analysis Batch: 59673

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Calcium	190		50.0	229		mg/L		74	70 - 130	1	20
Magnesium	110		20.0	128	4	mg/L		74	70 - 130	0	20
Potassium	70		20.0	88.8		mg/L		96	70 - 130	0	20

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 380-59054/98

Matrix: Water

Analysis Batch: 59054

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<1.0		1.0	ug/L			10/11/23 17:52	1
Arsenic	<1.0		1.0	ug/L			10/11/23 17:52	1
Beryllium	<1.0		1.0	ug/L			10/11/23 17:52	1
Cadmium	<0.50		0.50	ug/L			10/11/23 17:52	1
Chromium	<1.0		1.0	ug/L			10/11/23 17:52	1
Copper	<2.0		2.0	ug/L			10/11/23 17:52	1
Lead	<0.50		0.50	ug/L			10/11/23 17:52	1
Nickel	<5.0		5.0	ug/L			10/11/23 17:52	1
Selenium	<5.0		5.0	ug/L			10/11/23 17:52	1
Silver	<0.50		0.50	ug/L			10/11/23 17:52	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 380-59054/98

Matrix: Water

Analysis Batch: 59054

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Thallium	<1.0		1.0	ug/L			10/11/23 17:52	1
Zinc	<20		20	ug/L			10/11/23 17:52	1

Lab Sample ID: LLCS 380-59054/99

Matrix: Water

Analysis Batch: 59054

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits
Antimony	1.00	0.989	J	ug/L		99	50 - 150
Arsenic	1.00	0.656	J	ug/L		66	50 - 150
Beryllium	1.00	1.03		ug/L		103	50 - 150
Cadmium	0.500	0.493	J	ug/L		99	50 - 150
Chromium	1.00	0.843	J	ug/L		84	50 - 150
Copper	2.00	2.03		ug/L		101	50 - 150
Lead	0.500	0.479	J	ug/L		96	50 - 150
Nickel	5.00	4.84	J	ug/L		97	50 - 150
Selenium	5.00	4.73	J	ug/L		95	50 - 150
Silver	0.500	0.333	J	ug/L		67	50 - 150
Thallium	1.00	0.880	J	ug/L		88	50 - 150
Zinc	20.0	19.6	J	ug/L		98	50 - 150

Lab Sample ID: MB 380-58858/1-A

Matrix: Water

Analysis Batch: 58962

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Antimony	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Arsenic	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Cadmium	<0.50		0.50	ug/L		10/11/23 09:17	10/11/23 15:30	1
Chromium	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Copper	<2.0		2.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Lead	<0.50		0.50	ug/L		10/11/23 09:17	10/11/23 15:30	1
Nickel	<5.0		5.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Selenium	<5.0		5.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Silver	<0.50		0.50	ug/L		10/11/23 09:17	10/11/23 15:30	1
Thallium	<1.0		1.0	ug/L		10/11/23 09:17	10/11/23 15:30	1
Zinc	<20		20	ug/L		10/11/23 09:17	10/11/23 15:30	1

Lab Sample ID: LCS 380-58858/3-A

Matrix: Water

Analysis Batch: 58962

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Antimony	50.0	52.2		ug/L		104	85 - 115
Arsenic	50.0	55.2		ug/L		110	85 - 115
Cadmium	25.0	24.9		ug/L		100	85 - 115
Chromium	50.0	48.1		ug/L		96	85 - 115
Copper	50.0	50.5		ug/L		101	85 - 115
Lead	50.0	53.3		ug/L		107	85 - 115

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 58858

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: LCS 380-58858/3-A

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Nickel	50.0	51.6		ug/L		103	85 - 115	
Selenium	50.0	50.5		ug/L		101	85 - 115	
Silver	25.0	23.5		ug/L		94	85 - 115	
Thallium	50.0	52.1		ug/L		104	85 - 115	
Zinc	50.0	51.2		ug/L		102	85 - 115	

Lab Sample ID: LCSD 380-58858/4-A

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Lab Control Sample Dup

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	50.0	53.5		ug/L		107	85 - 115	2	20
Arsenic	50.0	55.9		ug/L		112	85 - 115	1	20
Cadmium	25.0	25.3		ug/L		101	85 - 115	1	20
Chromium	50.0	47.7		ug/L		95	85 - 115	1	20
Copper	50.0	51.0		ug/L		102	85 - 115	1	20
Lead	50.0	53.3		ug/L		107	85 - 115	0	20
Nickel	50.0	50.3		ug/L		101	85 - 115	3	20
Selenium	50.0	50.4		ug/L		101	85 - 115	0	20
Silver	25.0	24.2		ug/L		97	85 - 115	3	20
Thallium	50.0	52.8		ug/L		106	85 - 115	1	20
Zinc	50.0	52.4		ug/L		105	85 - 115	2	20

Lab Sample ID: LLCS 380-58858/2-A

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Lab Control Sample

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits	
Antimony	1.00	1.06		ug/L		106	50 - 150	
Arsenic	1.00	1.17		ug/L		117	50 - 150	
Cadmium	0.500	0.500		ug/L		100	50 - 150	
Chromium	1.00	<0.80		ug/L		78	50 - 150	
Copper	2.00	2.15		ug/L		108	50 - 150	
Lead	0.500	0.523		ug/L		105	50 - 150	
Nickel	5.00	5.10		ug/L		102	50 - 150	
Selenium	5.00	5.11		ug/L		102	50 - 150	
Silver	0.500	0.419 J		ug/L		84	50 - 150	
Thallium	1.00	1.05		ug/L		105	50 - 150	
Zinc	20.0	22.6		ug/L		113	50 - 150	

Lab Sample ID: 380-65666-A-3-B MS

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Antimony	<1.0		50.0	46.1		ug/L		92	70 - 130
Arsenic	<1.0		50.0	49.9		ug/L		100	70 - 130
Cadmium	<0.50		25.0	21.7		ug/L		87	70 - 130
Chromium	<1.0		50.0	44.8		ug/L		90	70 - 130

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 200.8 - Metals (ICP/MS) (Continued)

Lab Sample ID: 380-65666-A-3-B MS

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Matrix Spike

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits		
Copper	<2.0		50.0	46.2		ug/L		92	70 - 130		
Lead	<0.50		50.0	45.6		ug/L		91	70 - 130		
Nickel	<5.0		50.0	45.7		ug/L		91	70 - 130		
Selenium	<5.0		50.0	44.6		ug/L		89	70 - 130		
Silver	<0.50		25.0	20.5		ug/L		82	70 - 130		
Thallium	<1.0		50.0	44.5		ug/L		89	70 - 130		
Zinc	<20		50.0	46.3		ug/L		93	70 - 130		

Lab Sample ID: 380-65666-A-3-C MSD

Matrix: Water

Analysis Batch: 58962

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total Recoverable

Prep Batch: 58858

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Antimony	<1.0		50.0	45.4		ug/L		91	70 - 130	2	20
Arsenic	<1.0		50.0	49.4		ug/L		99	70 - 130	1	20
Cadmium	<0.50		25.0	21.6		ug/L		87	70 - 130	0	20
Chromium	<1.0		50.0	44.5		ug/L		89	70 - 130	1	20
Copper	<2.0		50.0	46.2		ug/L		92	70 - 130	0	20
Lead	<0.50		50.0	46.7		ug/L		93	70 - 130	3	20
Nickel	<5.0		50.0	45.4		ug/L		91	70 - 130	1	20
Selenium	<5.0		50.0	44.5		ug/L		89	70 - 130	0	20
Silver	<0.50		25.0	20.7		ug/L		83	70 - 130	1	20
Thallium	<1.0		50.0	46.0		ug/L		92	70 - 130	3	20
Zinc	<20		50.0	46.3		ug/L		93	70 - 130	0	20

Method: 245.1 - Mercury (CVAA)

Lab Sample ID: MB 810-76488/1-A

Matrix: Water

Analysis Batch: 76531

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76488

Analyte	MB Result	MB Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Mercury	<0.10		0.10		ug/L		10/11/23 11:20	10/11/23 16:26	1

Lab Sample ID: LCS 810-76488/3-A

Matrix: Water

Analysis Batch: 76531

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76488

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	1.00	1.08		ug/L		108	85 - 115

Lab Sample ID: LLCS 810-76488/2-A

Matrix: Water

Analysis Batch: 76531

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76488

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.100	<0.086		ug/L		61	50 - 150

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 245.1 - Mercury (CVAA) (Continued)

Lab Sample ID: 810-80673-F-2-B MS

Matrix: Water

Analysis Batch: 76531

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 76488

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Mercury	<0.10		1.00	1.04		ug/L	104	70 - 130	

Lab Sample ID: 810-80673-F-2-C MSD

Matrix: Water

Analysis Batch: 76531

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 76488

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	Limit
Mercury	<0.10		1.00	1.10		ug/L	110	70 - 130	5	20

Method: SM 2320B - Alkalinity

Lab Sample ID: MB 380-59342/1

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	<2.0		2.0	mg/L			10/12/23 15:23	1
Bicarbonate Alkalinity as CaCO ₃	<2.0		2.0	mg/L			10/12/23 15:23	1
Carbonate Alkalinity as CaCO ₃	<2.0		2.0	mg/L			10/12/23 15:23	1

Lab Sample ID: LCS 380-59342/3

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Alkalinity	100	101		mg/L	101	90 - 110	

Lab Sample ID: LCSD 380-59342/18

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD	Limit
Alkalinity	100	101		mg/L	101	90 - 110	0	20

Lab Sample ID: LLCS 380-59342/4

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	Limits
Alkalinity	20.0	19.9		mg/L	99	90 - 110	

Lab Sample ID: MRL 380-59342/2

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Alkalinity	2.00	2.21		mg/L	111	50 - 150	

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: SM 2320B - Alkalinity (Continued)

Lab Sample ID: 380-66035-E-1 MS

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Alkalinity	210	F1	100	231	F1	mg/L	21	80 - 120			

Lab Sample ID: 380-66035-E-1 MSD

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Alkalinity	210	F1	100	230	F1	mg/L	19	80 - 120		1	20

Lab Sample ID: 380-66035-E-1 DU

Matrix: Water

Analysis Batch: 59342

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample	Sample	Spike	DU	DU	Unit	D	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				
Alkalinity	210	F1		211		mg/L		0	20
Bicarbonate Alkalinity as CaCO ₃	210			211		mg/L		0	20
Carbonate Alkalinity as CaCO ₃	<2.0			<2.0		mg/L		NC	20

Method: SM 2510B - Conductivity, Specific Conductance

Lab Sample ID: MB 380-59345/2

Matrix: Water

Analysis Batch: 59345

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Specific Conductance	<2.0		2.0	umhos/cm			10/12/23 15:23	1

Lab Sample ID: LCS 380-59345/4

Matrix: Water

Analysis Batch: 59345

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	RPD
	Added							
Specific Conductance	1000	1000		umhos/cm	100	90 - 110		

Lab Sample ID: LCSD 380-59345/16

Matrix: Water

Analysis Batch: 59345

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike	LCSD	LCSD	Unit	D	%Rec	%Rec	RPD
	Added							
Specific Conductance	1000	995		umhos/cm	99	90 - 110		1

Lab Sample ID: MRL 380-59345/3

Matrix: Water

Analysis Batch: 59345

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	MRL	MRL	Unit	D	%Rec	%Rec	RPD
	Added							
Specific Conductance	2.00	2.10		umhos/cm	105	50 - 150		

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: SM 2510B - Conductivity, Specific Conductance (Continued)

Lab Sample ID: 380-66035-E-1 DU

Matrix: Water

Analysis Batch: 59345

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Specific Conductance	460		457		umhos/cm		0.1	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 380-58569/1

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<10		10	mg/L		10/09/23 15:24		1

Lab Sample ID: HLCS 380-58569/5

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	HLCS Result	HLCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	700	660		mg/L		94	80 - 114

Lab Sample ID: LCS 380-58569/4

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	175	158		mg/L		90	80 - 114

Lab Sample ID: MRL 380-58569/2

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	10.0	8.00	J	mg/L		80	50 - 150

Lab Sample ID: MRL 380-58569/3

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	10.0	10.0		mg/L		100	50 - 150

Lab Sample ID: 380-65999-1 DU

Matrix: Water

Analysis Batch: 58569

Client Sample ID: Ka'amilo Wells
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	350		354		mg/L		0	10

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: SM 4500 F C - Fluoride

Lab Sample ID: MB 380-59341/42

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.050		0.050	mg/L			10/12/23 18:50	1

Lab Sample ID: MB 380-59341/8

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoride	<0.050		0.050	mg/L			10/12/23 16:24	1

Lab Sample ID: LCS 380-59341/44

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	1.00	0.974		mg/L		97	90 - 110

Lab Sample ID: LCSD 380-59341/45

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	1.00	0.978		mg/L		98	90 - 110	0	10

Lab Sample ID: MRL 380-59341/43

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.0500	0.0455	J	mg/L		91	50 - 150

Lab Sample ID: MRL 380-59341/9

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.0500	0.0472	J	mg/L		94	50 - 150

Lab Sample ID: 380-66613-F-1 MS

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Fluoride	0.21		1.00	1.20		mg/L		99	80 - 120

Lab Sample ID: 380-66613-F-1 MSD

Matrix: Water

Analysis Batch: 59341

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Fluoride	0.21		1.00	1.10		mg/L		90	80 - 120	8	20

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: SM 4500 H+ B - pH

Lab Sample ID: MB 380-59347/4

Matrix: Water

Analysis Batch: 59347

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.0			SU			10/12/23 15:23	1

Lab Sample ID: LCS 380-59347/5

Matrix: Water

Analysis Batch: 59347

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec Limits	
pH	6.00	6.0		SU	100	98 - 102	

Lab Sample ID: LCSD 380-59347/17

Matrix: Water

Analysis Batch: 59347

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec Limits	RPD Limit
pH	6.00	6.0		SU	101	98 - 102	0 2

Lab Sample ID: 380-66035-E-1 DU

Matrix: Water

Analysis Batch: 59347

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD Limit
pH	8.1		7.9		SU		2 2

Method: SM 4500 S2 D - Sulfide, Total

Lab Sample ID: MB 380-58694/1

Matrix: Water

Analysis Batch: 58694

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide	<0.050		0.050	mg/L			10/10/23 12:26	1

Lab Sample ID: LCS 380-58694/4

Matrix: Water

Analysis Batch: 58694

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec Limits
Sulfide	0.250	0.256		mg/L	102	90 - 110

Lab Sample ID: LCSD 380-58694/22

Matrix: Water

Analysis Batch: 58694

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec Limits	RPD Limit
Sulfide	0.250	0.269		mg/L	108	90 - 110	5 20

Client Sample ID: Method Blank
Prep Type: Total/NA

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: SM 4500 S2 D - Sulfide, Total (Continued)

Lab Sample ID: MRL 380-58694/17

Matrix: Water

Analysis Batch: 58694

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits	
Sulfide	0.0500	0.0530		mg/L	106		50 - 150	

Lab Sample ID: MRL 380-58694/2

Matrix: Water

Analysis Batch: 58694

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits	
Sulfide	0.0500	0.0610		mg/L	122		50 - 150	

Lab Sample ID: 380-65769-A-3 MS

Matrix: Water

Analysis Batch: 58694

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	
Sulfide	<0.050		0.250	0.220		mg/L	88		80 - 120	

Lab Sample ID: 380-65769-A-3 MSD

Matrix: Water

Analysis Batch: 58694

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD RPD Limit
Sulfide	<0.050		0.250	0.229		mg/L	92		80 - 120	4 20

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i

Lab Sample ID: 111832-B1

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: O-42142_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1-Methylnaphthalene	ND		0.005	0.001	µg/L		10/12/23 00:00	11/09/23 19:20	1
1-Methylphenanthrene	ND		0.005	0.001	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,3,5-Trimethylnaphthalene	ND		0.005	0.001	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,4,5-Trichlorophenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,4,6-Trichlorophenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,4-Dichlorophenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,4-Dinitrophenol	ND		0.2	0.1	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,6-Dichlorophenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,6-Dimethylnaphthalene	ND		0.005	0.001	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,6-Di-tert-butyl-4-methylphenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2,6-Di-tert-butylphenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Chloronaphthalene	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Chlorophenol	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Methyl-4,6-dinitrophenol	ND		0.2	0.1	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Methylnaphthalene	ND		0.005	0.001	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Methylphenol	ND		0.2	0.1	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Nitroaniline	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1
2-Nitrophenol	ND		0.2	0.1	µg/L		10/12/23 00:00	11/09/23 19:20	1
3+4-Methylphenol	ND		0.2	0.1	µg/L		10/12/23 00:00	11/09/23 19:20	1
3-Nitroaniline	ND		0.1	0.05	µg/L		10/12/23 00:00	11/09/23 19:20	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 111832-B1

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Blank Result	Blank Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Bromophenylphenyl ether	ND		0.1	0.05	µg/L				1
4-Chloro-3-methylphenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/09/23 19:20		1
4-Chloroaniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
4-Chlorophenylphenyl ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
4-Nitroaniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
4-Nitrophenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/09/23 19:20		1
6-tert-butyl-2,4-dimethylphenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Acenaphthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Acenaphthylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Aniline	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benz[a]anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzidine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzo[a]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzo[b]fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzo[e]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzo[g,h,i]perylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzo[k]fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzoic Acid	ND		0.2	0.1	µg/L	10/12/23 00:00	11/09/23 19:20		1
Benzyl Alcohol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/09/23 19:20		1
Biphenyl	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Bis(2-Chloroethoxy) methane	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Bis(2-Chloroethyl) ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Bis(2-Chloroisopropyl) ether	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Chrysene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Dibenz[a,h]anthracene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Dibenzo[a,l]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Dibenzofuran	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Dibenzothiophene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Disalicylidene propanediamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Fluoranthene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Fluorene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Hexachloroethane	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Indeno[1,2,3-cd]pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Naphthalene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Nitrobenzene	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
N-Nitrosodi-n-propylamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
N-Nitrosodiphenylamine	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Pentachlorophenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Perylene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Phenanthrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1
Phenol	ND		0.2	0.1	µg/L	10/12/23 00:00	11/09/23 19:20		1
p-tert-Butylphenol	ND		0.1	0.05	µg/L	10/12/23 00:00	11/09/23 19:20		1
Pyrene	ND		0.005	0.001	µg/L	10/12/23 00:00	11/09/23 19:20		1

Surrogate	Blank %Recovery	Blank Qualifier	Limits	Prepared	Analyzed	Dil Fac
(2,4,6-Tribromophenol)	44		30 - 130	10/12/23 00:00	11/09/23 19:20	1
(d10-Acenaphthene)	101		27 - 133	10/12/23 00:00	11/09/23 19:20	1

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 111832-B1

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: O-42142_P

Surrogate	Blank	Blank	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
(d10-Phenanthrene)			100		43 - 129	10/12/23 00:00	11/09/23 19:20	1
(d12-Chrysene)			97		52 - 144	10/12/23 00:00	11/09/23 19:20	1
(d12-Perylene)			92		36 - 161	10/12/23 00:00	11/09/23 19:20	1
(d5-Phenol)			107		0 - 130	10/12/23 00:00	11/09/23 19:20	1
(d8-Naphthalene)			104		25 - 125	10/12/23 00:00	11/09/23 19:20	1

Lab Sample ID: 111832-BS1

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	
1-Methylnaphthalene	0.5	0.496		µg/L		99	31 - 128	
1-Methylphenanthrene	0.5	0.481		µg/L		96	66 - 127	
2,3,5-Trimethylnaphthalene	0.5	0.497		µg/L		99	55 - 122	
2,4,5-Trichlorophenol	0.5	0.224		µg/L		45	30 - 130	
2,4,6-Trichlorophenol	1	0.506		µg/L		51	30 - 130	
2,4-Dichlorophenol	1	0.796		µg/L		80	51 - 117	
2,4-Dinitrophenol	1	0.00308		µg/L		0	0 - 152	
2,6-Dichlorophenol	0.5	0.349		µg/L		70	30 - 130	
2,6-Dimethylnaphthalene	0.5	0.484		µg/L		97	48 - 120	
2,6-Di-tert-butyl-4-methylphenol	1	0.833		µg/L		83	50 - 150	
2,6-Di-tert-butylphenol	1	0.87		µg/L		87	50 - 150	
2-Chloronaphthalene	1	0.933		µg/L		93	53 - 130	
2-Chlorophenol	1	0.848		µg/L		85	41 - 120	
2-Methyl-4,6-dinitrophenol	1	0.225		µg/L		22	0 - 141	
2-Methylnaphthalene	1.5	1.59		µg/L		106	47 - 130	
2-Methylphenol	1	0.923		µg/L		92	40 - 117	
2-Nitroaniline	1	1.05		µg/L		105	69 - 114	
2-Nitrophenol	1	0.752		µg/L		75	40 - 117	
3+4-Methylphenol	1	0.947		µg/L		95	0 - 130	
3-Nitroaniline	1	0.853		µg/L		85	23 - 137	
4-Bromophenylphenyl ether	1	0.882		µg/L		88	61 - 132	
4-Chloro-3-methylphenol	1	0.989		µg/L		99	51 - 128	
4-Chloroaniline	1	0.853		µg/L		85	50 - 150	
4-Chlorophenylphenyl ether	1	0.902		µg/L		90	63 - 130	
4-Nitroaniline	1	1.1		µg/L		110	10 - 159	
4-Nitrophenol	2	2.26		µg/L		113	10 - 164	
6-tert-butyl-2,4-dimethylphenol	1	0.826		µg/L		83	50 - 150	
Acenaphthene	1.5	1.64		µg/L		109	53 - 131	
Acenaphthylene	1.5	1.65		µg/L		110	43 - 140	
Aniline	1	0.555		µg/L		56	50 - 150	
Anthracene	1.5	1.57		µg/L		105	58 - 135	
Benz[a]anthracene	1.5	1.63		µg/L		109	55 - 145	
Benzidine	1	0.0479		µg/L		5	0 - 125	
Benzo[a]pyrene	1.5	1.4		µg/L		93	51 - 143	
Benzo[b]fluoranthene	1.5	1.58		µg/L		105	46 - 165	
Benzo[e]pyrene	0.5	0.508		µg/L		102	42 - 152	
Benzo[g,h,i]perylene	1.5	1.47		µg/L		98	63 - 133	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 111832-BS1

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Benzo[k]fluoranthene	1.5	1.4		µg/L	93	56 - 145		
Benzoic Acid	1	0.149		µg/L	15	2 - 145		
Benzyl Alcohol	1	0.96		µg/L	96	43 - 148		
Biphenyl	0.5	0.497		µg/L	99	56 - 119		
Bis(2-Chloroethoxy) methane	1	1.06		µg/L	106	66 - 122		
Bis(2-Chloroethyl) ether	1	0.937		µg/L	94	43 - 127		
Bis(2-Chloroisopropyl) ether	1	1.06		µg/L	106	49 - 128		
Chrysene	1.5	1.42		µg/L	95	56 - 141		
Dibenz[a,h]anthracene	1.5	1.35		µg/L	90	55 - 150		
Dibenzo[a,I]pyrene	1.5	0.786		µg/L	52	50 - 150		
Dibenzofuran	0.1000000 01490116	0.135		µg/L	135	50 - 150		
Dibenzothiophene	0.5	0.491		µg/L	98	46 - 126		
Disalicylidene propanediamine	25	13.3		µg/L	53	50 - 150		
Fluoranthene	1.5	1.64		µg/L	109	60 - 146		
Fluorene	1.5	1.6		µg/L	107	58 - 131		
Hexachloroethane	1	0.73		µg/L	73	27 - 130		
Indeno[1,2,3-cd]pyrene	1.5	1.31		µg/L	87	50 - 151		
Naphthalene	1.5	1.57		µg/L	105	41 - 126		
Nitrobenzene	1	0.877		µg/L	88	54 - 111		
N-Nitrosodi-n-propylamine	1	0.887		µg/L	89	61 - 152		
N-Nitrosodiphenylamine	1	0.905		µg/L	90	49 - 142		
Perylene	0.5	0.483		µg/L	97	48 - 141		
Phenanthrene	1.5	1.58		µg/L	105	67 - 127		
Phenol	1	0.882		µg/L	88	29 - 114		
p-tert-Butylphenol	1	1.35		µg/L	135	50 - 150		
Pyrene	1.5	1.65		µg/L	110	54 - 156		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
(2,4,6-Tribromophenol)	59		30 - 130
(d10-Acenaphthene)	103		27 - 133
(d10-Phenanthrene)	99		43 - 129
(d12-Chrysene)	95		52 - 144
(d12-Perylene)	93		36 - 161
(d5-Phenol)	112		0 - 130
(d8-Naphthalene)	101		25 - 125

Lab Sample ID: 111832-BS2

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Spike Added	LCS DUP Result	LCS DUP Qualifier	Unit	D	%Rec	Limits	RPD	Limit
1-Methylnaphthalene	0.5	0.483		µg/L	97	31 - 128		2	30
1-Methylphenanthrene	0.5	0.482		µg/L	96	66 - 127		0	30
2,3,5-Trimethylnaphthalene	0.5	0.49		µg/L	98	55 - 122		1	30
2,4,5-Trichlorophenol	0.5	0.156		µg/L	31	30 - 130		37	30
2,4,6-Trichlorophenol	1	0.378		µg/L	38	30 - 130		29	30
2,4-Dichlorophenol	1	0.705		µg/L	70	51 - 117		13	30
2,4-Dinitrophenol	1	0.000887		µg/L	0	0 - 152		0	30

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 111832-BS2

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Spike Added	LCS DUP Result	LCS DUP Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
2,6-Dichlorophenol	0.5	0.323		µg/L	65	30 - 130	7	30	
2,6-Dimethylnaphthalene	0.5	0.479		µg/L	96	48 - 120	1	30	
2,6-Di-tert-butyl-4-methylphenol	1	0.811		µg/L	81	50 - 150	2	30	
2,6-Di-tert-butylphenol	1	0.842		µg/L	84	50 - 150	4	30	
2-Chloronaphthalene	1	0.892		µg/L	89	53 - 130	4	30	
2-Chlorophenol	1	0.789		µg/L	79	41 - 120	7	30	
2-Methyl-4,6-dinitrophenol	1	0.106		µg/L	11	0 - 141	67	30	
2-Methylnaphthalene	1.5	1.54		µg/L	103	47 - 130	3	30	
2-Methylphenol	1	0.861		µg/L	86	40 - 117	7	30	
2-Nitroaniline	1	1.03		µg/L	103	69 - 114	2	30	
2-Nitrophenol	1	0.74		µg/L	74	40 - 117	1	30	
3+4-Methylphenol	1	0.883		µg/L	88	0 - 130	8	30	
3-Nitroaniline	1	0.86		µg/L	86	23 - 137	1	30	
4-Bromophenylphenyl ether	1	0.855		µg/L	86	61 - 132	2	30	
4-Chloro-3-methylphenol	1	0.952		µg/L	95	51 - 128	4	30	
4-Chloroaniline	1	0.772		µg/L	77	50 - 150	10	30	
4-Chlorophenylphenyl ether	1	0.88		µg/L	88	63 - 130	2	30	
4-Nitroaniline	1	1.1		µg/L	110	10 - 159	0	30	
4-Nitrophenol	2	2.21		µg/L	111	10 - 164	3	30	
6-tert-butyl-2,4-dimethylphenol	1	0.748		µg/L	75	50 - 150	10	30	
Acenaphthene	1.5	1.58		µg/L	105	53 - 131	4	30	
Acenaphthylene	1.5	1.59		µg/L	106	43 - 140	4	30	
Aniline	1	0.532		µg/L	53	50 - 150	6	30	
Anthracene	1.5	1.55		µg/L	103	58 - 135	2	30	
Benz[a]anthracene	1.5	1.62		µg/L	108	55 - 145	1	30	
Benzidine	1	0.034		µg/L	3	0 - 125	50	30	
Benzo[a]pyrene	1.5	1.41		µg/L	94	51 - 143	1	30	
Benzo[b]fluoranthene	1.5	1.6		µg/L	107	46 - 165	2	30	
Benzo[e]pyrene	0.5	0.498		µg/L	100	42 - 152	2	30	
Benzo[g,h,i]perylene	1.5	1.48		µg/L	99	63 - 133	1	30	
Benzo[k]fluoranthene	1.5	1.55		µg/L	103	56 - 145	10	30	
Benzoic Acid	1	0.14		µg/L	14	2 - 145	7	30	
Benzyl Alcohol	1	0.85		µg/L	85	43 - 148	12	30	
Biphenyl	0.5	0.49		µg/L	98	56 - 119	1	30	
Bis(2-Chloroethoxy) methane	1	1.02		µg/L	102	66 - 122	4	30	
Bis(2-Chloroethyl) ether	1	0.88		µg/L	88	43 - 127	7	30	
Bis(2-Chloroisopropyl) ether	1	1		µg/L	100	49 - 128	6	30	
Chrysene	1.5	1.5		µg/L	100	56 - 141	5	30	
Dibenz[a,h]anthracene	1.5	1.32		µg/L	88	55 - 150	2	30	
Dibenzo[a,l]pyrene	1.5	0.761		µg/L	51	50 - 150	2	30	
Dibenzofuran	0.1000000 01490116	0.106		µg/L	106	50 - 150	24	30	
Dibenzothiophene	0.5	0.493		µg/L	99	46 - 126	1	30	
Disalicylidene propanediamine	25	21		µg/L	84	50 - 150	45	30	
Fluoranthene	1.5	1.63		µg/L	109	60 - 146	0	30	
Fluorene	1.5	1.58		µg/L	105	58 - 131	2	30	
Hexachloroethane	1	0.683		µg/L	68	27 - 130	7	30	
Indeno[1,2,3-cd]pyrene	1.5	1.32		µg/L	88	50 - 151	1	30	
Naphthalene	1.5	1.51		µg/L	101	41 - 126	4	30	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 625 Acid/Base/PAH + TICs - EPA 625 Base/Neutral and Acid Organics i (Continued)

Lab Sample ID: 111832-BS2

Matrix: BlankMatrix

Analysis Batch: O-42142

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: O-42142_P

Analyte	Spike Added	LCS DUP Result	LCS DUP Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Nitrobenzene	1	0.848		µg/L	85	54 - 111	3	30	
N-Nitrosodi-n-propylamine	1	0.78		µg/L	78	61 - 152	13	30	
N-Nitrosodiphenylamine	1	0.745		µg/L	75	49 - 142	20	30	
Perylene	0.5	0.462		µg/L	92	48 - 141	5	30	
Phenanthrene	1.5	1.56		µg/L	104	67 - 127	1	30	
Phenol	1	0.801		µg/L	80	29 - 114	10	30	
p-tert-Butylphenol	1	1.32		µg/L	132	50 - 150	2	30	
Pyrene	1.5	1.65		µg/L	110	54 - 156	0	30	

Surrogate	LCS DUP %Recovery	LCS DUP Qualifier	Limits
(2,4,6-Tribromophenol)	55		30 - 130
(d10-Acenaphthene)	97		27 - 133
(d10-Phenanthrene)	96		43 - 129
(d12-Chrysene)	94		52 - 144
(d12-Perylene)	89		36 - 161
(d5-Phenol)	103		0 - 130
(d8-Naphthalene)	96		25 - 125

Method: 8015 Ethanol - SW846 8015B Gasoline Range Organics

Lab Sample ID: 23MEJ003WB

Matrix: WATER

Analysis Batch: 23MEJ003W

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
ETHANOL	ND	U	2000		ug/L			10/11/23 14:10	1

Lab Sample ID: 23MEJ003WL

Matrix: WATER

Analysis Batch: 23MEJ003W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
ETHANOL	10000	10600		ug/L	106	60 - 130	

Lab Sample ID: 23J095-01M

Matrix: WATER

Analysis Batch: 23MEJ003W

Client Sample ID: Matrix Spike
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
ETHANOL	ND		10000	9710		ug/L	97	60 - 130	

Lab Sample ID: 23J095-01S

Matrix: WATER

Analysis Batch: 23MEJ003W

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
ETHANOL	ND		10000	9890		ug/L	99	60 - 130	2	30	

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 8015 Gas (Purgeable) LL (EAL) - SW846 8015B Gasoline Range Organics

Lab Sample ID: 23VGH7J01B

Matrix: WATER

Analysis Batch: 23VGH7J01

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
GASOLINE	ND	U	0.02		mg/L			10/10/23 14:05	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE					10/10/23 14:05	1

Lab Sample ID: 23VGH7J01L
Matrix: WATER
Analysis Batch: 23VGH7J01

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
GASOLINE	0.5	0.449		mg/L		90	60 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOFLUOROBENZENE	102		70 - 130			

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO

Lab Sample ID: 23DSJ014WB

Matrix: WATER

Analysis Batch: 23DSJ014W

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
DIESEL	ND	U	0.025		mg/L			10/14/23 10:29	1
JP5	ND	U	0.05		mg/L			10/14/23 10:29	1
JP8	ND	U	0.05		mg/L			10/14/23 10:29	1
MOTOR OIL	ND	U	0.05		mg/L			10/14/23 10:29	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOBENZENE					10/14/23 10:29	1
HEXACOSANE					10/14/23 10:29	1

Lab Sample ID: 23DSJ014WL
Matrix: WATER
Analysis Batch: 23DSJ014W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
DIESEL	2.5	2.09		mg/L		84	50 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits	Prepared	Analyzed	Dil Fac
BROMOBENZENE	68		60 - 130			
HEXACOSANE	99		60 - 130			

Lab Sample ID: 23J5J014WL
Matrix: WATER
Analysis Batch: 23DSJ014W

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
JP5	2.5	1.54		mg/L		62	30 - 160

Eurofins Eaton Analytical Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method: 8015 LL DRO/MRO/JP5/JP8 - 8015 - TPH DRO/ORO (Continued)

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
BROMOBENZENE	66		60 - 130
HEXACOSANE	97		60 - 130

Lab Sample ID: 23J8J014WL

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Matrix: WATER

Analysis Batch: 23DSJ014W

Analyte		Spike	LCS	LCS	Unit	D	%Rec	%Rec
		Added	Result	Qualifier				
JP8		2.5	1.78		mg/L	71	30 - 160	

Surrogate	LCS	LCS	
	%Recovery	Qualifier	Limits
BROMOBENZENE	90		60 - 130
HEXACOSANE	102		60 - 130

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

GC/MS VOA

Analysis Batch: 58700

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	524.2	
380-65999-2	TRAVEL BLANK	Total/NA	Water	524.2	
MB 380-58700/5	Method Blank	Total/NA	Water	524.2	
LCS 380-58700/2	Lab Control Sample	Total/NA	Water	524.2	
LCSD 380-58700/3	Lab Control Sample Dup	Total/NA	Water	524.2	
MRL 380-58700/4	Lab Control Sample	Total/NA	Water	524.2	

GC/MS Semi VOA

Prep Batch: 58970

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	525.2	
MB 380-58970/21-A	Method Blank	Total/NA	Water	525.2	
LCS 380-58970/23-A	Lab Control Sample	Total/NA	Water	525.2	
LCSD 380-58970/24-A	Lab Control Sample Dup	Total/NA	Water	525.2	
MRL 380-58970/22-A	Lab Control Sample	Total/NA	Water	525.2	
380-66047-CZ-1-A MS	Matrix Spike	Total/NA	Water	525.2	
380-66047-DA-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	525.2	

Analysis Batch: 59331

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	525.2	58970
MB 380-58970/21-A	Method Blank	Total/NA	Water	525.2	58970
LCS 380-58970/23-A	Lab Control Sample	Total/NA	Water	525.2	58970
LCSD 380-58970/24-A	Lab Control Sample Dup	Total/NA	Water	525.2	58970
MRL 380-58970/22-A	Lab Control Sample	Total/NA	Water	525.2	58970
380-66047-CZ-1-A MS	Matrix Spike	Total/NA	Water	525.2	58970
380-66047-DA-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	525.2	58970

GC Semi VOA

Prep Batch: 58522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	504.1	
MBL 380-58522/4-A	Method Blank	Total/NA	Water	504.1	
LCS 380-58522/29-A	Lab Control Sample	Total/NA	Water	504.1	
MRL 380-58522/2-A	Lab Control Sample	Total/NA	Water	504.1	
MRL 380-58522/3-A	Lab Control Sample	Total/NA	Water	504.1	
380-65868-J-1-A MS	Matrix Spike	Total/NA	Water	504.1	
380-65869-H-1-A DU	Duplicate	Total/NA	Water	504.1	

Prep Batch: 58874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	505	
MB 380-58874/43-A	Method Blank	Total/NA	Water	505	
LCS 380-58874/10-A	Lab Control Sample	Total/NA	Water	505	
LCS 380-58874/18-A	Lab Control Sample	Total/NA	Water	505	
LCS 380-58874/26-A	Lab Control Sample	Total/NA	Water	505	
LCS 380-58874/34-A	Lab Control Sample	Total/NA	Water	505	
MRL 380-58874/41-A	Lab Control Sample	Total/NA	Water	505	
MRL 380-58874/42-A	Lab Control Sample	Total/NA	Water	505	
380-65869-C-1-A MS	Matrix Spike	Total/NA	Water	505	

Eurofins Eaton Analytical Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

GC Semi VOA (Continued)

Prep Batch: 58874 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65869-D-1-A MS	Matrix Spike	Total/NA	Water	505	

Analysis Batch: 59080

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	504.1	58522
MBL 380-58522/4-A	Method Blank	Total/NA	Water	504.1	58522
LCS 380-58522/29-A	Lab Control Sample	Total/NA	Water	504.1	58522
MRL 380-58522/2-A	Lab Control Sample	Total/NA	Water	504.1	58522
MRL 380-58522/3-A	Lab Control Sample	Total/NA	Water	504.1	58522
380-65868-J-1-A MS	Matrix Spike	Total/NA	Water	504.1	58522
380-65869-H-1-A DU	Duplicate	Total/NA	Water	504.1	58522

Analysis Batch: 59454

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	505	58874
MB 380-58874/43-A	Method Blank	Total/NA	Water	505	58874
LCS 380-58874/10-A	Lab Control Sample	Total/NA	Water	505	58874
LCS 380-58874/18-A	Lab Control Sample	Total/NA	Water	505	58874
LCS 380-58874/26-A	Lab Control Sample	Total/NA	Water	505	58874
LCS 380-58874/34-A	Lab Control Sample	Total/NA	Water	505	58874
MRL 380-58874/41-A	Lab Control Sample	Total/NA	Water	505	58874
MRL 380-58874/42-A	Lab Control Sample	Total/NA	Water	505	58874
380-65869-C-1-A MS	Matrix Spike	Total/NA	Water	505	58874
380-65869-D-1-A MS	Matrix Spike	Total/NA	Water	505	58874

HPLC/IC

Analysis Batch: 58441

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	300.0	
MB 380-58441/39	Method Blank	Total/NA	Water	300.0	
LCS 380-58441/42	Lab Control Sample	Total/NA	Water	300.0	
LCSD 380-58441/43	Lab Control Sample Dup	Total/NA	Water	300.0	
MRL 380-58441/40	Lab Control Sample	Total/NA	Water	300.0	
MRL 380-58441/41	Lab Control Sample	Total/NA	Water	300.0	
380-66000-F-1 MS	Matrix Spike	Total/NA	Water	300.0	
380-66000-F-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Analysis Batch: 58442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	300.0	
MB 380-58442/39	Method Blank	Total/NA	Water	300.0	
LCS 380-58442/42	Lab Control Sample	Total/NA	Water	300.0	
LCSD 380-58442/43	Lab Control Sample Dup	Total/NA	Water	300.0	
MRL 380-58442/40	Lab Control Sample	Total/NA	Water	300.0	
MRL 380-58442/41	Lab Control Sample	Total/NA	Water	300.0	
380-66000-F-1 MS	Matrix Spike	Total/NA	Water	300.0	
380-66000-F-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

HPLC/IC

Analysis Batch: 60066

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	300.0	
MB 380-60066/4	Method Blank	Total/NA	Water	300.0	
LCS 380-60066/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 380-60066/6	Lab Control Sample Dup	Total/NA	Water	300.0	
MRL 380-60066/3	Lab Control Sample	Total/NA	Water	300.0	
380-65740-A-1 MS	Matrix Spike	Total/NA	Water	300.0	
380-65740-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	300.0	

Metals

Prep Batch: 58858

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total Recoverable	Water	200.8	
MB 380-58858/1-A	Method Blank	Total Recoverable	Water	200.8	
LCS 380-58858/3-A	Lab Control Sample	Total Recoverable	Water	200.8	
LCSD 380-58858/4-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	
LLCS 380-58858/2-A	Lab Control Sample	Total Recoverable	Water	200.8	
380-65666-A-3-B MS	Matrix Spike	Total Recoverable	Water	200.8	
380-65666-A-3-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	200.8	

Analysis Batch: 58962

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total Recoverable	Water	200.8	58858
MB 380-58858/1-A	Method Blank	Total Recoverable	Water	200.8	58858
LCS 380-58858/3-A	Lab Control Sample	Total Recoverable	Water	200.8	58858
LCSD 380-58858/4-A	Lab Control Sample Dup	Total Recoverable	Water	200.8	58858
LLCS 380-58858/2-A	Lab Control Sample	Total Recoverable	Water	200.8	58858
380-65666-A-3-B MS	Matrix Spike	Total Recoverable	Water	200.8	58858
380-65666-A-3-C MSD	Matrix Spike Duplicate	Total Recoverable	Water	200.8	58858

Analysis Batch: 59054

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total Recoverable	Water	200.8	58858
MB 380-59054/98	Method Blank	Total/NA	Water	200.8	
LLCS 380-59054/99	Lab Control Sample	Total/NA	Water	200.8	

Analysis Batch: 59673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	200.7 Rev 4.4	
MB 380-59673/18	Method Blank	Total/NA	Water	200.7 Rev 4.4	
LCS 380-59673/20	Lab Control Sample	Total/NA	Water	200.7 Rev 4.4	
LCSD 380-59673/21	Lab Control Sample Dup	Total/NA	Water	200.7 Rev 4.4	
LLCS 380-59673/19	Lab Control Sample	Total/NA	Water	200.7 Rev 4.4	
380-65409-C-2 MS	Matrix Spike	Total/NA	Water	200.7 Rev 4.4	
380-65409-C-2 MSD	Matrix Spike Duplicate	Total/NA	Water	200.7 Rev 4.4	

Prep Batch: 76488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	245.1	
MB 810-76488/1-A	Method Blank	Total/NA	Water	245.1	
LCS 810-76488/3-A	Lab Control Sample	Total/NA	Water	245.1	

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Metals (Continued)

Prep Batch: 76488 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LLCS 810-76488/2-A	Lab Control Sample	Total/NA	Water	245.1	
810-80673-F-2-B MS	Matrix Spike	Total/NA	Water	245.1	
810-80673-F-2-C MSD	Matrix Spike Duplicate	Total/NA	Water	245.1	

Analysis Batch: 76531

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	245.1	76488
MB 810-76488/1-A	Method Blank	Total/NA	Water	245.1	76488
LCS 810-76488/3-A	Lab Control Sample	Total/NA	Water	245.1	76488
LLCS 810-76488/2-A	Lab Control Sample	Total/NA	Water	245.1	76488
810-80673-F-2-B MS	Matrix Spike	Total/NA	Water	245.1	76488
810-80673-F-2-C MSD	Matrix Spike Duplicate	Total/NA	Water	245.1	76488

General Chemistry

Analysis Batch: 58569

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 2540C	
MB 380-58569/1	Method Blank	Total/NA	Water	SM 2540C	
HLCS 380-58569/5	Lab Control Sample	Total/NA	Water	SM 2540C	
LCS 380-58569/4	Lab Control Sample	Total/NA	Water	SM 2540C	
MRL 380-58569/2	Lab Control Sample	Total/NA	Water	SM 2540C	
MRL 380-58569/3	Lab Control Sample	Total/NA	Water	SM 2540C	
380-65999-1 DU	Ka'amilo Wells	Total/NA	Water	SM 2540C	

Analysis Batch: 58694

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 4500 S2 D	
MB 380-58694/1	Method Blank	Total/NA	Water	SM 4500 S2 D	
LCS 380-58694/4	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
LCSD 380-58694/22	Lab Control Sample Dup	Total/NA	Water	SM 4500 S2 D	
MRL 380-58694/17	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
MRL 380-58694/2	Lab Control Sample	Total/NA	Water	SM 4500 S2 D	
380-65769-A-3 MS	Matrix Spike	Total/NA	Water	SM 4500 S2 D	
380-65769-A-3 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 4500 S2 D	

Analysis Batch: 59341

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 4500 F C	
MB 380-59341/42	Method Blank	Total/NA	Water	SM 4500 F C	
MB 380-59341/8	Method Blank	Total/NA	Water	SM 4500 F C	
LCS 380-59341/44	Lab Control Sample	Total/NA	Water	SM 4500 F C	
LCSD 380-59341/45	Lab Control Sample Dup	Total/NA	Water	SM 4500 F C	
MRL 380-59341/43	Lab Control Sample	Total/NA	Water	SM 4500 F C	
MRL 380-59341/9	Lab Control Sample	Total/NA	Water	SM 4500 F C	
380-66613-F-1 MS	Matrix Spike	Total/NA	Water	SM 4500 F C	
380-66613-F-1 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 4500 F C	

Analysis Batch: 59342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 2320B	

Eurofins Eaton Analytical Pomona

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

General Chemistry (Continued)

Analysis Batch: 59342 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 380-59342/1	Method Blank	Total/NA	Water	SM 2320B	
LCS 380-59342/3	Lab Control Sample	Total/NA	Water	SM 2320B	
LCSD 380-59342/18	Lab Control Sample Dup	Total/NA	Water	SM 2320B	
LLCS 380-59342/4	Lab Control Sample	Total/NA	Water	SM 2320B	
MRL 380-59342/2	Lab Control Sample	Total/NA	Water	SM 2320B	
380-66035-E-1 MS	Matrix Spike	Total/NA	Water	SM 2320B	
380-66035-E-1 MSD	Matrix Spike Duplicate	Total/NA	Water	SM 2320B	
380-66035-E-1 DU	Duplicate	Total/NA	Water	SM 2320B	

Analysis Batch: 59345

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 2510B	
MB 380-59345/2	Method Blank	Total/NA	Water	SM 2510B	
LCS 380-59345/4	Lab Control Sample	Total/NA	Water	SM 2510B	
LCSD 380-59345/16	Lab Control Sample Dup	Total/NA	Water	SM 2510B	
MRL 380-59345/3	Lab Control Sample	Total/NA	Water	SM 2510B	
380-66035-E-1 DU	Duplicate	Total/NA	Water	SM 2510B	

Analysis Batch: 59347

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	SM 4500 H+ B	
MB 380-59347/4	Method Blank	Total/NA	Water	SM 4500 H+ B	
LCS 380-59347/5	Lab Control Sample	Total/NA	Water	SM 4500 H+ B	
LCSD 380-59347/17	Lab Control Sample Dup	Total/NA	Water	SM 4500 H+ B	
380-66035-E-1 DU	Duplicate	Total/NA	Water	SM 4500 H+ B	

Subcontract

Analysis Batch: O-42142

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	625 Acid/Base/PAH + TICs	O-42142_P
111832-B1	Method Blank	Total/NA	BlankMatrix	625 Acid/Base/PAH + TICs	O-42142_P
111832-BS1	Lab Control Sample	Total/NA	BlankMatrix	625 Acid/Base/PAH + TICs	O-42142_P
111832-BS2	Lab Control Sample Dup	Total/NA	BlankMatrix	625 Acid/Base/PAH + TICs	O-42142_P

Analysis Batch: 23DSJ014W

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	8015 LL DRO/MRO/JP5/J P8	
23DSJ014WB	Method Blank	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	
23DSJ014WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	

QC Association Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Subcontract (Continued)

Analysis Batch: 23DSJ014W (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
23J5J014WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	5
23J8J014WL	Lab Control Sample	Total/NA	WATER	8015 LL DRO/MRO/JP5/J P8	6

Analysis Batch: 23MEJ003W

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	8015 Ethanol	8
23MEJ003WB	Method Blank	Total/NA	WATER	8015 Ethanol	9
23MEJ003WL	Lab Control Sample	Total/NA	WATER	8015 Ethanol	10
23J095-01M	Matrix Spike	Total/NA	WATER	8015 Ethanol	11
23J095-01S	Matrix Spike Duplicate	Total/NA	WATER	8015 Ethanol	12

Analysis Batch: 23VGH7J01

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	8015 Gas (Purgeable) LL (EAL)	13
380-65999-2	TRAVEL BLANK	Total/NA	Water	8015 Gas (Purgeable) LL (EAL)	14
23VGH7J01B	Method Blank	Total/NA	WATER	8015 Gas (Purgeable) LL (EAL)	15
23VGH7J01L	Lab Control Sample	Total/NA	WATER	8015 Gas (Purgeable) LL (EAL)	16

Prep Batch: O-42142_P

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-65999-1	Ka'amilo Wells	Total/NA	Water	EPA_625	
111832-B1	Method Blank	Total/NA	BlankMatrix	EPA_625	
111832-BS1	Lab Control Sample	Total/NA	BlankMatrix	EPA_625	
111832-BS2	Lab Control Sample Dup	Total/NA	BlankMatrix	EPA_625	

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Client Sample ID: Ka'amilo Wells
Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	524.2		1	58700	P3EE	EA POM	10/10/23 20:34
Total/NA	Prep	525.2			58970	OTM3	EA POM	10/12/23 11:20
Total/NA	Analysis	525.2		1	59331	Q8LA	EA POM	10/13/23 17:48
Total/NA	Prep	504.1			58522	K9GY	EA POM	10/09/23 11:30 - 10/09/23 12:18 ¹
Total/NA	Analysis	504.1		1	59080	K9GY	EA POM	10/09/23 20:57
Total/NA	Prep	505			58874	DR5R	EA POM	10/11/23 13:32 - 10/11/23 15:48 ¹
Total/NA	Analysis	505		1	59454	ULRL	EA POM	10/12/23 09:54
Total/NA	Analysis	300.0		5	58441	VB9B	EA POM	10/07/23 03:25
Total/NA	Analysis	300.0		5	58442	VB9B	EA POM	10/07/23 03:25
Total/NA	Analysis	300.0		1	60066	UNJR	EA POM	10/17/23 18:11
Total/NA	Analysis	200.7 Rev 4.4		1	59673	J9ZD	EA POM	10/16/23 14:41
Total Recoverable	Prep	200.8			58858	Z45W	EA POM	10/11/23 09:17
Total Recoverable	Analysis	200.8		1	58962	AAE8	EA POM	10/11/23 16:14
Total Recoverable	Prep	200.8			58858	Z45W	EA POM	10/11/23 09:17
Total Recoverable	Analysis	200.8		1	59054	AAE8	EA POM	10/11/23 19:23
Total/NA	Prep	245.1			76488	AC	EA SB	10/11/23 11:20
Total/NA	Analysis	245.1		1	76531	AC	EA SB	10/11/23 16:42
Total/NA	Analysis	SM 2320B		1	59342	D5MQ	EA POM	10/12/23 19:26
Total/NA	Analysis	SM 2510B		1	59345	D5MQ	EA POM	10/12/23 19:26
Total/NA	Analysis	SM 2540C		1	58569	UJRF	EA POM	10/09/23 15:24
Total/NA	Analysis	SM 4500 F C		1	59341	D5MQ	EA POM	10/12/23 19:52
Total/NA	Analysis	SM 4500 H+ B		1	59347	D5MQ	EA POM	10/12/23 19:26
Total/NA	Analysis	SM 4500 S2 D		1	58694	MH2L	EA POM	10/10/23 12:26
Total/NA	Prep	EPA_625		1	O-42142_P			10/12/23 00:00
Total/NA	Analysis	625 Acid/Base/PAH + TICs		1	O-42142	YC		11/10/23 02:21
Total/NA	Analysis	8015 Ethanol		1	23MEJ003W	DBaren		10/11/23 14:53
Total/NA	Analysis	8015 Gas (Purgeable) LL (EAL)		1	23VGH7J01	CMpang		10/10/23 20:50
Total/NA	Analysis	8015 LL DRO/MRO/JP5/JP8		1	23DSJ014W	SDees		10/14/23 15:47

Client Sample ID: TRAVEL BLANK

Date Collected: 10/05/23 10:17
Date Received: 10/06/23 09:40

Lab Sample ID: 380-65999-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	524.2		1	58700	P3EE	EA POM	10/10/23 20:58
Total/NA	Analysis	8015 Gas (Purgeable) LL (EAL)		1	23VGH7J01	CMpang		10/10/23 21:31

¹This procedure uses a method stipulated length of time for the process. Both start and end times are displayed.

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Laboratory References:

= Physis Environmental Laboratories, 1904 Wright Circle, Anaheim, CA 92806
EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100
EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Laboratory: Eurofins Eaton Analytical Pomona

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-24
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
505	505	Water	Polychlorinated biphenyls, Total
524.2		Water	Tertiary Butyl Alcohol (TBA)
525.2	525.2	Water	1-Methylnaphthalene
525.2	525.2	Water	2,4'-DDD
525.2	525.2	Water	2,4'-DDE
525.2	525.2	Water	2,4'-DDT
525.2	525.2	Water	2,4-Dinitrotoluene
525.2	525.2	Water	2,6-Dinitrotoluene
525.2	525.2	Water	2-Methylnaphthalene
525.2	525.2	Water	4,4'-DDD
525.2	525.2	Water	4,4'-DDE
525.2	525.2	Water	4,4'-DDT
525.2	525.2	Water	Acenaphthene
525.2	525.2	Water	Acenaphthylene
525.2	525.2	Water	Acetochlor
525.2	525.2	Water	alpha-BHC
525.2	525.2	Water	alpha-Chlordane
525.2	525.2	Water	Anthracene
525.2	525.2	Water	Benz(a)anthracene
525.2	525.2	Water	Benzo[b]fluoranthene
525.2	525.2	Water	Benzo[g,h,i]perylene
525.2	525.2	Water	Benzo[k]fluoranthene
525.2	525.2	Water	beta-BHC
525.2	525.2	Water	Bromacil
525.2	525.2	Water	Butylbenzylphthalate
525.2	525.2	Water	Chlorobenzilate
525.2	525.2	Water	Chloroneb
525.2	525.2	Water	Chlorothalonil (Draconil, Bravo)
525.2	525.2	Water	Chlorpyrifos
525.2	525.2	Water	Chrysene
525.2	525.2	Water	delta-BHC
525.2	525.2	Water	Dibenz(a,h)anthracene
525.2	525.2	Water	Diclorvos (DDVP)
525.2	525.2	Water	Diethylphthalate
525.2	525.2	Water	Dimethylphthalate
525.2	525.2	Water	Di-n-butyl phthalate
525.2	525.2	Water	Di-n-octyl phthalate
525.2	525.2	Water	Endosulfan I (Alpha)
525.2	525.2	Water	Endosulfan II (Beta)
525.2	525.2	Water	Endosulfan sulfate
525.2	525.2	Water	Endrin aldehyde
525.2	525.2	Water	EPTC
525.2	525.2	Water	Fluoranthene
525.2	525.2	Water	Fluorene
525.2	525.2	Water	gamma-Chlordane

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Laboratory: Eurofins Eaton Analytical Pomona (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
525.2	525.2	Water	Indeno[1,2,3-cd]pyrene
525.2	525.2	Water	Isophorone
525.2	525.2	Water	Malathion
525.2	525.2	Water	Molinate
525.2	525.2	Water	Naphthalene
525.2	525.2	Water	Parathion
525.2	525.2	Water	Pendimethalin (Penoxaline)
525.2	525.2	Water	Phenanthrene
525.2	525.2	Water	Pyrene
525.2	525.2	Water	Terbacil
525.2	525.2	Water	Terbutylazine
525.2	525.2	Water	Thiobencarb
525.2	525.2	Water	Total Permethrin (mixed isomers)
525.2	525.2	Water	trans-Nonachlor
525.2	525.2	Water	Trifluralin
SM 2320B		Water	Bicarbonate Alkalinity as CaCO ₃
SM 2320B		Water	Carbonate Alkalinity as CaCO ₃
SM 4500 S2 D		Water	Sulfide

Laboratory: Eurofins Eaton Analytical South Bend

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
A2LA	ISO/IEC 17025	5794.01	07-31-24
Alabama	State	40700	06-30-24
Alaska	State	IN00035	06-30-24
Arizona	State	AZ0432	07-26-24
Arkansas (DW)	State	EPA IN00035	06-30-24
California	State	2920	06-30-24
Colorado	State	IN00035	02-29-24
Connecticut	State	PH-0132	03-31-24
Delaware (DW)	State	IN00035	06-30-24
Florida	NELAP	E87775	06-30-24
Georgia (DW)	State	929	06-30-24
Guam	State	23-011R	07-15-24
Hawaii	State	IN035	06-30-24
Idaho (DW)	State	IN00035	12-31-23
IL Dept. of Public Health (Micro)	State	17767	07-01-24
Illinois	NELAP	200001	09-19-24
Indiana	State	C-71-01	12-31-25
Indiana (Micro)	State	M-76-07	12-31-25
Iowa	State	IA Lab #098	10-31-23
Kansas	NELAP	E-10233	10-31-23
Kentucky (DW)	State	KY90056	12-31-23
Louisiana (DW)	State	LA014	12-31-23
Maine	State	IN00035	05-01-25
Maryland	State	209	06-30-24

Eurofins Eaton Analytical Pomona

Accreditation/Certification Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Laboratory: Eurofins Eaton Analytical South Bend (Continued)

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Massachusetts	State	M-IN035	06-30-24
MI - RadChem Recognition	State	9926	06-30-24
Michigan	State	9926	06-30-24
Minnesota	NELAP	1989807	12-31-23
Mississippi	State	IN00035	06-30-24
Missouri	State	880	09-30-24
Montana (DW)	State	CERT0026	01-02-24
Nebraska	State	NE-OS-05-04	06-30-24
Nevada	State	IN000352024-01	07-31-24
New Hampshire	NELAP	2124	11-05-23
New Jersey	NELAP	IN598	06-30-24
New Mexico	State	IN00035	06-30-24
New York	NELAP	11398	04-01-24
North Carolina (DW)	State	18700	07-31-24
North Dakota	State	R-035	06-30-24
Northern Mariana Islands (DW)	State	IN00035	06-30-24
Ohio	State	87775	06-30-24
Oklahoma	NELAP	D9508	08-31-24
Oregon	NELAP	4156	09-16-24
Pennsylvania	NELAP	68-00466	04-30-24
Puerto Rico	State	IN00035	04-01-24
Rhode Island	State	LAO00343	12-30-23
South Carolina	State	95005001	06-30-23 *
South Dakota (DW)	State	IN00035	06-30-24
Tennessee	State	TN02973	06-30-24
Texas	NELAP	T104704187-22-16	12-31-23
Texas	TCEQ Water Supply	TX207	06-30-24
USEPA Reg X SDWA	US Federal Programs	IN00035	08-24-24
USEPA UCMR 5	US Federal Programs	IN00035	12-31-25
Utah	NELAP	IN00035	07-31-24
Vermont	State	VT-8775	11-14-23
Virginia	NELAP	460275	03-14-24
Washington	State	C837	01-01-24
West Virginia (DW)	State	9927 C	12-31-23
Wisconsin	State	999766900	08-31-24
Wisconsin (Micro)	State	10121	12-31-23
Wyoming	State	8TMS-L	06-30-24

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Method	Method Description	Protocol	Laboratory
524.2	Volatile Organic Compounds (GC/MS SIM)	EPA-DW	EA POM
525.2	Semivolatile Organic Compounds (GC/MS)	EPA	EA POM
504.1	EDB, DBCP and 1,2,3-TCP (GC)	EPA-DW2	EA POM
505	Organochlorine Pesticides/PCBs (GC)	EPA	EA POM
300.0	Anions, Ion Chromatography	EPA	EA POM
200.7 Rev 4.4	Metals (ICP)	EPA	EA POM
200.8	Metals (ICP/MS)	EPA	EA POM
245.1	Mercury (CVAA)	EPA	EA SB
SM 2320B	Alkalinity	SM	EA POM
SM 2510B	Conductivity, Specific Conductance	SM	EA POM
SM 2540C	Solids, Total Dissolved (TDS)	SM	EA POM
SM 4500 F C	Fluoride	SM	EA POM
SM 4500 H+ B	pH	SM	EA POM
SM 4500 S2 D	Sulfide, Total	SM	EA POM
625	EPA 625 Base/Neutral and Acid Organics i	EPA	
8015	8015 - TPH DRO/ORO	EPA	
8015B	SW846 8015B Gasoline Range Organics	SW846	
200.8	Preparation, Total Recoverable Metals	EPA	EA POM
245.1	Preparation, Mercury	EPA	EA SB
504.1	Microextraction	EPA-DW	EA POM
505	Extraction, Organochlorine Pesticides/PCBs	EPA	EA POM
525.2	Extraction of Semivolatile Compounds	EPA	EA POM
None	Autocomplete Prep - Metals - No Digestion required	None	EA POM

Protocol References:

EPA = US Environmental Protection Agency

EPA-DW = "Methods For The Determination Of Organic Compounds In Drinking Water", EPA/600/4-88/039, December 1988 And Its Supplements.

EPA-DW2 = "Methods For The Determination of Organic Compounds in Drinking Water - Supplement III ", EPA/600/R-95-131, August 1995

None = None

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

= Physis Environmental Laboratories, 1904 Wright Circle, Anaheim, CA 92806

EA POM = Eurofins Eaton Analytical Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

EA SB = Eurofins Eaton Analytical South Bend, 110 S Hill Street, South Bend, IN 46617, TEL (574)233-4777

Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL Quarterly

Job ID: 380-65999-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
380-65999-1	Ka'amilo Wells	Water	10/05/23 10:17	10/06/23 09:40
380-65999-2	TRAVEL BLANK	Water	10/05/23 10:17	10/06/23 09:40



3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 10-25-2023
EMAX Batch No.: 23J095

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 380-65999

.....
Enclosed is the Laboratory report for samples received on 10/10/23.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
380-65999-1	J095-01	10/05/23	WATER	TPH GASOLINE TPH ETHANOL
380-65999-2	J095-02	10/05/23	WATER	TPH GASOLINE

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning
these results.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Gaspar J. Pang".

Gaspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912023-25
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

Eurofins Eaton Analytical Pomona

Chain of Custody Record



eurofins

Environment Testing

941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Client Information (Sub Contract Lab)

Sampler: Lab P#:
Arada, R. Rachelle 380-83748.1
Phone: E-Mail:
Rachelle.Arada@ef.eurofinsus.com State of Origin:
Hawaii Page 1 of 1

Address: State - Hawaii Job #:
380-65999-1
3051 Fujita Street,
City: Torrance
State, ZIP: CA, 90505

Phone:

Email:

Project Name:

RED-HILL

Site:

Honolulu BWS Sites

Analysis is Requested

Due Date Requested:
10/18/2023

TAT Requested (days):

PO#:

WFO #:

Project #:

38001111

SSOW#:



Type of Delivery	Airbill / Tracking Number	ECN 23J099
<input type="checkbox"/> FedEx <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others		Recipient Jhowin Zamora
<input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery		Date 10/10/23 Time 10:28

COC INSPECTION

Client Name Client PM/FC Sampler Name Sampling Date/Time Sample ID Matrix
 Address Tel # / Fax # Courier Signature Analysis Required Preservative (if any) TAT
Safety Issues (if any) High concentrations expected From Superfund Site Rad screening required

Safety Issues (if any)

Note:

PACKAGING INSPECTION

Container Cooler Box
 Condition Custody Seal Intact
 Packaging Bubble Pack Styrofoam
 Temperatures Cooler 1 1.0/0.8 °C Cooler 2 _____ °C
 (Cool, ≤6 °C but not frozen) Cooler 6 _____ °C Cooler 7 _____ °C
 Thermometer: A - S/N 221852768 B - S/N 121025319
 Correction factor: -0.2
 Other Damaged
 Popcorn Sufficient _____
 Cooler 3 _____ °C Cooler 4 _____ °C Cooler 5 _____ °C
 Cooler 8 _____ °C Cooler 9 _____ °C Cooler 10 _____ °C
 C - S/N 2300446897 D - S/N 216760237

Comments: Temperature is out of range. PM was informed IMMEDIATELY.

Note:

DISCREPANCIES

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

AB 10/13/23

NOTES/OBSERVATIONS:

SAMPLE MATRIX IS DRINKING WATER? YES NO

LEGEND:

- Code Description- Sample Management**

D1 Analysis is not indicated in _____

D2 Analysis mismatch COC vs label

D3 Sample ID mismatch COC vs label

D4 Sample ID is not indicated in _____

D5 Container -[improper] [leaking] [broken]

D6 Date/Time is not indicated in _____

D7 Date/Time mismatch COC vs label

D8 Sample listed in COC is not received

D9 Sample received is not listed in COC

D10 No initial/date on corrections in COC/label

D11 Container count mismatch COC vs received

D12 Container size mismatch COC vs received

REVIEWS: *Nadeem*

REVIEWS:

Sample Labeling No cana
Date 10/10/23

REPORT ID: 23J095

Code Description-Sample Management

- D13 Out of Holding Time
 - D14 Bubble is >6mm
 - D15 No trip blank in cooler
 - D16 Preservation not indicated in _____
 - D17 Preservation mismatch COC vs label
 - D18 Insufficient chemical preservative
 - D19 Insufficient Sample
 - D20 No filtration info for dissolved analysis
 - D21 No sample for moisture determination
 - D22 _____
 - D23 _____
 - D24 _____

EMAX Laboratories Page 705 of 151 815 Fulton St., Torrance, CA 90505

SRF Uganda
Date 10/10/23

PM
Date 10/13/23
Page 3 of 44
12/5/2023

Page 3 of 44
12/5/2023

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

380-65999

METHOD 5030B / 8015B
TOTAL PERTROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 23J095

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-65999

SDG : 23J095

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of two(2) water samples were received on 10/10/23 to be analyzed for Total Petroleum Hydrocarbons by Purge And Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VGH7J01B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VGH7J01L/VGH7J01C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in J065-01M/J065-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROTINS EATON ANALYTICAL
Project : 380-65999

SDG NO. : 23J095
Instrument ID : H7

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep. Data FN	Notes
MBLK1W	VGH7J01B	1	NA	10/10/2314:05	10/10/2314:05	AJ10005A	AJ10004A	23VGH7J01 Method B1ank
LCS1W	VGH7J01L	1	NA	10/10/2316:07	10/10/2316:07	AJ10008A	AJ10004A	23VGH7J01 Lab Control Sample (LCS)
LCD1W	VGH7J01C	1	NA	10/10/2316:47	10/10/2316:47	AJ10009A	AJ10004A	23VGH7J01 LCS Duplicate
380-65999-1	J095-01	1	NA	10/10/2320:50	10/10/2320:50	AJ10015A	AJ10014A	23VGH7J01 Field Sample
380-65999-2	J095-02	1	NA	10/10/2321:31	10/10/2321:31	AJ10016A	AJ10014A	23VGH7J01 Field Sample

FN - Filename
% Moist - Percent Moisture

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

SAMPLE RESULTS

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

METHOD 5030B/8015B

TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/05/23 10:17
 Project : 380-65999 Date Received: 10/10/23
 Batch No. : 23J095 Date Extracted: 10/10/23 20:50
 Sample ID : 380-65999-1 Date Analyzed: 10/10/23 20:50
 Lab Samp ID: J095-01 Dilution Factor: 1
 Lab File ID: AJ10015A Matrix: WATER
 Ext Btch ID: 23VGH7J01 % Moisture: NA
 Calib. Ref.: AJ10014A Instrument ID: H7

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
GASOLINE	ND	0.020	0.010
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromofluorobenzene	0.0378	0.0400	95
			60-140

Notes:

Parameter : H-C Range

Gasoline : C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml Final Volume : 5ml

Prepared by : SCerva Analyzed by : SCerva

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

METHOD 5030B/8015B

TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/05/23 10:17
 Project : 380-65999 Date Received: 10/10/23
 Batch No. : 23J095 Date Extracted: 10/10/23 21:31
 Sample ID : 380-65999-2 Date Analyzed: 10/10/23 21:31
 Lab Samp ID: J095-02 Dilution Factor: 1
 Lab File ID: AJ10016A Matrix: WATER
 Ext Btch ID: 23VGH7J01 % Moisture: NA
 Calib. Ref.: AJ10014A Instrument ID: H7

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
GASOLINE	ND	0.020	0.010
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY QC LIMIT
Bromofluorobenzene	0.0355	0.0400	89 60-140

Notes:

Parameter H-C Range

Gasoline C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml Final Volume : 5ml

Prepared by : SCerva Analyzed by : SCerva

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

QC SUMMARIES

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/10/23 14:05
Project : 380-65999 Date Received: 10/10/23
Batch No. : 23J095 Date Extracted: 10/10/23 14:05
Sample ID : MBLK1W Date Analyzed: 10/10/23 14:05
Lab Samp ID: VGH7J01B Dilution Factor: 1
Lab File ID: AJ10005A Matrix: WATER
Ext Btch ID: 23VGH7J01 % Moisture: NA
Calib. Ref.: AJ10004A Instrument ID: H7

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
GASOLINE	ND	0.020	0.010
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromofluorobenzene	0.0327	0.0400	82
			60-140

Notes:

Parameter H-C Range

Gasoline C6-C10

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml Final Volume : 5ml

Prepared by : SCerva Analyzed by : SCerva

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 380-65999
 BATCH NO. : 23J095
 METHOD : 5030B/8015B

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: MBLK1W	LCS1W
LAB SAMPLE ID	: VGH7J01B	VGH7J01L
LAB FILE ID	: AJ10005A	AJ10008A
DATE PREPARED	: 10/10/23 14:05	10/10/23 16:07
DATE ANALYZED	: 10/10/23 14:05	10/10/23 16:07
PREP BATCH	: 23VGH7J01	23VGH7J01
CALIBRATION REF:	AJ10004A	AJ10004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSRResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.449	90	0.500	0.444	89	1	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSRResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0409	102	0.0400	0.0413	103	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 380-65785
 BATCH NO. : 23J065
 METHOD : 5030B/8015B

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: 380-65785-1	380-65785-1MS
LAB SAMPLE ID	: J065-01	J065-01M
LAB FILE ID	: AJ10010A	AJ10011A
DATE PREPARED	: 10/10/23 17:28	10/10/23 18:08
DATE ANALYZED	: 10/10/23 17:28	10/10/23 18:08
PREP BATCH	: 23VGH7J01	23VGH7J01
CALIBRATION REF:	AJ10004A	AJ10004A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.470	94	0.500	0.476	95	1	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0447	112	0.0400	0.0463	116	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

380-65999

METHOD 3520C / 8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 23J095

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-65999

SDG : 23J095

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 10/10/23 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSJ014WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSJ014WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 23J047-01M/23J047-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-65999

SDG : 23J095

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 10/10/23 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSJ014WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP5 was within LCS QC limits in J5J014WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. JP5 was within MS QC limits in 23J047-01M/23J047-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-65999

SDG : 23J095

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 10/10/23 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSJ014WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP8 was within LCS QC limits in J8J014WL. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. JP8 was within MS QC limits in 23J047-02M/23J047-02S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client Project	: EUROTINS EATON ANALYTICAL : 380-65999	SDG No. Instrument ID	: 23J095 : D5
<hr/>			
Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist
MBLK1W	DSJ014WB	1	NA
LCS1W	DSJ014WL	1	NA
380-65999-1	J095-01	1	NA

		WATER	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
			10/13/2311:29	LJ13037A	LJ13034A	23DSJ014W	Method Blank
			10/13/2311:30	LJ13038A	LJ13034A	23DSJ014W	Lab Control Sample (LCS)
			10/13/2311:30	LJ13054A	LJ13034A	23DSJ014W	Field Sample

FN - Filename
% Moist - Percent Moisture

LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
Project : 380-65999

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep. Batch	Notes
MBLK1W	DSJ014WB	1	NA	10/14/2310:29	10/13/2311:30	LJ13037A	23DSJ014W	Method Blank
LCS1W	J5J014WL	1	NA	10/14/2311:06	10/13/2311:30	LJ13039A	23DSJ014W	Lab Control Sample (LCS)
380-65999-1	J095-01	1	NA	10/14/2315:47	10/13/2311:30	LJ13054A	23DSJ014W	Field Sample

FN - Filename
% Moist - Percent Moisture

LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
Project : 380 -65999

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	WATER Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
NBLK1W	DSJ014WB	1	NA	10/14/2310:29	10/13/2311:30	LJ13037A	LJ13036A	23DSJ014W	Method Blank
LCS1W	J8J014WL	1	NA	10/14/2311:25	10/13/2311:30	LJ13040A	LJ13036A	23DSJ014W	Lab Control Sample (LCS)
380 -65999-1	J095 -01	1	NA	10/14/2315:47	10/13/2311:30	LJ13054A	LJ13036A	23DSJ014W	Field Sample

FN - Filename
% Moist - Percent Moisture

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

SAMPLE RESULTS

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/05/23 10:17
Project : 380-65999 Date Received: 10/10/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : 380-65999-1 Date Analyzed: 10/14/23 15:47
Lab Samp ID: 23J095-01 Dilution Factor: 1
Lab File ID: LJ13054A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13034A Instrument ID: D5

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
Diesel	ND	0.030	0.015
Motor Oil	ND	0.059	0.030
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.454	0.595	76
Hexacosane	0.147	0.149	99
<hr/>			
QC LIMIT			

Notes:

Parameter H-C Range

Diesel C10-C24

Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 840ml Final Volume : 5ml

Prepared by : RGalan Analyzed by : SDeeso

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/05/23 10:17
Project : 380-65999 Date Received: 10/10/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : 380-65999-1 Date Analyzed: 10/14/23 15:47
Lab Samp ID: 23J095-01 Dilution Factor: 1
Lab File ID: LJ13054A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13035A Instrument ID: D5

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
JP5	ND	0.059	0.030
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.454	0.595	76
Hexacosane	0.147	0.149	99
<hr/>			

Notes:

RL : Reporting Limit

Parameter H-C Range

JP5 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 840ml Final Volume : 5ml

Prepared by : RGalan Analyzed by : SDeeso

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

=====

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/05/23 10:17
Project : 380-65999 Date Received: 10/10/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : 380-65999-1 Date Analyzed: 10/14/23 15:47
Lab Samp ID: 23J095-01 Dilution Factor: 1
Lab File ID: LJ13054A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13036A Instrument ID: D5

=====

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
JP8	ND	0.059	0.030
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.454	0.595	76
Hexacosane	0.147	0.149	99
<hr/>			

Notes:

RL : Reporting Limit

Parameter H-C Range

JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 840ml Final Volume : 5ml

Prepared by : RGalan Analyzed by : SDeeso

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

QC SUMMARIES

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/13/23 11:30
Project : 380-65999 Date Received: 10/13/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : MBLK1W Date Analyzed: 10/14/23 10:29
Lab Samp ID: DSJ014WB Dilution Factor: 1
Lab File ID: LJ13037A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13034A Instrument ID: D5

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
Diesel	ND	0.025	0.012
Motor Oil	ND	0.050	0.025
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.336	0.500	67
Hexacosane	0.117	0.125	94
		QC LIMIT	

Notes:

Parameter H-C Range

Diesel C10-C24

Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml Final Volume : 5ml

Prepared by : RGalan Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-65999
BATCH NO. : 23J095
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSJ014WB DSJ014WL
LAB FILE ID : LJ13037A LJ13038A
DATE PREPARED : 10/13/23 11:30 10/13/23 11:30
DATE ANALYZED : 10/14/23 10:29 10/14/23 10:48
PREP BATCH : 23DSJ014W 23DSJ014W
CALIBRATION REF: LJ13034A LJ13034A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.09	84	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.339	68	60-130
Hexacosane	0.125	0.124	99	60-130

MB: Method Blank sample LCS: Lab Control Sample

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 380-65446
 BATCH NO. : 23J047
 METHOD : 3520C/8015B

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: 380-65446-1	380-65446-1MS
LAB SAMPLE ID	: 23J047-01	23J047-01M
LAB FILE ID	: LJ13041A	LJ13042A
DATE PREPARED	: 10/13/23 11:30	10/13/23 11:30
DATE ANALYZED	: 10/14/23 11:44	10/14/23 12:02
PREP BATCH	: 23DSJ014W	23DSJ014W
CALIBRATION REF:	LJ13034A	LJ13034A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.88	2.42	84	2.72	2.45	90	1	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.575	0.352	61	0.545	0.395	72	60-130
Hexacosane	0.144	0.148	103	0.136	0.147	108	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/13/23 11:30
Project : 380-65999 Date Received: 10/13/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : MBLK1W Date Analyzed: 10/14/23 10:29
Lab Samp ID: DSJ014WB Dilution Factor: 1
Lab File ID: LJ13037A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13035A Instrument ID: D5

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
JP5	ND	0.050	0.025
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.336	0.500	67
Hexacosane	0.117	0.125	94
<hr/>			

Notes:

RL : Reporting Limit

Parameter H-C Range

JP5 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml

Final Volume : 5ml

Prepared by : RGalan

Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-65999
BATCH NO. : 23J095
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSJ014WB J5J014WL
LAB FILE ID : LJ13037A LJ13039A
DATE PREPARED : 10/13/23 11:30 10/13/23 11:30
DATE ANALYZED : 10/14/23 10:29 10/14/23 11:06
PREP BATCH : 23DSJ014W 23DSJ014W
CALIBRATION REF: LJ13035A LJ13035A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP5	ND	2.50	1.54	62	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.330	66	60-130
Hexacosane	0.125	0.121	97	60-130

MB: Method Blank sample LCS: Lab Control Sample

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 380-65446
 BATCH NO. : 23J047
 METHOD : 3520C/8015B

MATRIX : WATER	% MOISTURE:NA
DILUTION FACTOR: 1	1
SAMPLE ID : 380-65446-1	380-65446-1MS
LAB SAMPLE ID : 23J047-01	23J047-01M
LAB FILE ID : LJ13041A	LJ13044A
DATE PREPARED : 10/13/23 11:30	10/13/23 11:30
DATE ANALYZED : 10/14/23 11:44	10/14/23 12:40
PREP BATCH : 23DSJ014W	23DSJ014W
CALIBRATION REF: LJ13035A	LJ13035A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP5	ND	2.70	1.73	64	2.62	2.17	83	23	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.540	0.352	65	0.525	0.404	77	60-130
Hexacosane	0.135	0.127	94	0.131	0.122	93	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL Date Collected: 10/13/23 11:30
Project : 380-65999 Date Received: 10/13/23
Batch No. : 23J095 Date Extracted: 10/13/23 11:30
Sample ID : MBLK1W Date Analyzed: 10/14/23 10:29
Lab Samp ID: DSJ014WB Dilution Factor: 1
Lab File ID: LJ13037A Matrix: WATER
Ext Btch ID: 23DSJ014W % Moisture: NA
Calib. Ref.: LJ13036A Instrument ID: D5

PARAMETERS	RESULTS	RL	MDL
	(mg/L)	(mg/L)	(mg/L)
JP8	ND	0.050	0.025
<hr/>			
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY
Bromobenzene	0.336	0.500	67
Hexacosane	0.117	0.125	94
<hr/>			

Notes:

RL : Reporting Limit

Parameter H-C Range

JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml

Final Volume : 5ml

Prepared by : RGalan

Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 380-65999
BATCH NO. : 23J095
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSJ014WB J8J014WL
LAB FILE ID : LJ13037A LJ13040A
DATE PREPARED : 10/13/23 11:30 10/13/23 11:30
DATE ANALYZED : 10/14/23 10:29 10/14/23 11:25
PREP BATCH : 23DSJ014W 23DSJ014W
CALIBRATION REF: LJ13036A LJ13036A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP8	ND	2.50	1.78	71	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.452	90	60-130
Hexacosane	0.125	0.127	102	60-130

MB: Method Blank sample LCS: Lab Control Sample

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
 PROJECT : 380-65446
 BATCH NO. : 23J047
 METHOD : 3520C/8015B

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: 380-65446-2	380-65446-2MS
LAB SAMPLE ID	: 23J047-02	23J047-02M
LAB FILE ID	: LJ13046A	LJ13047A
DATE PREPARED	: 10/13/23 11:30	10/13/23 11:30
DATE ANALYZED	: 10/14/23 13:17	10/14/23 13:36
PREP BATCH	: 23DSJ014W	23DSJ014W
CALIBRATION REF:	LJ13036A	LJ13036A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD	QCLimit (%)	MaxRPD (%)
JP8	ND	2.75	1.88	68	2.78	2.40	86	24	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.550	0.393	71	0.555	0.503	91	60-130
Hexacosane	0.138	0.133	97	0.139	0.136	98	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

380-65999

METHOD SW8015C
ALCOHOLS BY IC

SDG#: 23J095

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 380-65999

SDG : 23J095

METHOD SW8015C
ALCOHOLS BY GC

One(1) water sample was received on 10/10/23 to be analyzed for Alcohols by GC in accordance with Method SW8015C and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. MEJ003WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. MEJ003WL/MEJ003WC were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Ethanol was within MS QC limits in J095-01M/J095-01S. Refer to Matrix QC summary form for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
ALCOHOLS BY GC

Client : EUROFINS EATON ANALYTICAL
Project : 380-65999

SDG NO. : 23J095
Instrument ID : GCT050

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Prep. Batch FN	Notes	WATER		
									MEJ003WB	MEJ003WL	MEJ003WC
MBUKIW		1	NA	10/11/2314:10		TJ11004A	TJ11002A	Method Blank			
LCS1W		1	NA	10/11/2314:25		TJ11005A	TJ11002A	Lab Control Sample (LCS)			
LCD1W		1	NA	10/11/2314:40		TJ11006A	TJ11002A	LCS Duplicate			
380-65999-1		1	NA	10/11/2314:53		TJ11007A	TJ11002A	Field Sample			
380-65999-1MSD		1	NA	10/11/2315:08		TJ11008A	TJ11002A	Matrix Spike Sample (MS)			
380-65999-1MSD		1	NA	10/11/2315:23		TJ11009A	TJ11002A	MS Duplicate (MSD)			

FN - Filename
% Moist - Percent Moisture

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

SAMPLE RESULTS

METHOD SW8015C
ALCOHOLS BY GC

=====

Client : EUROFINS EATON ANALYTICAL	Date Collected: 10/05/23
Project : 380-65999	Date Received: 10/10/23
Batch No. : 23J095	Date Extracted: NA
Sample ID: 380-65999-1	Date Analyzed: 10/11/23 14:53
Lab Samp ID: J095-01	Dilution Factor: 1
Lab File ID: TJ11007A	Matrix : WATER
Ext Btch ID: MEJ003W	% Moisture : NA
Calib. Ref.: TJ11002A	Instrument ID : GCT050

=====

PARAMETERS	RESULTS (ug/L)	RL (ug/L)	MDL (ug/L)
ETHANOL	ND	2000	500

RL : Reporting Limit

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

QC SUMMARIES

METHOD SW8015C
ALCOHOLS BY GC

Client : EUROFINS EATON ANALYTICAL Date Collected: NA
Project : 380-65999 Date Received: NA
Batch No. : 23J095 Date Extracted: NA
Sample ID: MBLK1W Date Analyzed: 10/11/23 14:10
Lab Samp ID: MEJ003WB Dilution Factor: 1
Lab File ID: TJ11004A Matrix : WATER
Ext Btch ID: MEJ003W % Moisture : NA
Calib. Ref.: TJ11002A Instrument ID : GCT050

PARAMETERS	RESULTS (ug/L)	RL (ug/L)	MDL (ug/L)
ETHANOL	ND	2000	500

RL : Reporting Limit

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
LCS/LCD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
 PROJECT: 380-65999
 BATCH NO.: 23J095
 METHOD: METHOD SW8015C

MATRIX: WATER % MOISTURE: NA
 DILUTION FACTOR: 1 1
 SAMPLE ID: MBLK1W
 LAB SAMP ID: MEJ003WB MEJ003WL MEJ003WC
 LAB FILE ID: TJ11004A TJ11005A TJ11006A
 DATE EXTRACTED: NA NA NA DATE COLLECTED: NA
 DATE ANALYZED: 10/11/2314:10 10/11/2314:25 10/11/2314:40 DATE RECEIVED: NA
 PREP. BATCH: MEJ003W MEJ003W MEJ003W
 CALIB. REF: TJ11002A TJ11002A TJ11002A

ACCESSION:

PARAMETER	BLNK RSLT (ug/L)	SPIKE AMT (ug/L)	BS RSLT (ug/L)	BS % REC	SPIKE AMT (ug/L)	BSD RSLT (ug/L)	BSD % REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Ethanol	ND	10000	10600	106	10000	10300	103	3	60-130	30

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT: EUROFINS EATON ANALYTICAL
PROJECT: 380-65999
BATCH NO.: 23J095
METHOD: METHOD SW8015C

MATRIX: WATER % MOISTURE: NA
DILUTION FACTOR: 1 1
SAMPLE ID: 380-65999-1
LAB SAMP ID: J095-01 J095-01M J095-01S
LAB FILE ID: TJ11007A TJ11008A TJ11009A
DATE EXTRACTED: NA NA NA DATE COLLECTED: 10/05/23
DATE ANALYZED: 10/11/2314:53 10/11/2315:08 10/11/2315:23 DATE RECEIVED: 10/10/23
PREP. BATCH: MEJ003W MEJ003W MEJ003W
CALIB. REF: TJ11002A TJ11002A TJ11002A

ACCESSION:

PARAMETER	SMPL RSLT (ug/L)	SPIKE AMT (ug/L)	MS RSLT (ug/L)	MS % REC	SPIKE AMT (ug/L)	MSD RSLT (ug/L)	MSD % REC	RPD (%)	QC LIMIT (%)	MAX RPD (%)
Ethanol	ND	10000	9710	97	10000	9890	99	2	60-130	30



November 21, 2023

Rachelle Arada
Eurofins Eaton Analytical
750 Royal Oaks Drive
Suite 100
Monrovia, CA 91016-

Project Name: RED-HILL Project # 38001111 Job # 380-65999-1
Physis Project ID: 1407003-452

Dear Rachelle,

Enclosed are the analytical results for the sample submitted to PHYSIS Environmental Laboratories, Inc. (PHYSIS) on 10/9/2023. A total of 1 sample was received for analysis in accordance with the attached chain of custody (COC). Per the COC, the sample was analyzed for:

Organics
Polynuclear Aromatic Hydrocarbons by EPA 625.1
Disalicylidene propanediamine by EPA 625.1
Dibenzo [a,l] Pyrene w/ PAHs by EPA 625.1
Base/Neutral Extractable Compounds by EPA 625.1
Acid Extractable Compounds w/ PAHs by EPA 625.1
6-tert-Butyl-2,4-dimethylphenol by EPA 625.1
2,6-Di-tert-butylphenol by EPA 625.1
2,6-Di-tert-butyl-4-methylphenol by EPA 625.1
p-tert-Butylphenol by EPA 625.1

Analytical results in this report apply only to samples submitted to PHYSIS in accordance with the COC and are intended to be considered in their entirety.

Please feel free to contact me at any time with any questions. PHYSIS appreciates the opportunity to provide you with our analytical and support services.

Regards,

Misty Mercier
714 602-5320
Extension 202
mistymercier@physislabs.com



PROJECT SAMPLE LIST

Eurofins Eaton Analytical

PHYSIS Project ID: 1407003-452

RED-HILL Project # 38001111 Job # 380-65999-1

Total Samples: 1

PHYSIS ID	Sample ID	Description	Date	Time	Matrix	Sample Type
111833	Ka'amilo Wells	380-65999-1	10/5/2023	10:17	Samplewater	Not Specified

ABBREVIATIONS and ACRONYMS

QM	Quality Manual
QA	Quality Assurance
QC	Quality Control
MDL	method detection limit
RL	reporting limit
R1	project sample
R2	project sample replicate
MS1	matrix spike
MS2	matrix spike replicate
B1	procedural blank
B2	procedural blank replicate
BS1	blank spike
BS2	blank spike replicate
LCS1	laboratory control spike
LCS2	laboratory control spike replicate
LCM1	laboratory control material
LCM2	laboratory control material replicate
CRM1	certified reference material
CRM2	certified reference material replicate
RPD	relative percent difference
LMW	low molecular weight
HMW	high molecular weight

QUALITY ASSURANCE SUMMARY

LABORATORY BATCH: Physis' QM defines a laboratory batch as a group of 20 or fewer project samples of similar matrix, processed together under the same conditions and with the same reagents. QC samples are associated with each batch and were used to assess the validity of the sample analyses.

PROCEDURAL BLANK: Laboratory contamination introduced during method use is assessed through the preparation and analysis of procedural blanks is provided at a minimum frequency of one per batch.

ACCURACY: Accuracy of analytical measurements is the degree of closeness based on percent recovery calculations between measured values and the actual or true value and includes a combination of reproducibility error and systematic bias due to sampling and analytical operations. Accuracy of the project data was indicated by analysis of MS, BS, LCS, LCM, CRM, and/or surrogate spikes on a minimum frequency of one per batch. Physis' QM requires that 95% of the target compounds greater than 10 times the MDL be within the specified acceptance limits.

PRECISION: Precision is the agreement among a set of replicate measurements without assumption of knowledge of the true value and is based on RPD calculations between repeated values. Precision of the project data was determined by analysis of replicate MS₁/MS₂, BS₁/BS₂, LCS₁/LCS₂, LCM₁/LCM₂, CRM₁/CRM₂, surrogate spikes and/or replicate project sample analysis (R₁/R₂) on a minimum frequency of one per batch. Physis' QM requires that for 95% of the compounds greater than 10 times the MDL, the percent RPD should be within the specified acceptance range.

BLANK SPIKES: BS is the introduction of a known concentration of analyte into the procedural blank. BS demonstrates performance of the preparation and analytical methods on a clean matrix void of potential matrix related interferences. The BS is performed in laboratory deionized water, making these recoveries a better indicator of the efficiency of the laboratory method per se.

MATRIX SPIKES: MS is the introduction of a known concentration of analyte into a sample. MS samples demonstrate the effect a particular project sample matrix has on the accuracy of a measurement. Individually, MS samples also indicate the bias of analytical measurements due to chemical interferences inherent in the in the specific project sample spiked. Intrinsic target analyte concentration in the specific project sample can also significantly impact MS recovery.

CERTIFIED REFERENCE MATERIALS: CRMs are materials of various matrices for which analytical information has been determined and certified by a recognized authority. These are used to provide a quantitative assessment of the accuracy of an analytical method. CRMs provide evidence that the laboratory preparation and analysis produces results that are comparable to those obtained by an independent organization.

LABORATORY CONTROL MATERIAL: LCM is provided because a suitable natural seawater CRM is not available and can be used to indicate accuracy of the method. Physis' internal LCM is seawater collected at ~800 meters in the Southern California San Pedro Basin and can be used as a reference for background concentrations in clean, natural seawater for comparison to project samples.

LABORATORY CONTROL SPIKES: LCS is the introduction of a known concentration of analyte into Physis' LCM. LCS samples were employed to assess the effect the seawater matrix has on the accuracy of a measurement. LCS also indicate the bias of this method due to chemical interferences inherent in the in the seawater matrix. Intrinsic LCM concentration can also significantly impact LCS recovery.

SURROGATES: A surrogate is a pure analyte unlikely to be found in any project sample, behaves similarly to



1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

the target analyte and most often used with organic analytical procedures. Surrogates are added in known concentration to all samples and are measured to indicate overall efficiency of the method including processing and analyses.

HOLDING TIME: Method recommended holding times are the length of time a project sample can be stored under specific conditions after collection and prior to analysis without significantly affecting the analyte's concentration. Holding times can be extended if preservation techniques are employed to reduce biodegradation, volatilization, oxidation, sorption, precipitation, and other physical and chemical processes.

SAMPLE STORAGE/RETENTION: In order to maintain chemical integrity prior to analysis, all samples submitted to Physis are refrigerated (liquids) or frozen (solids) upon receipt unless otherwise recommended by applicable methods. Solid samples are retained for 1 year from collection while liquid samples are retained until method recommended holding times elapse.

TOTAL/DISSOLVED FRACTION: In some instances, the results for the dissolved fraction may be higher than the total fraction for a particular analyte (e.g. trace metals). This is typically caused by the analytical variation for each result and indicates that the target analyte is primarily in the dissolved phase, within the sample.

PHYSIS QUALIFIER CODES

CODE	DEFINITION
#	see Case Narrative
ND	analyte not detected at or above the MDL
B	analyte was detected in the procedural blank greater than 10 times the MDL
E	analyte concentration exceeds the upper limit of the linear calibration range, reported value is estimated
H	sample received and/or analyzed past the recommended holding time
J	analyte was detected at a concentration below the RL and above the MDL, reported value is estimated
N	insufficient sample, analysis could not be performed
M	analyte was outside the specified accuracy and/or precision acceptance limits due to matrix interference. The associated B/BS were within limits, therefore the sample data was reported without further clarification
SH	analyte concentration in the project sample exceeded the spike concentration, therefore accuracy and/or precision acceptance limits do not apply
SL	analyte results were lower than 10 times the MDL, therefore accuracy and/or precision acceptance limits do not apply
NH	project sample was heterogeneous and sample homogeneity could not be readily achieved using routine laboratory practices, therefore accuracy and/or precision acceptance limits do not apply
Q	analyte was outside the specified QAPP acceptance limits for precision and/or accuracy but within Physis derived acceptance limits, therefore the sample data was reported without further clarification
R	Physis' QM allows for 5% of the target compounds greater than 10 times the MDL to be outside the specified acceptance limits for precision and/or accuracy. This is often due to random error and does not indicate any significant problems with the analysis of these project samples



CASE NARRATIVE

QUALIFIER NOTES

In addition to the use of analyte specific Physis Qualifier Codes where applicable, the following were also noted.

ND

MDL is listed due to report format restrictions; it is not used in reporting. Analytical results reported are ND at the RL.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

PANALYTICALS

REPORT

AURA ENVIRONMENTAL SCIENCES, INC.

Innovative Solutions for Nature



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Acid Extractable Compounds

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed
Sample ID: 111833-R1	Ka'amilo Wells 380-65999-1		Matrix: Samplewater				Sampled:	05-Oct-23 10:17		Received:	09-Oct-23
(2,4,6-Tribromophenol)	EPA 625.1	% Recovery	45	1			Total	O-42142	12-Oct-23	10-Nov-23	
(d5-Phenol)	EPA 625.1	% Recovery	69	1			Total	O-42142	12-Oct-23	10-Nov-23	
2,4,5-Trichlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2,4,6-Trichlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2,4-Dichlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2,4-Dinitrophenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
2,6-Dichlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2,6-Di-tert-butyl-4-methylphenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2,6-Di-tert-butylphenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2-Chlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
2-Methyl-4,6-dinitrophenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
2-Methylphenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
2-Nitrophenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
3+4-Methylphenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
4-Chloro-3-methylphenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
4-Nitrophenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
6-tert-butyl-2,4-dimethylphenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
Benzoic Acid	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
Benzyl Alcohol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
Pentachlorophenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	
Phenol	EPA 625.1	µg/L	ND	1	0.1	0.2	Total	O-42142	12-Oct-23	10-Nov-23	
p-tert-Butylphenol	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142	12-Oct-23	10-Nov-23	



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Base/Neutral Extractable Compounds

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed
Sample ID: 111833-R1		Ka'amilo Wells 380-65999-1		Matrix: Samplewater		Sampled:		05-Oct-23	10:17	Received:	
2-Chloronaphthalene	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
2-Nitroaniline	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
3-Nitroaniline	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
4-Bromophenylphenyl ether	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
4-Chloroaniline	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
4-Chlorophenylphenyl ether	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
4-Nitroaniline	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Aniline	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Benzidine	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Bis(2-Chloroethoxy) methane	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Bis(2-Chloroethyl) ether	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Bis(2-Chloroisopropyl) ether	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Dibenzofuran	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Disalicylidene propanediamine	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Hexachloroethane	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
Nitrobenzene	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
N-Nitrosodi-n-propylamine	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23
N-Nitrosodiphenylamine	EPA 625.1	µg/L	ND	1	0.05	0.1	Total	O-42142		12-Oct-23	10-Nov-23

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed
Sample ID: 111833-R1	Ka'amilo Wells 380-65999-1		Matrix: Samplewater				Sampled:	05-Oct-23 10:17		Received:	09-Oct-23
(d10-Acenaphthene)	EPA 625.1	% Recovery	61	1			Total	O-42142	12-Oct-23	10-Nov-23	
(d10-Phenanthrene)	EPA 625.1	% Recovery	63	1			Total	O-42142	12-Oct-23	10-Nov-23	
(d12-Chrysene)	EPA 625.1	% Recovery	141	1			Total	O-42142	12-Oct-23	10-Nov-23	
(d12-Perylene)	EPA 625.1	% Recovery	149	1			Total	O-42142	12-Oct-23	10-Nov-23	
(d8-Naphthalene)	EPA 625.1	% Recovery	62	1			Total	O-42142	12-Oct-23	10-Nov-23	
1-Methylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
1-Methylphenanthrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
2,3,5-Trimethylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
2,6-Dimethylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
2-Methylnaphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Acenaphthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Acenaphthylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benz[a]anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benzo[a]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benzo[b]fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benzo[e]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benzo[g,h,i]perylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Benzo[k]fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Biphenyl	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Chrysene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Dibenz[a,h]anthracene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Dibenzo[a,l]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Dibenzothiophene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

ANALYTE	Method	Units	RESULT	DF	MDL	RL	Fraction	QA CODE	Batch ID	Date Processed	Date Analyzed
Fluoranthene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Fluorene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Indeno[1,2,3-cd]pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Naphthalene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Perylene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Phenanthrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	
Pyrene	EPA 625.1	µg/L	ND	1	0.001	0.005	Total	O-42142	12-Oct-23	10-Nov-23	

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

QUALITY CONTROL REPORT

ENVIRONMENTAL LABORATORIES, INC.
TERRA AURA

Innovative Solutions for Nature



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Acid Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %	QA CODEC LIMITS							
									LIMITS	%									
Sample ID: 111832-B1	QAQC Procedural Blank						Matrix: BlankMatrix		Sampled:			Received:							
	Method: EPA 625.1						Batch ID: O-42142		Prepared: 12-Oct-23			Analyzed: 09-Nov-23							
(2,4,6-Tribromophenol)	Total	44	1			% Recovery	100		44	30 - 130%	PASS								
(d5-Phenol)	Total	107	1			% Recovery	100		107	0 - 130%	PASS								
2,4,5-Trichlorophenol	Total	ND	1	0.05	0.1	µg/L													
2,4,6-Trichlorophenol	Total	ND	1	0.05	0.1	µg/L													
2,4-Dichlorophenol	Total	ND	1	0.05	0.1	µg/L													
2,4-Dinitrophenol	Total	ND	1	0.1	0.2	µg/L													
2,6-Dichlorophenol	Total	ND	1	0.05	0.1	µg/L													
2,6-Di-tert-butyl-4-methylphe nol	Total	ND	1	0.05	0.1	µg/L													
2,6-Di-tert-butylphenol	Total	ND	1	0.05	0.1	µg/L													
2-Chlorophenol	Total	ND	1	0.05	0.1	µg/L													
2-Methyl-4,6-dinitrophenol	Total	ND	1	0.1	0.2	µg/L													
2-Methylphenol	Total	ND	1	0.1	0.2	µg/L													
2-Nitrophenol	Total	ND	1	0.1	0.2	µg/L													
3+4-Methylphenol	Total	ND	1	0.1	0.2	µg/L													
4-Chloro-3-methylphenol	Total	ND	1	0.1	0.2	µg/L													
4-Nitrophenol	Total	ND	1	0.1	0.2	µg/L													
6-tert-butyl-2,4-dimethylphenol	Total	ND	1	0.05	0.1	µg/L													
Benzoic Acid	Total	ND	1	0.1	0.2	µg/L													
Benzyl Alcohol	Total	ND	1	0.1	0.2	µg/L													
Pentachlorophenol	Total	ND	1	0.05	0.1	µg/L													
Phenol	Total	ND	1	0.1	0.2	µg/L													
p-tert-Butylphenol	Total	ND	1	0.05	0.1	µg/L													



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Acid Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY		PRECISION %	QA CODEC LIMITS										
									%	LIMITS												
Sample ID: 111832-BS1 QAQC Procedural Blank																						
Method: EPA 625.1																						
(2,4,6-Tribromophenol)	Total	59	1			% Recovery	100	0	59	30 - 130%	PASS											
(d5-Phenol)	Total	112	1			% Recovery	100	0	112	0 - 130%	PASS											
2,4,5-Trichlorophenol	Total	0.224	1	0.05	0.1	µg/L	0.5	0	45	30 - 130%	PASS											
2,4,6-Trichlorophenol	Total	0.506	1	0.05	0.1	µg/L	1	0	51	56 - 118%	PASS											
2,4-Dichlorophenol	Total	0.796	1	0.05	0.1	µg/L	1	0	80	51 - 117%	PASS											
2,4-Dinitrophenol	Total	0.00308	1	0.1	0.2	µg/L	1	0	0	0 - 152%	PASS											
2,6-Dichlorophenol	Total	0.349	1	0.05	0.1	µg/L	0.5	0	70	30 - 130%	PASS											
2,6-Di-tert-butyl-4-methylphe nol	Total	0.833	1	0.05	0.1	µg/L	1	0	83	50 - 150%	PASS											
2,6-Di-tert-butylphenol	Total	0.87	1	0.05	0.1	µg/L	1	0	87	50 - 150%	PASS											
2-Chlorophenol	Total	0.848	1	0.05	0.1	µg/L	1	0	85	41 - 110%	PASS											
2-Methyl-4,6-dinitrophenol	Total	0.225	1	0.1	0.2	µg/L	1	0	22	0 - 141%	PASS											
2-Methylphenol	Total	0.923	1	0.1	0.2	µg/L	1	0	92	40 - 117%	PASS											
2-Nitrophenol	Total	0.752	1	0.1	0.2	µg/L	1	0	75	40 - 117%	PASS											
3+4-Methylphenol	Total	0.947	1	0.1	0.2	µg/L	1	0	95	0 - 130%	PASS											
4-Chloro-3-methylphenol	Total	0.989	1	0.1	0.2	µg/L	1	0	99	51 - 128%	PASS											
4-Nitrophenol	Total	2.26	1	0.1	0.2	µg/L	2	0	113	10 - 164%	PASS											
6-tert-butyl-2,4-dimethylphen ol	Total	0.826	1	0.05	0.1	µg/L	1	0	83	50 - 150%	PASS											
Benzoic Acid	Total	0.149	1	0.1	0.2	µg/L	1	0	15	2 - 145%	PASS											
Benzyl Alcohol	Total	0.96	1	0.1	0.2	µg/L	1	0	96	43 - 148%	PASS											
Phenol	Total	0.882	1	0.1	0.2	µg/L	1	0	88	29 - 114%	PASS											
p-tert-Butylphenol	Total	1.35	1	0.05	0.1	µg/L	1	0	135	50 - 150%	PASS											



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Acid Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %		QA CODEc					
									LIMITS	LIMITS	%	LIMITS						
Sample ID: 111832-BS2		QAQC Procedural Blank				Matrix: BlankMatrix		Sampled:				Received:						
Method: EPA 625.1							Batch ID: O-42142		Prepared: 12-Oct-23		Analyzed: 09-Nov-23							
(2,4,6-Tribromophenol)	Total	55	1			% Recovery	100	0	55	30 - 130%	PASS	7	30 PASS					
(d5-Phenol)	Total	103	1			% Recovery	100	0	103	0 - 130%	PASS	8	30 PASS					
2,4,5-Trichlorophenol	Total	0.156	1	0.05	0.1	µg/L	0.5	0	31	30 - 130%	PASS	37	30 FAIL R					
2,4,6-Trichlorophenol	Total	0.378	1	0.05	0.1	µg/L	1	0	38	56 - 118%	PASS	29	30 PASS					
2,4-Dichlorophenol	Total	0.705	1	0.05	0.1	µg/L	1	0	70	51 - 117%	PASS	13	30 PASS					
2,4-Dinitrophenol	Total	0.000887	1	0.1	0.2	µg/L	1	0	0	0 - 152%	PASS	0	30 PASS					
2,6-Dichlorophenol	Total	0.323	1	0.05	0.1	µg/L	0.5	0	65	30 - 130%	PASS	7	30 PASS					
2,6-Di-tert-butyl-4-methylphe nol	Total	0.811	1	0.05	0.1	µg/L	1	0	81	50 - 150%	PASS	2	30 PASS					
2,6-Di-tert-butylphenol	Total	0.842	1	0.05	0.1	µg/L	1	0	84	50 - 150%	PASS	4	30 PASS					
2-Chlorophenol	Total	0.789	1	0.05	0.1	µg/L	1	0	79	41 - 110%	PASS	7	30 PASS					
2-Methyl-4,6-dinitrophenol	Total	0.106	1	0.1	0.2	µg/L	1	0	11	0 - 141%	PASS	67	30 FAIL R					
2-Methylphenol	Total	0.861	1	0.1	0.2	µg/L	1	0	86	40 - 117%	PASS	7	30 PASS					
2-Nitrophenol	Total	0.74	1	0.1	0.2	µg/L	1	0	74	40 - 117%	PASS	1	30 PASS					
3+4-Methylphenol	Total	0.883	1	0.1	0.2	µg/L	1	0	88	0 - 130%	PASS	8	30 PASS					
4-Chloro-3-methylphenol	Total	0.952	1	0.1	0.2	µg/L	1	0	95	51 - 128%	PASS	4	30 PASS					
4-Nitrophenol	Total	2.21	1	0.1	0.2	µg/L	2	0	111	10 - 164%	PASS	3	30 PASS					
6-tert-butyl-2,4-dimethylphen ol	Total	0.748	1	0.05	0.1	µg/L	1	0	75	50 - 150%	PASS	10	30 PASS					
Benzoic Acid	Total	0.14	1	0.1	0.2	µg/L	1	0	14	2 - 145%	PASS	7	30 PASS					
Benzyl Alcohol	Total	0.85	1	0.1	0.2	µg/L	1	0	85	43 - 148%	PASS	12	30 PASS					
Phenol	Total	0.801	1	0.1	0.2	µg/L	1	0	80	29 - 114%	PASS	10	30 PASS					
p-tert-Butylphenol	Total	1.32	1	0.05	0.1	µg/L	1	0	132	50 - 150%	PASS	2	30 PASS					



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Base/Neutral Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %	QA CODEC LIMITS						
									LIMITS	%								
Sample ID: 111832-B1		QAQC Procedural Blank						Matrix: BlankMatrix		Sampled:		Received:						
		Method: EPA 625.1						Batch ID: O-42142		Prepared: 12-Oct-23		Analyzed: 09-Nov-23						
2-Chloronaphthalene	Total	ND	1	0.05	0.1	µg/L												
2-Nitroaniline	Total	ND	1	0.05	0.1	µg/L												
3-Nitroaniline	Total	ND	1	0.05	0.1	µg/L												
4-Bromophenylphenyl ether	Total	ND	1	0.05	0.1	µg/L												
4-Chloroaniline	Total	ND	1	0.05	0.1	µg/L												
4-Chlorophenylphenyl ether	Total	ND	1	0.05	0.1	µg/L												
4-Nitroaniline	Total	ND	1	0.05	0.1	µg/L												
Aniline	Total	ND	1	0.05	0.1	µg/L												
Benzidine	Total	ND	1	0.05	0.1	µg/L												
Bis(2-Chloroethoxy) methane	Total	ND	1	0.05	0.1	µg/L												
Bis(2-Chloroethyl) ether	Total	ND	1	0.05	0.1	µg/L												
Bis(2-Chloroisopropyl) ether	Total	ND	1	0.05	0.1	µg/L												
Dibenzofuran	Total	ND	1	0.05	0.1	µg/L												
Disalicylidene propanediamin	Total	ND	1	0.05	0.1	µg/L												
Hexachloroethane	Total	ND	1	0.05	0.1	µg/L												
Nitrobenzene	Total	ND	1	0.05	0.1	µg/L												
N-Nitrosodi-n-propylamine	Total	ND	1	0.05	0.1	µg/L												
N-Nitrosodiphenylamine	Total	ND	1	0.05	0.1	µg/L												



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Base/Neutral Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %		QA CODEc					
									LIMITS	LIMITS	%	LIMITS						
Sample ID: 111832-BS1		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:			Received:							
		Method: EPA 625.1			Batch ID: O-42142			Prepared: 12-Oct-23			Analyzed: 09-Nov-23							
2-Chloronaphthalene	Total	0.933	1	0.05	0.1	µg/L	1	0	93	53 - 130%	PASS							
2-Nitroaniline	Total	1.05	1	0.05	0.1	µg/L	1	0	105	69 - 114%	PASS							
3-Nitroaniline	Total	0.853	1	0.05	0.1	µg/L	1	0	85	23 - 137%	PASS							
4-Bromophenylphenyl ether	Total	0.882	1	0.05	0.1	µg/L	1	0	88	61 - 132%	PASS							
4-Chloroaniline	Total	0.853	1	0.05	0.1	µg/L	1	0	85	50 - 150%	PASS							
4-Chlorophenylphenyl ether	Total	0.902	1	0.05	0.1	µg/L	1	0	90	63 - 130%	PASS							
4-Nitroaniline	Total	1.1	1	0.05	0.1	µg/L	1	0	110	10 - 159%	PASS							
Aniline	Total	0.555	1	0.05	0.1	µg/L	1	0	56	50 - 150%	PASS							
Benzidine	Total	0.0479	1	0.05	0.1	µg/L	1	0	5	0 - 125%	PASS							
Bis(2-Chloroethoxy) methane	Total	1.06	1	0.05	0.1	µg/L	1	0	106	66 - 122%	PASS							
Bis(2-Chloroethyl) ether	Total	0.937	1	0.05	0.1	µg/L	1	0	94	43 - 127%	PASS							
Bis(2-Chloroisopropyl) ether	Total	1.06	1	0.05	0.1	µg/L	1	0	106	49 - 128%	PASS							
Dibenzofuran	Total	0.135	1	0.05	0.1	µg/L	0.1	0	135	50 - 150%	PASS							
Disalicylidene propanediamin	Total	13.3	1	0.05	0.1	µg/L	25	0	53	50 - 150%	PASS							
Hexachloroethane	Total	0.73	1	0.05	0.1	µg/L	1	0	73	27 - 130%	PASS							
Nitrobenzene	Total	0.877	1	0.05	0.1	µg/L	1	0	88	54 - 111%	PASS							
N-Nitrosodi-n-propylamine	Total	0.887	1	0.05	0.1	µg/L	1	0	89	61 - 152%	PASS							
N-Nitrosodiphenylamine	Total	0.905	1	0.05	0.1	µg/L	1	0	90	49 - 142%	PASS							



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Base/Neutral Extractable Compounds

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %		QA CODEc					
									LIMITS	LIMITS	%	LIMITS						
Sample ID: 111832-BS2		QAQC Procedural Blank			Matrix: BlankMatrix			Sampled:			Received:							
Method: EPA 625.1							Batch ID: O-42142		Prepared: 12-Oct-23		Analyzed: 09-Nov-23							
2-Chloronaphthalene	Total	0.892	1	0.05	0.1	µg/L	1	0	89	53 - 130%	PASS	4	30 PASS					
2-Nitroaniline	Total	1.03	1	0.05	0.1	µg/L	1	0	103	69 - 114%	PASS	2	30 PASS					
3-Nitroaniline	Total	0.86	1	0.05	0.1	µg/L	1	0	86	23 - 137%	PASS	1	30 PASS					
4-Bromophenylphenyl ether	Total	0.855	1	0.05	0.1	µg/L	1	0	86	61 - 132%	PASS	2	30 PASS					
4-Chloroaniline	Total	0.772	1	0.05	0.1	µg/L	1	0	77	50 - 150%	PASS	10	30 PASS					
4-Chlorophenylphenyl ether	Total	0.88	1	0.05	0.1	µg/L	1	0	88	63 - 130%	PASS	2	30 PASS					
4-Nitroaniline	Total	1.1	1	0.05	0.1	µg/L	1	0	110	10 - 159%	PASS	0	30 PASS					
Aniline	Total	0.532	1	0.05	0.1	µg/L	1	0	53	50 - 150%	PASS	6	30 PASS					
Benzidine	Total	0.034	1	0.05	0.1	µg/L	1	0	3	0 - 125%	PASS	50	30 FAIL R					
Bis(2-Chloroethoxy) methane	Total	1.02	1	0.05	0.1	µg/L	1	0	102	66 - 122%	PASS	4	30 PASS					
Bis(2-Chloroethyl) ether	Total	0.88	1	0.05	0.1	µg/L	1	0	88	43 - 127%	PASS	7	30 PASS					
Bis(2-Chloroisopropyl) ether	Total	1	1	0.05	0.1	µg/L	1	0	100	49 - 128%	PASS	6	30 PASS					
Dibenzofuran	Total	0.106	1	0.05	0.1	µg/L	0.1	0	106	50 - 150%	PASS	24	30 PASS					
Disalicylidene propanediamin	Total	21	1	0.05	0.1	µg/L	25	0	84	50 - 150%	PASS	45	30 FAIL R					
Hexachloroethane	Total	0.683	1	0.05	0.1	µg/L	1	0	68	27 - 130%	PASS	7	30 PASS					
Nitrobenzene	Total	0.848	1	0.05	0.1	µg/L	1	0	85	54 - 111%	PASS	3	30 PASS					
N-Nitrosodi-n-propylamine	Total	0.78	1	0.05	0.1	µg/L	1	0	78	61 - 152%	PASS	13	30 PASS					
N-Nitrosodiphenylamine	Total	0.745	1	0.05	0.1	µg/L	1	0	75	49 - 142%	PASS	20	30 PASS					



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %	QA CODEC LIMITS
									LIMITS	%		
Sample ID: 111832-B1	QAQC Procedural Blank						Matrix: BlankMatrix		Sampled:			Received:
(d10-Acenaphthene)	Total	101	1				% Recovery	100	101	27 - 133%	PASS	
(d10-Phenanthrene)	Total	100	1				% Recovery	100	100	43 - 129%	PASS	
(d12-Chrysene)	Total	97	1				% Recovery	100	97	52 - 144%	PASS	
(d12-Perylene)	Total	92	1				% Recovery	100	92	36 - 161%	PASS	
(d8-Naphthalene)	Total	104	1				% Recovery	100	104	25 - 125%	PASS	
1-Methylnaphthalene	Total	ND	1	0.001	0.005	µg/L						
1-Methylphenanthrene	Total	ND	1	0.001	0.005	µg/L						
2,3,5-Trimethylnaphthalene	Total	ND	1	0.001	0.005	µg/L						
2,6-Dimethylnaphthalene	Total	ND	1	0.001	0.005	µg/L						
2-Methylnaphthalene	Total	ND	1	0.001	0.005	µg/L						
Acenaphthene	Total	ND	1	0.001	0.005	µg/L						
Acenaphthylene	Total	ND	1	0.001	0.005	µg/L						
Anthracene	Total	ND	1	0.001	0.005	µg/L						
Benz[a]anthracene	Total	ND	1	0.001	0.005	µg/L						
Benzo[a]pyrene	Total	ND	1	0.001	0.005	µg/L						
Benzo[b]fluoranthene	Total	ND	1	0.001	0.005	µg/L						
Benzo[e]pyrene	Total	ND	1	0.001	0.005	µg/L						
Benzo[g,h,i]perylene	Total	ND	1	0.001	0.005	µg/L						
Benzo[k]fluoranthene	Total	ND	1	0.001	0.005	µg/L						
Biphenyl	Total	ND	1	0.001	0.005	µg/L						
Chrysene	Total	ND	1	0.001	0.005	µg/L						
Dibenz[a,h]anthracene	Total	ND	1	0.001	0.005	µg/L						
Dibenzo[a,i]pyrene	Total	ND	1	0.001	0.005	µg/L						
Dibenzothiophene	Total	ND	1	0.001	0.005	µg/L						



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE	SOURCE	ACCURACY	PRECISION	QA CODEc
							LEVEL	RESULT			
Fluoranthene	Total	ND	1	0.001	0.005	µg/L					
Fluorene	Total	ND	1	0.001	0.005	µg/L					
Indeno[1,2,3-cd]pyrene	Total	ND	1	0.001	0.005	µg/L					
Naphthalene	Total	ND	1	0.001	0.005	µg/L					
Perylene	Total	ND	1	0.001	0.005	µg/L					
Phenanthrene	Total	ND	1	0.001	0.005	µg/L					
Pyrene	Total	ND	1	0.001	0.005	µg/L					



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %	PRECISION %	QA CODEC
Sample ID: 111832-BS1 QAQC Procedural Blank											
Method: EPA 625.1											
(d10-Acenaphthene)	Total	103	1			% Recovery	100	0	103	27 - 133%	PASS
(d10-Phenanthrene)	Total	99	1			% Recovery	100	0	99	43 - 129%	PASS
(d12-Chrysene)	Total	95	1			% Recovery	100	0	95	52 - 144%	PASS
(d12-Perylene)	Total	93	1			% Recovery	100	0	93	36 - 161%	PASS
(d8-Naphthalene)	Total	101	1			% Recovery	100	0	101	25 - 125%	PASS
1-Methylnaphthalene	Total	0.496	1	0.001	0.005	µg/L	0.5	0	99	31 - 128%	PASS
1-Methylphenanthrene	Total	0.481	1	0.001	0.005	µg/L	0.5	0	96	66 - 127%	PASS
2,3,5-Trimethylnaphthalene	Total	0.497	1	0.001	0.005	µg/L	0.5	0	99	55 - 122%	PASS
2,6-Dimethylnaphthalene	Total	0.484	1	0.001	0.005	µg/L	0.5	0	97	48 - 120%	PASS
2-Methylnaphthalene	Total	1.59	1	0.001	0.005	µg/L	1.5	0	106	47 - 130%	PASS
Acenaphthene	Total	1.64	1	0.001	0.005	µg/L	1.5	0	109	53 - 131%	PASS
Acenaphthylene	Total	1.65	1	0.001	0.005	µg/L	1.5	0	110	43 - 140%	PASS
Anthracene	Total	1.57	1	0.001	0.005	µg/L	1.5	0	105	58 - 135%	PASS
Benz[a]anthracene	Total	1.63	1	0.001	0.005	µg/L	1.5	0	109	55 - 145%	PASS
Benzo[a]pyrene	Total	1.4	1	0.001	0.005	µg/L	1.5	0	93	51 - 143%	PASS
Benzo[b]fluoranthene	Total	1.58	1	0.001	0.005	µg/L	1.5	0	105	46 - 165%	PASS
Benzo[e]pyrene	Total	0.508	1	0.001	0.005	µg/L	0.5	0	102	42 - 152%	PASS
Benzo[g,h,i]perylene	Total	1.47	1	0.001	0.005	µg/L	1.5	0	98	63 - 133%	PASS
Benzo[k]fluoranthene	Total	1.4	1	0.001	0.005	µg/L	1.5	0	93	56 - 145%	PASS
Biphenyl	Total	0.497	1	0.001	0.005	µg/L	0.5	0	99	56 - 119%	PASS
Chrysene	Total	1.42	1	0.001	0.005	µg/L	1.5	0	95	56 - 141%	PASS
Dibenz[a,h]anthracene	Total	1.35	1	0.001	0.005	µg/L	1.5	0	90	55 - 150%	PASS
Dibenzo[a,i]pyrene	Total	0.786	1	0.001	0.005	µg/L	1.5	0	52	50 - 150%	PASS
Dibenzothiophene	Total	0.491	1	0.001	0.005	µg/L	0.5	0	98	46 - 126%	PASS



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY		PRECISION %	QA CODEc LIMITS
									%	LIMITS		
Fluoranthene	Total	1.64	1	0.001	0.005	µg/L	1.5	0	109	60 - 146%	PASS	
Fluorene	Total	1.6	1	0.001	0.005	µg/L	1.5	0	107	58 - 131%	PASS	
Indeno[1,2,3-cd]pyrene	Total	1.31	1	0.001	0.005	µg/L	1.5	0	87	50 - 151%	PASS	
Naphthalene	Total	1.57	1	0.001	0.005	µg/L	1.5	0	105	41 - 126%	PASS	
Perylene	Total	0.483	1	0.001	0.005	µg/L	0.5	0	97	48 - 141%	PASS	
Phenanthrene	Total	1.58	1	0.001	0.005	µg/L	1.5	0	105	67 - 127%	PASS	
Pyrene	Total	1.65	1	0.001	0.005	µg/L	1.5	0	110	54 - 156%	PASS	



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452
Client: Eurofins Eaton Analytical
Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY %		PRECISION %		QA CODEc					
									LIMITS	LIMITS	%	LIMITS						
Sample ID: 111832-BS2		QAQC Procedural Blank				Matrix: BlankMatrix		Sampled:				Received:						
Method: EPA 625.1							Batch ID: O-42142		Prepared: 12-Oct-23		Analyzed: 09-Nov-23							
(d10-Acenaphthene)	Total	97	1			% Recovery	100	0	97	27 - 133%	PASS	6	30 PASS					
(d10-Phenanthrene)	Total	96	1			% Recovery	100	0	96	43 - 129%	PASS	3	30 PASS					
(d12-Chrysene)	Total	94	1			% Recovery	100	0	94	52 - 144%	PASS	1	30 PASS					
(d12-Perylene)	Total	89	1			% Recovery	100	0	89	36 - 161%	PASS	4	30 PASS					
(d8-Naphthalene)	Total	96	1			% Recovery	100	0	96	25 - 125%	PASS	5	30 PASS					
1-Methylnaphthalene	Total	0.483	1	0.001	0.005	µg/L	0.5	0	97	31 - 128%	PASS	2	30 PASS					
1-Methylphenanthrene	Total	0.482	1	0.001	0.005	µg/L	0.5	0	96	66 - 127%	PASS	0	30 PASS					
2,3,5-Trimethylnaphthalene	Total	0.49	1	0.001	0.005	µg/L	0.5	0	98	55 - 122%	PASS	1	30 PASS					
2,6-Dimethylnaphthalene	Total	0.479	1	0.001	0.005	µg/L	0.5	0	96	48 - 120%	PASS	1	30 PASS					
2-Methylnaphthalene	Total	1.54	1	0.001	0.005	µg/L	1.5	0	103	47 - 130%	PASS	3	30 PASS					
Acenaphthene	Total	1.58	1	0.001	0.005	µg/L	1.5	0	105	53 - 131%	PASS	4	30 PASS					
Acenaphthylene	Total	1.59	1	0.001	0.005	µg/L	1.5	0	106	43 - 140%	PASS	4	30 PASS					
Anthracene	Total	1.55	1	0.001	0.005	µg/L	1.5	0	103	58 - 135%	PASS	2	30 PASS					
Benz[a]anthracene	Total	1.62	1	0.001	0.005	µg/L	1.5	0	108	55 - 145%	PASS	1	30 PASS					
Benzo[a]pyrene	Total	1.41	1	0.001	0.005	µg/L	1.5	0	94	51 - 143%	PASS	1	30 PASS					
Benzo[b]fluoranthene	Total	1.6	1	0.001	0.005	µg/L	1.5	0	107	46 - 165%	PASS	2	30 PASS					
Benzo[e]pyrene	Total	0.498	1	0.001	0.005	µg/L	0.5	0	100	42 - 152%	PASS	2	30 PASS					
Benzo[g,h,i]perylene	Total	1.48	1	0.001	0.005	µg/L	1.5	0	99	63 - 133%	PASS	1	30 PASS					
Benzo[k]fluoranthene	Total	1.55	1	0.001	0.005	µg/L	1.5	0	103	56 - 145%	PASS	10	30 PASS					
Biphenyl	Total	0.49	1	0.001	0.005	µg/L	0.5	0	98	56 - 119%	PASS	1	30 PASS					
Chrysene	Total	1.5	1	0.001	0.005	µg/L	1.5	0	100	56 - 141%	PASS	5	30 PASS					
Dibenz[a,h]anthracene	Total	1.32	1	0.001	0.005	µg/L	1.5	0	88	55 - 150%	PASS	2	30 PASS					
Dibenzo[a,i]pyrene	Total	0.761	1	0.001	0.005	µg/L	1.5	0	51	50 - 150%	PASS	2	30 PASS					
Dibenzothiophene	Total	0.493	1	0.001	0.005	µg/L	0.5	0	99	46 - 126%	PASS	1	30 PASS					



Innovative Solutions for Nature

PHYSIS Project ID: 1407003-452

Client: Eurofins Eaton Analytical

Project: RED-HILL Project # 38001111 Job # 380-65999-1

Polynuclear Aromatic Hydrocarbons

QUALITY CONTROL REPORT

ANALYTE	FRACTION	RESULT	DF	MDL	RL	UNITS	SPIKE LEVEL	SOURCE RESULT	ACCURACY		PRECISION		QA CODEc
									%	LIMITS	%	LIMITS	
Fluoranthene	Total	1.63	1	0.001	0.005	µg/L	1.5	0	109	60 - 146%	PASS	0	30 PASS
Fluorene	Total	1.58	1	0.001	0.005	µg/L	1.5	0	105	58 - 131%	PASS	2	30 PASS
Indeno[1,2,3-cd]pyrene	Total	1.32	1	0.001	0.005	µg/L	1.5	0	88	50 - 151%	PASS	1	30 PASS
Naphthalene	Total	1.51	1	0.001	0.005	µg/L	1.5	0	101	41 - 126%	PASS	4	30 PASS
Perylene	Total	0.462	1	0.001	0.005	µg/L	0.5	0	92	48 - 141%	PASS	5	30 PASS
Phenanthrene	Total	1.56	1	0.001	0.005	µg/L	1.5	0	104	67 - 127%	PASS	1	30 PASS
Pyrene	Total	1.65	1	0.001	0.005	µg/L	1.5	0	110	54 - 156%	PASS	0	30 PASS

TENTATIVELY IDENTIFIED COMPOUNDS

ENVIRONMENTAL LABORATORIES, INC.

Innovative Solutions for Nature

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

Sample ID: 111833

Retention Time	Area (% of total)	Concentration (ng/L)	Library/ID	Cas Number	Match Quality (%)
35.3769	5.6407	1111	Anthracene-D10-	1719-06-8	98
10.4175	8.1171	1599	Cyclohexane, 1-methyl-2-propyl-	4291-79-6	95
10.3584	5.2163	1028	Octane, 3-methyl-6-methylene-	74630-07-2	91
10.6048	4.2968	846	Cyclobutanecarboxylic acid, 2-propenyl ester	1000282-60-3	88
10.1802	2.2383	441	2,3,3-Trimethyl-1-hexene	1000113-52-1	87
10.1522	1.3593	268	1H-Tetrazole	288-94-8	87
10.4712	1.0128	200	Octane, 3-methyl-6-methylene-	74630-07-2	88
10.3011	0.7887	155	Sulfurous acid, di(cyclohexylmethyl) ester	1010309-22-7	86
10.0160	0.7663	151	3-Penten-2-one	625-33-2	94
10.9781	0.6729	133	Cyclopropane, 1,1,2,3-tetramethyl-	74752-93-5	89
10.9781	0.6427	127	1-Butene, 2,3,3-trimethyl-	594-56-9	86
10.2469	0.5752	113	Hydroperoxide, 1-ethylbutyl	24254-56-6	86

Concentration estimated using the response for Anthracene-d10

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

Sample ID: Lab Blank B1_42142

Retention Time	Area (% of total)	Concentration (ng/L)	Library/ID	Cas Number	Match Quality (%)
35.3856	6.0679	1111	Anthracene-D10-	1517-22-2	96
10.6103	3.6837	675	Cyclopropane, 2-bromo-1,1,3-trimethyl-	36617-00-2	90
10.4201	1.3883	254	Cyclohexane, 1-methyl-2-propyl-	4291-79-6	94
10.3612	0.9310	170	Octane, 3-methyl-6-methylene-	74630-07-2	88
10.3702	0.6057	111	Thiazole	288-47-1	80

Concentration estimated using the response for Anthracene-d10

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17



Eurofins Eaton Analytical Pomona
 941 Corporate Center Drive
 Pomona, CA 91768-2642
 Phone: 626-386-1100

Chain of Custody Record



Client Information (Sub Contract Lab)		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:																																																						
Client Contact:	Phone:	Arada, Rachelle	E-Mail:	Rachelle.Arada@et.eurofinsus.com	380-83751.1																																																						
Shipping/Receiving Company:				State of Origin:	Page:																																																						
Physical Environmental Laboratories Address:	1904 Wright Circle, City: Anaheim State: Zip: CA, 92806 Phone: Email: Project Name: RED-HILL Site: Honolulu BWS Sites	Due Date Requested:	10/18/2023 TAT Requested (days):	Accreditations Required (See note): State - Hawaii	Page 1 of 1																																																						
<table border="1"> <thead> <tr> <th colspan="6">Analysis Requested</th> </tr> </thead> <tbody> <tr> <td>SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH</td> <td>SB (625 PAH PhysiS LL (EAL) + TCs)</td> <td>SB (625 PAH PhysiS LL (EAL) + TCs) / 625 PAH</td> <td>SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH</td> <td>SB (625 Acid/Base/PAH + TCs) / 625 PAH</td> <td>Total Number of containers</td> </tr> <tr> <td>Project #:</td> <td>WO #:</td> <td>Other:</td> <td>Other:</td> <td>Other:</td> <td>Other:</td> </tr> <tr> <td>38001111</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6">Special Instructions/Note:</td> </tr> <tr> <td colspan="6"> <input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Matrix (Viewer, Specailist, On-site, Oil, BTBasis, A/Air) <input checked="" type="checkbox"/> Preservation Code: <input checked="" type="checkbox"/> Sample Date: 10/5/23 Sample Time: 10:17 Water </td> </tr> <tr> <td colspan="6"> <input checked="" type="checkbox"/> See Attached Instructions <input checked="" type="checkbox"/> Other: </td> </tr> <tr> <td colspan="6"> <input checked="" type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months </td> </tr> <tr> <td colspan="6"> Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Primary Deliverable Rank: 2 Deliverable Requested: I, II, III, IV, Other (specify) Possible Hazard Identification Unconfirmed Empty Kit Relinquished by: Relinquished by: <i>[Signature]</i> Date/Time: 10/9/23 1157 Company BCA Received by: Audrey 10/17 Date/Time: 10/17/23 1157 Company Ward Relinquished by: Date/Time: Company Received by: Date/Time: Company Custody Seals Intact: <input checked="" type="checkbox"/> Custody Seal No.: <input type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) & other Remarks: </td> </tr> </tbody></table>						Analysis Requested						SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH	SB (625 PAH PhysiS LL (EAL) + TCs)	SB (625 PAH PhysiS LL (EAL) + TCs) / 625 PAH	SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH	SB (625 Acid/Base/PAH + TCs) / 625 PAH	Total Number of containers	Project #:	WO #:	Other:	Other:	Other:	Other:	38001111						Special Instructions/Note:						<input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Matrix (Viewer, Specailist, On-site, Oil, BTBasis, A/Air) <input checked="" type="checkbox"/> Preservation Code: <input checked="" type="checkbox"/> Sample Date: 10/5/23 Sample Time: 10:17 Water						<input checked="" type="checkbox"/> See Attached Instructions <input checked="" type="checkbox"/> Other:						<input checked="" type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Primary Deliverable Rank: 2 Deliverable Requested: I, II, III, IV, Other (specify) Possible Hazard Identification Unconfirmed Empty Kit Relinquished by: Relinquished by: <i>[Signature]</i> Date/Time: 10/9/23 1157 Company BCA Received by: Audrey 10/17 Date/Time: 10/17/23 1157 Company Ward Relinquished by: Date/Time: Company Received by: Date/Time: Company Custody Seals Intact: <input checked="" type="checkbox"/> Custody Seal No.: <input type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) & other Remarks:					
Analysis Requested																																																											
SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH	SB (625 PAH PhysiS LL (EAL) + TCs)	SB (625 PAH PhysiS LL (EAL) + TCs) / 625 PAH	SB (625 Acid/Base/PAH + TCs) / 625 Acid/Base/PAH	SB (625 Acid/Base/PAH + TCs) / 625 PAH	Total Number of containers																																																						
Project #:	WO #:	Other:	Other:	Other:	Other:																																																						
38001111																																																											
Special Instructions/Note:																																																											
<input checked="" type="checkbox"/> Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Matrix (Viewer, Specailist, On-site, Oil, BTBasis, A/Air) <input checked="" type="checkbox"/> Preservation Code: <input checked="" type="checkbox"/> Sample Date: 10/5/23 Sample Time: 10:17 Water																																																											
<input checked="" type="checkbox"/> See Attached Instructions <input checked="" type="checkbox"/> Other:																																																											
<input checked="" type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months																																																											
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) Primary Deliverable Rank: 2 Deliverable Requested: I, II, III, IV, Other (specify) Possible Hazard Identification Unconfirmed Empty Kit Relinquished by: Relinquished by: <i>[Signature]</i> Date/Time: 10/9/23 1157 Company BCA Received by: Audrey 10/17 Date/Time: 10/17/23 1157 Company Ward Relinquished by: Date/Time: Company Received by: Date/Time: Company Custody Seals Intact: <input checked="" type="checkbox"/> Custody Seal No.: <input type="checkbox"/> Yes <input type="checkbox"/> No Cooler Temperature(s) & other Remarks:																																																											

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analysis & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the state of origin listed above for analysis/test matrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17



Sample Receipt Summary

Receiving Info

1. Initials Received By: AT
2. Date Received: 10/4/2023
3. Time Received: 11:57
4. Client Name: Eurofins
5. Courier Information: (Please circle)
 - Client
 - FedEx
 - PHYSIS Driver:
 - i. Start Time: _____
 - ii. End Time: _____
 - iii. Total Mileage: _____
 - iv. Number of Pickups: _____
6. Container Information: (Please put the # of containers or circle none)
 - 1 Cooler
 - Carboy(s)
 - Styrofoam Cooler
 - Carboy Trash Can(s)
 - Boxes
 - Carboy Cap(s)
 - None
 - Other _____
7. What type of ice was used: (Please circle any that apply)
 - Wet Ice
 - Blue Ice
 - Dry Ice
 - Water
 - None
8. Randomly Selected Samples Temperature (°C): -1.4 Used I/R Thermometer # 1-2

Inspection Info

1. Initials Inspected By: _____

Sample Integrity Upon Receipt:

1. COC(s) included and completely filled out..... Yes / No
2. All sample containers arrived intact..... Yes / No
3. All samples listed on COC(s) are present..... Yes / No
4. Information on containers consistent with information on COC(s)..... Yes / No
5. Correct containers and volume for all analyses indicated..... Yes / No
6. All samples received within method holding time..... Yes / No
7. Correct preservation used for all analyses indicated..... Yes / No
8. Name of sampler included on COC(s)..... Yes / No

Notes:

Monrovia, CA (Suite 100)
 750 Royal Oaks Drive Suite 100
 Monrovia, CA 91016
 Phone (626) 386-1100

Chain of Custody Record

Client Information		Sampler BONIET	Lab PM Arada, Rachelle	Carrier Tracking No(s)	COC No
Client Contact: Dr Ron Fenstermacher	Phone 808-748-5840	E-Mail Rachelle.Arada@et.euronisus.com	State of Origin	Page Page 1 of 2	
Company City & County of Honolulu	PWSID	Analysis Requested			
Address 630 South Beretania Street, Chemistry Lab	Due Date Requested				
City Honolulu	TAT Requested (days)				
State Zip HI, 96843	Compliance Project △ No				
Phone 808-748-5091 (tel)	PO # C20525101 exp 05312023				
Email Ifenstermacher@hbws.org	WQ #				
Project Name RED-HILL	Project # 38801111				
Site SSOW#					
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (H=water, S=solid, O=waste oil, T=tissue, A=Au)	Preservation Code
Ka'amilo Wells	5-Oct-2023	10/7	G	Water	R N D N CB HA
Travel Blank	5-Oct-2023	10/7			R N D RA RA RA R
Field Filtered Sample (yes or No)					
Performance MSD/MSD (yes or No)					
Total Dissolved Solids (TDS)					
2540C-Gaiced - Total dissolved Solids (TDS)					
2007, 2008					
2320B, 2510B, SM4500-H+					
5041-PREC, 505-LL-PREC					
5242-Pres-PREC, 5242-SIM-PREC					
5252-PREC - 525Plus PLUS TICs					
3000-OF-28D-B, 3000-OF-28D-PREC, 3000-OF-48H-PREC					
4500-E-C					
2451 - Local Method					
SUBCONTRACT - 8015 Jet Fuel 8 (JP8)					
SUBCONTRACT - 8015 Diesel LL (EAL) and Motor Oil					
SUBCONTRACT - 8015 Gas (Purgeable) LL (EAL)					
Total Number of containers					
Other					
Special Instructions/Note:					
Preservation Codes: A - HCl M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2S2O3 F - MeOH S - H2S04 G - Anchior T - TSP Decahydrate H - Ascorbic Acid U - Acetone I - Ice V - MCAA J - Di Water W - pH 4-5 K - EDTA Y - Trima L - EDA Z - other (specify)					
					
380-65999 COC					
Sample Disposal / A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months					
Special Instructions/QC Requirements					
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological	Date/Time 0500 Oct. 2023	Time 1400	Method of Shipping Hand	Date/Time 10/6/23	Company HBWS
Deliverable Requested I II, III, IV, Other (specify)	Date/Time	Received by	Date/Time	Received by	Company
Empty Kit Relinquished by BONIET	Date/Time	Received by	Date/Time	Received by	Company
Relinquished by	Date/Time	Received by	Date/Time	Received by	Company
Custody Seals Intact △ Yes △ No	Custody Seal No 151A	Cooler Temperature(s) °C and Other Remarks 17°C Blue Ice ①			

Chain of Custody Record

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17

Bottle Order Information

Bottle Order#: RED-HILL - Quarterly
 Bottle Order #: 1845
 Request From Client: 12/14/2022
 Date Order Posted: 6/23/2022 7:29:27AM
 Order Status: Ready To Process
 Prepared By: Davis Haley
Deliver By Date: 9/1/2023 11:59:00PM
 Lab Project Number: 38001111
 PWSID: HI00000331

Order Completion Information

Creator: Michelle Do
 Filled by:
 Sent Date:
 Sent Via:
 Tracking #:

Sets	Bottles/Set	Qty	Bottle Type Description	Preservative	Method	Matrix	Sample Type	Comments	Lot #
5	6	30	Voa Vial 40ml Amber - Sodium Thiosulfate	Sodium Thiosulfate	504.1_PREC - Local Method +505_EAL Aldin Dieldrin Tox	Water	Normal		
5	1	5	Plastic 250ml - unpreserved	None	2320B - (MOD) Total Alkalinity SM4500_H+ - Local Method	Water	Normal		
5	1	5	Plastic 500ml - with Nitric Acid	Nitric Acid	200.8 - Metals, Priority Pollutant by 2008	Water	Normal		
5	1	5	Plastic 500ml - unpreserved	None	2540C_Calcd - Total Dissolved Solids (TDS)	Water	Normal		
5	1	5	Plastic 250ml - with Zinc Acetate & NaOH	Zinc Acetate and Sodium Hydroxide	SM4500_S2_D - Sulfide, Total	Water	Normal		
5	6	30	Voa Vial 40ml Amber - Ascor. Acid & HCl	Ascorbic Acid and Hydrochloric Acid	524.2_PresPREC - VOASDWA plus TICs + Acetone	Water	Normal		
5	3	15	Amber Glass 1 Liter- Sodium Sulfite/HCl	Sodium Sulfite w/HCl	524.2_SIM_PREC - TBA by 524.2 SIM	Water	Normal		
5	2	10	Plastic 125mL - unpreserved	None	525.2_PREC - 525plus Plus TICs	Water	Normal		
5	1	5	Plastic 250ml - with Nitric Acid	Nitric Acid	300_OF_28D_B - Bromide 4500_F_C - Fluoride 300_OF_28D_PREC - Chloride and Sulfate 300_OF_48H_PREC - Nitrite, Nitrate, and Nitrite+Nitrate	Water Water Water	Normal Normal Normal		E13

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

5	2	10	Amber Glass 1 L - NaThiosulfate 8mL HCL	Thiosulfate/H hydrochloric Acid	Sodium Thiosulfate/H hydrochloric Acid	SUBCONTRACT - 8015 Jet Fuel 5 (JP5)	Water	Normal <i>Emtpy</i>
5	2	10	Amber Glass 1 L - NaThiosulfate 8mL HCL	Thiosulfate/H hydrochloric Acid	Sodium Thiosulfate/H hydrochloric Acid	SUBCONTRACT - 8015 Diesel LL (EAI) and Motor Oil	Water	Normal <i>Emtpy</i>
5	3	15	Voa Vial 40mL - Sodium Thio w/HCl-dropper	Sodium Thiosulfate	Sodium Thiosulfate	SUBCONTRACT - 8015 Gas (Purgeable) LL (EAI)	Water	Normal <i>Emtpy</i>
5	3	15	Voa Vial 40mL - unpressed	None	None	SUBCONTRACT - 8015 Ethanol	Water	Normal <i>Emtpy</i>
5	2	10	Amber Glass 1 liter - Sodium Thiosulfate	Sodium Thiosulfate	Sodium Thiosulfate	SUBCONTRACT - 625 PAH Physis LL (EAI) + TICs	Water	Normal <i>Physiss</i>
5	2	10	Amber Glass 1 liter - Sodium Thiosulfate	Sodium Thiosulfate	Sodium Thiosulfate	SUBCONTRACT - 625 Base Neutral LL (EAI) Physis	Water	Normal <i>Physiss</i>
5	2	10	Amber Glass 1 liter - Sodium Thiosulfate	Sodium Thiosulfate	Sodium Thiosulfate	SUBCONTRACT - 625 Acid LL (EAI) Physis	Water	Normal <i>Physiss</i>
5	2	10	VOA Vial 40mL - NaThiosulfate/HCL	Sodium Thiosulfate/H hydrochloric Acid	Sodium Thiosulfate/H hydrochloric Acid	SUBCONTRACT - 8015 Gas (Purgeable) LL (EAI)	Water	Trip Blank <i>Emtpy</i>
5	6	30	Voa Vial 40mL Amber - Ascor. Acid & HCL	Ascorbic Acid and Hydrochloric Acid	524.2_Pres_PREC - VOASDWA plus TICs + Acetone	524.2_SIM_PREC - TBA by 524.2 SIM	Water	Trip Blank <i>Emtpy</i>
5	3	15	Voa Vial 40mL Amber - Sodium thiosulfate	Sodium Thiosulfate	504.1_PREC - Local Method	Water	Trip Blank <i>Emtpy</i>	

Please notify your PM immediately if an error is found in shipment. When returning samples, please return all provided QC samples.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

ORIGIN ID HIIKA
BWS CHEM LAB
HONOLULU BOARD OF WATER SUPPLY
630 S BERETANIA ST
CHEMICAL LABORATORY
HONOLULU, HI 96843
UNITED STATES US

SHIP DATE 05OCT23
ACTWGT .5600 LB
CAD 258050552/INET4535

BILL RECIPIENT

TO EUROFINS RECEIVING DEPARTMENT
EUROFINS DRINKING WATER TESTING
941 CORPORATE CENTER DR

583J9/3D0A/GAE3

POMONA CA 91768

REF
(626) 386-1100

DEPT



(75A) 4/1-0/1-4.0' GEC-PZEN


FRI - 06 OCT 10:30A
2 of 2 PRIORITY OVERNIGHT

MPS# 7736 5038 9638
0263 Mst# 7736 5038 9627

0201

WW ONTA

91768
CA-US
ONT



After printing this label
CONSIGNEE COPY • PLEASE PLACE IN FRONT OF POUCH
1 Fold the printed page along the horizontal line
2 Place label in shipping pouch and affix it to your shipment!

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

Eurofins Eaton Analytical Pomona

941 Corporate Center Drive
Pomona, CA 91768-2642
Phone: 626-386-1100

Chain of Custody Record



eurofins
Environment Testing

Client Information (Sub Contract Lab)

Client Contact:
Shipping/Receiving

Company:
Eurofins Eaton Analytical

Address:
110 S Hill Street,

City:
South Bend

State, Zip:
IN, 46617

Phone:
574-233-4777(Tel) 574-233-8207(Fax)

Email:
Rachelle.Arada@et.eurofinsus.com

Project Name:
RED-HILL

Site:
Honolulu BWS Sites

Due Date Requested:

10/26/2023
TAT Requested (days):

PO #:

WO #:

SSOW#:

Sample IDentification - Client ID (Lab ID)

Carrier Tracking No(s):

State of Origin:

Accreditations Required (See note):

State - Hawaii

Sample Date	Sample Time	Sample Type (C=Comp, G=qGrab)	Matrix (W=water, S=solid, O=water+ solid, A=Air)	Preservation Code:	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	245.1/245.1_Prep Mercury by 245.1
10/5/23	10:17	Hawaiian	Water	X			

Total Number of containers	Special Instructions/Note:
1	

Note: Since laboratory accreditations are subject to change, Eurofins Eaton Analytical, LLC places the ownership of method, analysis & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/testmatrix being analyzed, the samples must be shipped back to the Eurofins Eaton Analytical, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Eaton Analytical, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Eaton Analytical, LLC.

Possible Hazard Identification

Unconfirmed

Deliverable Requested: I, II, III, IV. Other (specify)

Primary Deliverable Rank: 2

Empty Kit Relinquished by: _____ Date: _____ Time: _____ Method of Shipment: _____

Relinquished by: Mark Krutic

Date/Time: 10/4/23 1205

Company: EPA

Received by: Mike Polkinghorne

Date/Time: 10/10/23 0845

Company: EPA

Received by: _____

Date/Time: _____

Company: _____

Custody Seals Intact: Yes No

Client Provided Sample Container

pH Acceptable

Ver: 06/08/2021

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-65999-1

Login Number: 65999

List Source: Eurofins Eaton Analytical Pomona

List Number: 1

Creator: Edrosa, Rey

Question

Answer

Comment

The cooler's custody seal, if present, is intact.

N/A

Sample custody seals, if present, are intact.

N/A

Samples were received on ice.

True

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

True

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

There are no discrepancies between the containers received and the COC.

True

Samples are received within Holding Time (excluding tests with immediate HTs)

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

True

Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").

True

Samples do not require splitting or compositing.

True

Container provided by EEA

True

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-65999-1

Login Number: 65999

List Number: 2

Creator: Pehling-Wright, Penny

List Source: Eurofins Eaton Analytical South Bend

List Creation: 10/10/23 02:36 PM

Question

Answer

Comment

The cooler's custody seal, if present, is intact.

True

Sample custody seals, if present, are intact.

True

Samples were received on ice.

True

Cooler Temperature is acceptable.

True

Cooler Temperature is recorded.

True

COC is present.

True

COC is filled out in ink and legible.

True

COC is filled out with all pertinent information.

True

There are no discrepancies between the containers received and the COC.

True

Samples are received within Holding Time (excluding tests with immediate HTs)

True

Sample containers have legible labels.

True

Containers are not broken or leaking.

True

Sample collection date/times are provided.

True

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

True

Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").

True

Samples do not require splitting or compositing.

True

Container provided by EEA

False

Client provided containers