

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Honolulu Board of Water Supply
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843
Attention: Erwin Kawata
Fax: 808-550-5018



Utah ELCP CA00006

DEB: Debbie L Frank
Project Manager

Report: 985106
Project: RED-HILL
Group: Red-Hill Expanded List (Albuquerque+)

* Accredited in accordance with TNI 2016 and ISO/IEC 17025:2017.

* Laboratory certifies that the test results meet all **TNI 2016 and ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

* As applicable, this report consists of the cover page, State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms.

* Test results relate only to the sample(s) tested.

* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

* This report shall not be reproduced except in full, without the written approval of the laboratory.

* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	NE-OS-21-13
Arkansas	CA00006	Nevada	CA00006
California	2813	New Hampshire *	2959
Colorado	CA00006	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	CA00006
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	21-008R	Ohio - 537.1	87786
Hawaii	CA00006	Oregon *	4034
Idaho	CA00006	Pennsylvania *	68-00565
Illinois	200033	Puerto Rico	CA00006
Indiana	C-CA-01	Rhode Island	LAO00326
Iowa – Asbestos	413	South Carolina	87016
Kansas *	E-10268	South Dakota	CA11320
Kentucky	90107	Tennessee	TN02839
Louisiana *	LA008	Texas *	T104704230-20-18
Maine	CA00006	Utah (Primary AB) *	CA00006
Maryland	224	Vermont	VT0114
Marianas Islands	MP0004	Virginia *	460260
Massachusetts	M-CA006	Washington	C838
Michigan	9906	EPA Region 5	CA00006
Mississippi	CA00006	Los Angeles County Sanitation Districts	10264

* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025:2917 Accredited Method List

The test listed below are accredited and met the requirements of ISO/IEC 17025 as verify by A2LA.

Refer to our certificates and scope of accreditations (no. 5890-1 and 5890-2) found at:

<https://www.eurofinsus.com/Eaton>

Test(s)	Method(s)	Potable Water *	Waste Water	Test(s)	Method(s)	Potable Water *	Waste Water
Enterococci	Enterolert	x	x	Gross Alpha coprecipitation	SM 7110 C	x	x
Escherichia coli (Enumeration)	SM 9221 B.1 SM 9221 F	x		Hardness	SM 2340 B	x	x
Fecal Coliform (P/A and Enumeration)	SM 9221 C (MTF/EC), SM 9221 E (MTF/EC)	x	x	Hexavalent Chromium	EPA 218.6,	x	x
Fecal Streptococci and Enterococci	SM 9230 B	x	x	Hexavalent Chromium	EPA 218.7,	x	
Heterotrophic Bacteria	SM 9215 B	x		Hexavalent Chromium	SM 3500-Cr B		x
Legionella	Legiolert®	x		Inorganic Anions and DBPs	EPA 300.0	x	x
Pseudomonas aeruginosa	Idexx Pseudalart	x		Norganic Anions and DBPs	EPA 300.1	x	
Total Coliform (P/A and Enumeration)	SM 9221A, SM 9221B, SM 9221 C	x	x	Kjeldahl Nitrogen	EPA 351.2		x
Total Coliform, Total Coliform with Chlorine Present	SM 9221 B	x	x	Metals	EPA 200.7, EPA200.8	x	x
Total Coliform/E. coli (P/A and Enumeration, Idexx Colilert, Idexx Colilert 18, Colisure)	SM 9223	x		Nitrosamines	EEA-Agilent 521.1 (GCMS-24250)	x	
Total Microcystins and Nodularins	EPA 546	X		Nitrate/Nitrite Nitrogen	EPA 353.2	x	x
Yeast and Mold	SM 9610	x		Odor	SM2150B	x	
1,2,3-Trichloropropane (TCP) at 5 PPT	CA SRL 524M-TCP	x		Organohalide Pesticides and PCB	EPA 505	x	
1,4-Dioxane	EPA 522	x		Ortho Phosphate	SM 4500P E	x	
2,3,7,8-TCDD	Modified EPA 1613 B	x		Oxyhalides Disinfection Byproducts	EPA 317.0	x	
Acrylamide	+ LCMS 2440)	x		Perchlorate	EPA 331.0	x	
Algal Toxins/Microcystin	+ LCMS 3570	x		Perchlorate (Low and High Levels)	EPA 314.0	x	
Alkalinity	SM 2320B	x	x	Perfluorinated Alkyl Acids	EPA 533, EPA 537, EPA 537.1	x	
Ammonia	EPA 350.1, SM 4500-NH3 H		x	PPCP and EDC	+ LCMS-2443	x	
Asbestos	EPA 100.2	x	x	pH	EPA 150.1 SM 4500-H+ B	x	x
Bicarbonate Alkalinity as HCO3	SM 2330 B	x	x	Phenolics – Low Level	+ WC 2493 (EPA 420.2 and EPA 420.4 MOD)	x	x
BOD/CBOD	SM 5210 B		x	Phenylurea Pesticides/Herbicides	+ LCMS-2448	x	
Bromate	+ LCMS- 2447	x		Radium-226, Radium-228	GA Tech (Rad-2374)	x	
Carbonate as CO3	SM 2330 B	x	x	Radon-222	SM 7500RN	x	
Carbonyls	EPA 556	x	x	Residue (Filterable)	SM 2540C	x	x
Chemical Oxygen Demand	EPA 410.4, SM 5220D		x	Residue (Non-Filterable)	SM 2540D		x
Chlorinated Acids	EPA 515.4	x		Residue (Total)	SM 2540B		x
Chlorine Dioxide	Palin Test Chlordio X Plus, SM 4500-CLO2 D	x		Residue (Volatile)	EPA 160.4		x
Chlorine, Free, Combined, Total Residual, Chloramines	SM 4500-Cl G	x		Semi-Volatile Compounds	EPA 525.2	x	
Color	SM2120B	x		Silica	SM 4500-SiO2 C	x	x
Conductivity	EPA 120.1, SM 2510B	x	x	Sulfide	SM 4500-S D		x
Corrosivity (Langelier Index), Carbonate as CO3, Hydroxide as OH Calculated	SM 2330 B	x		Sulfite	SM 4500-SO3 B	x	x
Cyanide (Amenable)	SM 4500-CN G	x	x	Surfactants	SM 5540C	x	x
Cyanide (Free)	SM 4500CN F	x	x	Taste and Odor	SM 6040 E	x	
Cyanide (Total)	EPA 335.4	x	x	Total Organic Carbon	SM 5310 C	x	x
Cyanogen Chloride (Screen)	+ 335 Mod (WC-24467)	x		Total Phenols	EPA 420.1		x
Diquat and Paraquat	EPA 549.2	x		Total Phenols	EPA 420.4	x	x
DBP and HAA	SM 6251 B	x		Triazine Pesticides and their Degradates	+ LCMS-3617	x	
Dissolved Organic Carbon	SM 5310 C	x		Turbidity	EPA 180.1	x	x
Dissolved Oxygen	SM 4500-O G		x	Uranium by ICP/MS	EPA 200.8	x	
EDB/DCBP/TCP	EPA 504.1	x		UV 254 Organic Constituents	SM 5910B	x	
EDB/DBCP and Disinfection Byproducts	EPA 551.1	x		VOCs	EPA 524.2	x	
EDTA and NTA	+ WC-2454	x		VOCs	+ (GCMS 2412) by EPA 524.2 modified	x	
Endothall	EPA 548.1, +(LCMS-2445)	x					
Fluoride	SM 4500F C	x	x				
Glyphosate	EPA 547	x					
Glyphosate and AMPA	+ LCMS-3618	x					
Gross Alpha and Gross Beta	EPA 900.0	x	x				

(*) includes: Bottled Water, Drinking Water and Water as Component of Food & Beverage.

(+) In-House Method

Acknowledgement of Samples Received

Addr: **Honolulu Board of Water Supply**
 630 South Beretania Street
 Public Service Bldg." Room 308
 Honolulu, HI 96843

Attn: Erwin Kawata
 Phone: 808-748-5091

Client ID: HONOLULU
 Folder #: 985106
 Project: RED-HILL
 Sample Group: Red-Hill Expanded List
 (Albuquerque+)
 Project Manager: Debbie L Frank
 Phone: (626) 386-1149
 PO #: C20525101 exp 05312023

The following samples were received from you on **February 03, 2022** at **1524**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
<u>202202030786</u>	AIEA GULCH WELLS PUMP 1 (331-201-TP071) SDWIS PWSID: HI0000331 SDWIS FACILITY ID: TP071 SDWIS SAMPLE POINT ID: 201 (SUB)Gas Fraction Hydrocarbons TPH 8015 Diesel and Motor Oil TPH 8015 Jet Fuel 5 TPH 8015 Jef Fuel 8	02/01/2022 0930
<u>202202030787</u>	TRAVEL BLANK::AIEA GULCH WELLS PUMP 1 (331-201-TP071) (SUB)Gas Fraction Hydrocarbons	02/01/2022 0930
<u>202202030788</u>	AIEA GULCH WELLS PUMP 2 (331-202-TP072) SDWIS PWSID: HI0000331 SDWIS FACILITY ID: TP072 SDWIS SAMPLE POINT ID: 202 (SUB)Gas Fraction Hydrocarbons TPH 8015 Diesel and Motor Oil TPH 8015 Jet Fuel 5 TPH 8015 Jef Fuel 8	02/01/2022 0930
<u>202202030789</u>	TRAVEL BLANK::AIEA GULCH WELLS PUMP 2 -331-202-TP072 (SUB)Gas Fraction Hydrocarbons	02/01/2022 0930

Test Description



Eaton Analytical

CHAIN OF CUSTODY RECORD

EUROFINS EATON ANALYTICAL USE ONLY:

750 Royal Oaks Drive, Suite 100
 Monrovia, CA 91016-3629
 Phone: 626 386 1100
 Fax: 626 386 1101
 800 566 LABS (800 566 5227)

LOGIN COMMENTS: _____

SAMPLES CHECKED AGAINST COC BY: _____

SAMPLES LOGGED IN BY: _____

SAMPLES REC'D DAY OF COLLECTION? (check for yes)

SAMPLE TEMP RECEIVED AT: _____ °C (Compliance: 4 ± 2 °C)

Colton / No. California / Arizona

Monrovia

CONDITION OF BLUE ICE: Frozen _____ Thawed _____ Wet Ice _____ No Ice _____

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: _____

1881026

TO BE COMPLETED BY SAMPLER:

COMPANY/AGENCY NAME: BWS HONOLULU

PROJECT CODE: Red Hill

COMPLIANCE SAMPLES **NON-COMPLIANCE SAMPLES** (check for yes)

EEA CLIENT CODE: Honolulu

COC ID: _____

SAMPLE GROUP: _____

COMPLIANCE SAMPLES - Requires state forms

REGULATION INVOLVED: _____

Type of samples (circle one): ROUTINE SPECIAL CONFIRMATION (eg. SDWA, Phase V, NPDES, FDA,...)

SEE ATTACHED BOTTLE ORDER FOR ANALYSES (check for yes) **OR**

list ANALYSES REQUIRED (enter number of bottles sent for each test for each sample)

SAMPLE DATE	SAMPLE TIME	SAMPLE ID	CLIENT LAB ID	MATRIX	FIELD DATA	FIELD DATA	Weekly Red Hill	Temp Blank: 12.0 °C	SAMPLER COMMENTS
2-1-22	0430	AIEA GULCH WELLS PUMP 1	HI0000331-201	CFW			X		
2-1-22	0430	AIEA GULCH WELLS PUMP 2	HI0000331-202	CFW			X		
		Temperature Blank							

* **MATRIX TYPES:** RSW = Raw Surface Water CFW = Chlor(am)inated Finished Water SEAW = Sea Water BW = Bottled Water SO = Soil O = Other - Please Identify
 RGW = Raw Ground Water FW = Other Finished Water WW = Waste Water SW = Storm Water SL = Sludge

SIGNED BY: _____

RELINQUISHED BY: _____

RECEIVED BY: _____

RELINQUISHED BY: _____

RECEIVED BY: _____

SIGNATURE _____ **PRINT NAME** Derek Dotson

COMPANY/TITLE Honolulu Board of Water Supply

DATE 2-1-2022

TIME 1200

DATE 2-2-2022

TIME 1524

DATE 2-3-22


ORIGIN:DHKA (808) 748-5940
BWS CHEM LAB
HONOLULU BOARD OF WATER SUPPLY
630 S. BERETANIA ST.
CHEMICAL LABORATORY
HONOLULU, HI 96843
UNITED STATES US

SHIP DATE: 02FEB22
ACTWGT: 64.00 LB
CAD: 100205419/NET4460
BILL RECIPIENT

TO C CHUCK

EUROFINS EATON ANALYTICAL, INC
750 ROYAL OAKS DR
SUITE 100
MONROVIA CA 91016
REF (626) 386-1178

PO DEPT



J221022010501uv

56D.J2.027C/FE4A


1 of 2

TRK# 7759 4331 4076
0201
MASTER

THU - 03 FEB 10:30A
PRIORITY OVERNIGHT

WZ WHPA

CA-US BUR 91016



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Comments

Report: 985106
Project: RED-HILL
Group: Red-Hill Expanded List
(Albuquerque+)

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Folder Comments

Results for TPH Gas, Diesel, Motor Oil and Jet Fuels are submitted by EMAX Laboratories

Subcontracted Data -- Please review Subcontractor's report in full. EEA enters Subcontractor data into EEA system for archive tracking purposes of final result. EEA reports results to 2 sigfig. See subcontractor's report for Qualifier definition.

ND reporting (subcontract lab reports)

MDL is listed due to report format restrictions; it is not used in reporting. Analytical results reported as ND, are ND at the RL.

Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Report: 985106
Project: RED-HILL
Group: Red-Hill Expanded List
(Albuquerque+)

Honolulu Board of Water Supply
Erwin Kawata
630 South Beretania Street
Public Service Bldg." Room 308
Honolulu, HI 96843

Samples Received on:
02/03/2022 1524

Analyzed	Analyte	Sample ID	Result	HI Limit	Units	MRL
----------	---------	-----------	--------	----------	-------	-----

Tel: (626) 386-1100
 Fax: (866) 988-3757
 1 800 566 LABS (1 800 566 5227)

Report: 985106
Project: RED-HILL
Group: Red-Hill Expanded List
 (Albuquerque+)

Honolulu Board of Water Supply
 Erwin Kawata
 630 South Beretania Street
 Public Service Bldg.™ Room 308
 Honolulu, HI 96843

Samples Received on:
 02/03/2022 1524

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<u>AIEA GULCH WELLS PUMP 1 (331-201-TP071) (202202030786)</u>						Sampled on 02/01/2022 0930			
Facility ID: TP071									
Sample Point ID: 201									
PWSID: HI0000331									
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
02/04/22	02/04/22 20:34			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
SW 8015B - TPH 8015 Diesel and Motor Oil									
02/07/22	02/08/22 18:18			(SW 8015B)	TPH Diesel	ND	mg/L	0.024	1
02/07/22	02/08/22 18:18			(SW 8015B)	TPH Motor Oil	ND	mg/L	0.048	1
EPA 8015 - Jet Fuel 5 C8-C18									
02/07/22	02/08/22 18:18			(EPA 8015)	Jet Fuel 5	ND	mg/L	0.048	1
EPA 8015 - Jet Fuel 8 C8-C18									
	02/08/22 18:18			(EPA 8015)	Jet Fuel 8	ND	mg/L	0.048	1
<u>TRAVEL BLANK::AIEA GULCH WELLS PUMP 1 (331-201-TP071) (202202030787)</u>						Sampled on 02/01/2022 0930			
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
02/04/22	02/04/22 21:11			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
<u>AIEA GULCH WELLS PUMP 2 (331-202-TP072) (202202030788)</u>						Sampled on 02/01/2022 0930			
Facility ID: TP072									
Sample Point ID: 202									
PWSID: HI0000331									
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
02/04/22	02/04/22 21:47			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
SW 8015B - TPH 8015 Diesel and Motor Oil									
02/07/22	02/08/22 18:36			(SW 8015B)	TPH Diesel	ND	mg/L	0.024	1
02/07/22	02/08/22 18:36			(SW 8015B)	TPH Motor Oil	ND	mg/L	0.048	1
EPA 8015 - Jet Fuel 5 C8-C18									
02/07/22	02/08/22 18:36			(EPA 8015)	Jet Fuel 5	ND	mg/L	0.048	1
EPA 8015 - Jet Fuel 8 C8-C18									
	02/08/22 18:36			(EPA 8015)	Jet Fuel 8	ND	mg/L	0.048	1
<u>TRAVEL BLANK::AIEA GULCH WELLS PUMP 2 -331-202-TP072 (202202030789)</u>						Sampled on 02/01/2022 0930			
SW 8015B - (SUB)Gas Fraction Hydrocarbons									
02/04/22	02/04/22 22:24			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1

Rounding on totals after summation.
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.



3051 Fujita Street
Torrance, CA 90505
Tel: (310)-618-8889

Date: 02-16-2022
EMAX Batch No.: 22B052

Attn: Jackie Contreras

Eurofins Eaton Analytical
750 Royal Oaks Dr., Suite 100
Monrovia, CA 91016-3629

Subject: Laboratory Report
Project: 985106


Enclosed is the Laboratory report for samples received on 02/04/22.
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
202202030786	B052-01	02/01/22	WATER	TPH GASOLINE TPH
202202030787	B052-02	02/01/22	WATER	TPH GASOLINE
202202030788	B052-03	02/01/22	WATER	TPH GASOLINE TPH
202202030789	B052-04	02/01/22	WATER	TPH GASOLINE

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.

Sincerely yours,


Caspar J. Pang
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912021-19
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing
California ELAP Accredited Certificate Number 2672



Eaton Analytical

Ship To:
EMAX Laboratories, Inc.
3051 Fujita St.
Torrance, CA 90505

Phone: 310-618-8889 Fax: 310-618-0818

Folder #: 985106 Report Due: 02/08/2022

22 B052

Submittal Form

Date: 2/4/2022

*REPORTING REQUIREMENTS: Do Not Combine Reports with any other samples submitted under different Folder Numbers!
Report & Invoice must have the Folder # 985106 Job # 1000014

Report all quality control data according to Method, include dates analyzed. Date extracted (if extracted) and Method reference on the report.
Results must have Complete data & QC with Approval Signature.

Reports: Jackie Contreras Sub-Contracting Administrator
EMAIL TO: Eaton-MonroviaSubContract@eurofins.com
Eurofins Eaton Analytical, LLC 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016
Phone (626) 386-1165 Fax (626) 386-1122
Invoices to: Eurofins Eaton Analytical, LLC
Accounts Payable 2425 New Holland Pike, Lancaster, PA 17605

Provide in each Report the Specified State Certification # and Exp Date for requested tests + matrix.
Samples from: HAWAII

2-3 day rush

Sample ID	Client Sample ID for reference onl	Sample Date & Time Matrix	Clip Code	PWSID
202202030786	AIEA GULCH WELLS PUMP 1 (331-201-TP071)	02/01/22 0930 DW		JLS

Sample type: Sample Event: Sample Point ID: Facility ID: Static ID:

Method	Prep Method	Analysis Requested
SW 8015B	EPA 5030C	(SUB)Gas Fraction Hydrocarbons
SW 8015B	EPA 3550B	TPH 8015 Diesel and Motor Oil
EPA 8015	EPA 8015	Jet Fuel 5 C8-C18
EPA 8015		Jet Fuel 8 C8-C18

Sample ID	Client Sample ID for reference onl	Sample Date & Time Matrix	Clip Code	PWSID
202202030787	TRAVEL BLANK:AIEA GULCH WELLS PUMP 1 (331-201-TP071)	02/01/22 0930 DW		JLS

Sample type: Sample Event: Sample Point ID: Facility ID: Static ID:

Method	Prep Method	Analysis Requested
SW 8015B	EPA 5030C	(SUB)Gas Fraction Hydrocarbons

Relinquished by: *[Signature]* Sample Control

Received by: *[Signature]* Date 2/4/22 Time 12:05

Relinquished by: Sample Control

Received by: Date _____ Time _____

NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS

An Acknowledgement of Receipt is requested to attain Jackie Contreras

Temp: 4.4°
4.6°

Sample ID 202202030788	Client Sample ID for reference on/ AIEA GULCH WELLS PUMP 2 (331-202-TP072)	Sample Date & Time 02/01/22 0930 DW	Clip Code	PWSID	JLS
Sample type:	Sample Event:	Sample Point ID:	Static ID:		

Method	Prep Method	Analysis Requested
SW 8015B	EPA 5030C	(SUB)Gas Fraction Hydrocarbons
SW 8015B	EPA 3550B	TPH 8015 Diesel and Motor Oil
EPA 8015	EPA 8015	Jet Fuel 5 C8-C18
EPA 8015		Jet Fuel 8 C8-C18

Sample ID 202202030789	Client Sample ID for reference on/ TRAVEL BLANK-AIEA GULCH WELLS PUMP 2 -331-202-TP072	Sample Date & Time 02/01/22 0930 DW	Clip Code	PWSID	JLS
Sample type:	Sample Event:	Sample Point ID:	Static ID:		

Method	Prep Method	Analysis Requested
SW 8015B	EPA 5030C	(SUB)Gas Fraction Hydrocarbons

Relinquished by: [Signature] Date 2/4/22 Time 12:05

Received by: [Signature] Date 2/14/22 Time 12:05

Relinquished by: _____ Date _____ Time _____

Received by: _____ Date _____ Time _____

Sample Control

NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS
An Acknowledgement of Receipt is requested to attn Jackie Contreras

Type of Delivery <input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others	Airbill / Tracking Number	ECN <u>22 0052</u>
<input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery		Recipient <u>Alan Ramos</u>
		Date <u>02/04/22</u> Time <u>12:05</u>

COC INSPECTION

<input checked="" type="checkbox"/> Client Name	<input checked="" type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input checked="" type="checkbox"/> Sample ID	<input checked="" type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any)	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

Note: _____

PACKAGING INSPECTION

Container	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures	<input checked="" type="checkbox"/> Cooler 1 <u>4.4</u> °C	<input checked="" type="checkbox"/> Cooler 2 <u>4.6</u> °C	<input type="checkbox"/> Cooler 3 _____ °C
(Cool, ≤6 °C but not frozen)	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 8 _____ °C
Thermometer:	A - S/N <u>210191066</u> on <u>1/14</u>	B - S/N <u>210271396</u>	C - S/N <u>210271399</u>
		D - S/N _____	

Comments: Temperature is out of range. PM was informed IMMEDIATELY.

Note: _____

DISCREPANCIES

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
1	1-3	D22	viols read TPH 0015 Diesel & Motor Oil, Jet Fuel 5	RS ↓
1	4,6,7	D22	ambers read 0015 Gas	
1,3	5,8,9,15-23	D2	Jet Fuel B is not indicated on label	
/				

adp/ra
MB 2/10/22

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

NOTES/OBSERVATIONS:

LEGEND:

Code Description- Sample Management

- D1 Analysis is not indicated in _____
- D2** Analysis mismatch COC vs label
- D3 Sample ID mismatch COC vs label
- D4 Sample ID is not indicated in _____
- D5 Container -[improper] [leaking] [broken]
- D6 Date/Time is not indicated in _____
- D7 Date/Time mismatch COC vs label
- D8 Sample listed in COC is not received
- D9 Sample received is not listed in COC
- D10 No initial/date on corrections in COC/label
- D11 Container count mismatch COC vs received
- D12 Container size mismatch COC vs received

Code Description-Sample Management

- D13 Out of Holding Time
- D14 Bubble is >6mm
- D15 No trip blank in cooler
- D16 Preservation not indicated in _____
- D17 Preservation mismatch COC vs label
- D18 Insufficient chemical preservative
- D19 Insufficient Sample
- D20 No filtration info for dissolved analysis
- D21 No sample for moisture determination
- D22** labels switched
- D23 _____
- D24 _____

Continue to next page.

Code Description-Sample Management

- R1 Proceed as indicated in COC Label
- R2 Refer to attached instruction
- R3 Cancel the analysis
- R4 Use vial with smallest bubble first
- R5 Log-in with latest sampling date and time+1 min
- R6 Adjust pH as necessary
- R7 Filter and preserved as necessary
- R8 _____
- R9 _____
- R10 _____
- R11 _____
- R12 _____

REVIEWS:

Sample Labeling Jocelyne
Date 02/04/22

[Signature]

SRF [Signature]
Date 2/4/22

PM MB
Date 2/10/22

REPORTING CONVENTIONS

DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

Note: The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

985106

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 22B052

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 985106

SDG : 22B052

METHOD 5030B/8015B TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of four(4) water samples were received on 02/04/22 to be analyzed for Total Petroleum Hydrocarbons by Purge and Trap in accordance with Method 5030B/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. VG39B02B - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of LCS/LCD was analyzed. VG39B02L/VG39B02C were within LCS limits. Refer to LCS summary form for details.

Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in B027-01M/B027-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

SAMPLE RESULTS

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/04/22 21:47
Sample ID   : 202202030788              Date Analyzed: 02/04/22 21:47
Lab Samp ID: B052-03                     Dilution Factor: 1
Lab File ID: EB04021A                    Matrix: WATER
Ext Btch ID: 22VG39B02                   % Moisture: NA
Calib. Ref.: EB04014A                    Instrument ID: 39
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
GASOLINE	ND	0.020	0.010		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromofluorobenzene	0.0318	0.0400	79	60-140	

Notes:

Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/04/22 22:24
Sample ID   : 202202030789              Date Analyzed: 02/04/22 22:24
Lab Samp ID: B052-04                     Dilution Factor: 1
Lab File ID: EB04022A                    Matrix: WATER
Ext Btch ID: 22VG39B02                   % Moisture: NA
Calib. Ref.: EB04014A                    Instrument ID: 39
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
GASOLINE	ND	0.020	0.010		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromofluorobenzene	0.0324	0.0400	81	60-140	

Notes:

Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

QC SUMMARIES

METHOD 5030B/8015B
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/04/22 12:04
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/04/22 12:04
Sample ID   : MBLK1W                     Date Analyzed: 02/04/22 12:04
Lab Samp ID : VG39B02B                   Dilution Factor: 1
Lab File ID : EB04005A                   Matrix: WATER
Ext Btch ID: 22VG39B02                   % Moisture: NA
Calib. Ref.: EB04003A                   Instrument ID: 39
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
GASOLINE	ND	0.020	0.010		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromofluorobenzene	0.0340	0.0400	85	60-140	

Notes:

Parameter H-C Range
Gasoline C6-C10
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 5ml Final Volume : 5ml
Prepared by : SCerva Analyzed by : SCerva

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 985106
BATCH NO. : 22B052
METHOD : 5030B/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : MBLK1W                             LCS1W         LCD1W
LAB SAMPLE ID : VG39B02B                         VG39B02L     VG39B02C
LAB FILE ID  : EB04005A                         EB04006A     EB04007A
DATE PREPARED : 02/04/22 12:04                 02/04/22 12:40 02/04/22 13:17
DATE ANALYZED : 02/04/22 12:04                 02/04/22 12:40 02/04/22 13:17
PREP BATCH   : 22VG39B02                       22VG39B02    22VG39B02
CALIBRATION REF: EB04003A                       EB04003A     EB04003A
  
```

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.495	99	0.500	0.529	106	7	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0447	112	0.0400	0.0468	117	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 984843
BATCH NO. : 22B027
METHOD : 5030B/8015B

MATRIX : WATER		% MOISTURE:NA
DILUTION FACTOR: 1	1	1
SAMPLE ID : 202202021472	202202021472MS	202202021472MSD
LAB SAMPLE ID : B027-01	B027-01M	B027-01S
LAB FILE ID : EB04008A	EB04009A	EB04010A
DATE PREPARED : 02/04/22 13:53	02/04/22 14:30	02/04/22 15:06
DATE ANALYZED : 02/04/22 13:53	02/04/22 14:30	02/04/22 15:06
PREP BATCH : 22VG39B02	22VG39B02	22VG39B02
CALIBRATION REF: EB04003A	EB04003A	EB04003A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.458	92	0.500	0.497	99	8	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0399	100	0.0400	0.0456	114	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

985106

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 22B052

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 985106

SDG : 22B052

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

A total of two(2) water samples were received on 02/04/22 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSB009WL. Refer to LCS summary form for details.

Matrix QC Sample

No matrix QC sample was provided on this SDG. one(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 985106

SDG : 22B052

METHOD 3520C/8015B PETROLEUM HYDROCARBONS BY EXTRACTION

A total of two(2) water samples were received on 02/04/22 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP5 was within LCS QC limits in J5B009WL. Refer to LCS summary form for details.

Matrix QC Sample

No matrix QC sample was provided on this SDG. one(1) set of MS/MSD was analyzed. JP5 was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 985106

SDG : 22B052

METHOD 3520C/8015B
PETROLEUM HYDROCARBONS BY EXTRACTION

A total of two(2) water samples were received on 02/04/22 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

Samples were analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP8 was within LCS QC limits in J8B009WL. Refer to LCS summary form for details.

Matrix QC Sample

No matrix QC sample was provided on this SDG. one(1) set of MS/MSD was analyzed. JP8 was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SGJ NO. : 22B052
Instrument ID : D5

Client : EUROFINS EATON ANALYTICAL
Project : 985106

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	WATER		Extraction Date/Time	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
				Analysis Date/Time	Moist					
MBLK1W	DSB009WB	1	NA	02/08/2213:42	02/07/2210:15	LB08011A	LB08004A	22DSB009W	Method Blank	
LCS1W	DSB009WL	1	NA	02/08/2214:00	02/07/2210:15	LB08012A	LB08004A	22DSB009W	Lab Control Sample (LCS)	
202202030786	B052-01	1	NA	02/08/2218:18	02/07/2210:15	LB08026A	LB08004A	22DSB009W	Field Sample	
202202030788	B052-03	1	NA	02/08/2218:36	02/07/2210:15	LB08027A	LB08004A	22DSB009W	Field Sample	

FN - Filename
% Moist - Percent Moisture

LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL
Project     : 985106
=====
SJG NO.    : 22B052
Instrument ID : D5
=====

```

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	WATER		Extraction Date/Time	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
				Analysis Date/Time	Extraction Date/Time					
MBLK1W	DSB009WB	1	NA	02/08/2213:42	02/07/2210:15	LB08011A	LB08005A	22DSB009W	Method Blank	
LCS1W	J5B009WL	1	NA	02/08/2214:19	02/07/2210:15	LB08013A	LB08005A	22DSB009W	Lab Control Sample (LCS)	
202202030786	B052-01	1	NA	02/08/2218:18	02/07/2210:15	LB08026A	LB08005A	22DSB009W	Field Sample	
202202030788	B052-03	1	NA	02/08/2218:36	02/07/2210:15	LB08027A	LB08005A	22DSB009W	Field Sample	

```

FN      - Filename
% Moist - Percent Moisture

```

LAB CHRONICLE
PETROLEUM HYDROCARBONS BY EXTRACTION

Client : EUROFINS EATON ANALYTICAL
Project : 985106

SDG NO. : 22B052
Instrument ID : D5

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MBLK1W	DS8009WB	1	NA	02/08/2213:42	02/07/2210:15	LB08011A	LB08006A	22DS8009W	Method Blank
LCS1W	J88009WL	1	NA	02/08/2214:37	02/07/2210:15	LB08014A	LB08006A	22DS8009W	Lab Control Sample (LCS)
202202030786	B052-01	1	NA	02/08/2218:18	02/07/2210:15	LB08026A	LB08006A	22DS8009W	Field Sample
202202030788	B052-03	1	NA	02/08/2218:36	02/07/2210:15	LB08027A	LB08006A	22DS8009W	Field Sample

FN - Filename
% Moist - Percent Moisture

SAMPLE RESULTS

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                      Date Received: 02/04/22
Batch No.   : 22B052                      Date Extracted: 02/07/22 10:15
Sample ID   : 202202030786               Date Analyzed: 02/08/22 18:18
Lab Samp ID: 22B052-01                   Dilution Factor: 1
Lab File ID: LB08026A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
Diesel	ND	0.024	0.012	
Motor Oil	ND	0.048	0.024	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.391	0.480	82	60-130
Hexacosane	0.110	0.120	92	60-130

Notes:
Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36
Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
Sample Amount : 1040ml Final Volume : 5ml
Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                      Date Received: 02/04/22
Batch No.   : 22B052                      Date Extracted: 02/07/22 10:15
Sample ID   : 202202030786               Date Analyzed: 02/08/22 18:18
Lab Samp ID: 22B052-01                    Dilution Factor: 1
Lab File ID: LB08026A                     Matrix: WATER
Ext Btch ID: 22DSB009W                    % Moisture: NA
Calib. Ref.: LB08005A                     Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP5	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.391	0.480	82	60-130
Hexacosane	0.110	0.120	92	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP5 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1040ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : 202202030786              Date Analyzed: 02/08/22 18:18
Lab Samp ID: 22B052-01                   Dilution Factor: 1
Lab File ID: LB08026A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08006A                    Instrument ID: D5
=====
    
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP8	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.391	0.480	82	60-130
Hexacosane	0.110	0.120	92	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP8 C8-C18
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 1040ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : 202202030788              Date Analyzed: 02/08/22 18:36
Lab Samp ID: 22B052-03                  Dilution Factor: 1
Lab File ID: LB08027A                   Matrix: WATER
Ext Btch ID: 22DSB009W                  % Moisture: NA
Calib. Ref.: LB08004A                   Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.024	0.012		
Motor Oil	ND	0.048	0.024		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.391	0.480	81	60-130	
Hexacosane	0.110	0.120	92	60-130	

Notes:

Parameter H-C Range
Diesel C10-C24
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1040ml Final Volume : 5ml
Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : 202202030788              Date Analyzed: 02/08/22 18:36
Lab Samp ID: 22B052-03                   Dilution Factor: 1
Lab File ID: LB08027A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08005A                    Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP5	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.391	0.480	81	60-130
Hexacosane	0.110	0.120	92	60-130

Notes:
 RL : Reporting Limit
 Parameter H-C Range
 JP5 C8-C18
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 1040ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/01/22 09:30
Project     : 985106                     Date Received: 02/04/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : 202202030788              Date Analyzed: 02/08/22 18:36
Lab Samp ID: 22B052-03                  Dilution Factor: 1
Lab File ID: LB08027A                   Matrix: WATER
Ext Btch ID: 22DSB009W                  % Moisture: NA
Calib. Ref.: LB08006A                   Instrument ID: D5
=====
    
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
JP8	ND	0.048	0.024	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.391	0.480	81	60-130
Hexacosane	0.110	0.120	92	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP8 C8-C18
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 1040ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

QC SUMMARIES

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 985106
BATCH NO. : 22B052
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSB009WB DSB009WL
LAB FILE ID : LB08011A LB08012A
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15
DATE ANALYZED : 02/08/22 13:42 02/08/22 14:00
PREP BATCH : 22DSB009W 22DSB009W
CALIBRATION REF: LB08004A LB08004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.42	97	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.405	81	60-130
Hexacosane	0.125	0.117	94	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 984843
BATCH NO. : 22B027
METHOD : 3520C/8015B

```

=====
MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1 1
SAMPLE ID : 202202021472 202202021472MS 202202021472MSD
LAB SAMPLE ID : 22B027-01 22B027-01M 22B027-01S
LAB FILE ID : LB08015A LB08017A LB08018A
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15 02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56 02/08/22 15:32 02/08/22 15:51
PREP BATCH : 22DSB009W 22DSB009W 22DSB009W
CALIBRATION REF: LB08004A LB08004A LB08004A
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.70	2.65	98	2.65	2.65	100	0	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.540	0.474	88	0.530	0.414	78	60-130
Hexacosane	0.135	0.128	95	0.132	0.126	95	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/07/22 10:15
Project     : 985106                     Date Received: 02/07/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : MBLK1W                     Date Analyzed: 02/08/22 13:42
Lab Samp ID: DSB009WB                    Dilution Factor: 1
Lab File ID: LB08011A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08005A                    Instrument ID: D5
=====
    
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP5	ND	0.050	0.025

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.371	0.500	74	60-130
Hexacosane	0.119	0.125	96	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP5 C8-C18
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 1000ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 985106
BATCH NO. : 22B052
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA
DILUTION FACTOR: 1 1
SAMPLE ID : MBLK1W LCS1W
LAB SAMPLE ID : DSB009WB J5B009WL
LAB FILE ID : LB08011A LB08013A
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15
DATE ANALYZED : 02/08/22 13:42 02/08/22 14:19
PREP BATCH : 22DSB009W 22DSB009W
CALIBRATION REF: LB08005A LB08005A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP5	ND	2.50	2.40	96	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.456	91	60-130
Hexacosane	0.125	0.113	90	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 984843
BATCH NO. : 22B027
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202202021472                       202202021472MSD
LAB SAMPLE ID : 22B027-01                         22B027-01S
LAB FILE ID  : LB08015A                           LB08019A
DATE PREPARED : 02/07/22 10:15                   02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56                   02/08/22 16:27
PREP BATCH   : 22DSB009W                          22DSB009W
CALIBRATION REF: LB08005A                          LB08005A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP5	ND	2.60	2.30	88	2.70	2.60	96	12	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.520	0.458	88	0.540	0.491	91	60-130
Hexacosane	0.130	0.115	88	0.135	0.122	90	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/07/22 10:15
Project     : 985106                     Date Received: 02/07/22
Batch No.   : 22B052                     Date Extracted: 02/07/22 10:15
Sample ID   : MBLK1W                     Date Analyzed: 02/08/22 13:42
Lab Samp ID: DSB009WB                    Dilution Factor: 1
Lab File ID: LB08011A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08006A                    Instrument ID: D5
=====
    
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP8	ND	0.050	0.025

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.371	0.500	74	60-130
Hexacosane	0.119	0.125	96	60-130

Notes:

RL : Reporting Limit
 Parameter H-C Range
 JP8 C8-C18
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.
 Sample Amount : 1000ml Final Volume : 5ml
 Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 985106
BATCH NO. : 22B052
METHOD : 3520C/8015B

=====

MATRIX	: WATER	% MOISTURE:NA
DILUTION FACTOR:	1	1
SAMPLE ID	: MBLK1W	LCS1W
LAB SAMPLE ID	: DSB009WB	J8B009WL
LAB FILE ID	: LB08011A	LB08014A
DATE PREPARED	: 02/07/22 10:15	02/07/22 10:15
DATE ANALYZED	: 02/08/22 13:42	02/08/22 14:37
PREP BATCH	: 22DSB009W	22DSB009W
CALIBRATION REF:	LB08006A	LB08006A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP8	ND	2.50	2.04	82	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.478	96	60-130
Hexacosane	0.125	0.110	88	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL
PROJECT : 984843
BATCH NO. : 22B027
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202202021472                       202202021472MSD
LAB SAMPLE ID : 22B027-01                         22B027-01S
LAB FILE ID  : LB08015A                           LB08021A
DATE PREPARED : 02/07/22 10:15                   02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56                   02/08/22 17:04
PREP BATCH   : 22DSB009W                         22DSB009W
CALIBRATION REF: LB08006A                         LB08006A
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP8	ND	2.38	2.03	85	2.38	2.07	87	2	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.475	0.489	103	0.475	0.484	102	60-130
Hexacosane	0.119	0.108	91	0.119	0.107	90	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate