

750 Royal Oaks Drive, Suite 100  
Monrovia, California 91016-3629  
Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

## Laboratory Report

for

Honolulu Board of Water Supply  
630 South Beretania Street  
Public Service Bldg.” Room 308  
Honolulu, HI 96843  
Attention: Erwin Kawata  
Fax: 808-550-5018



Utah ELCP CA00006

DEB: Debbie L Frank  
Project Manager

Report: 984836  
Project: RED-HILL  
Group: Red-Hill Expanded List (Albuquerque+)

\* Accredited in accordance with TNI 2016 and ISO/IEC 17025:2017.

\* Laboratory certifies that the test results meet all **TNI 2016 and ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

\* As applicable, this report consists of the cover page, State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms.

\* Test results relate only to the sample(s) tested.

\* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

\* This report shall not be reproduced except in full, without the written approval of the laboratory.

\* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

## STATE CERTIFICATION LIST

State	Certification Number	State	Certification Number
Alabama	41060	Montana	Cert 0035
Arizona	AZ0778	Nebraska	NE-OS-21-13
Arkansas	CA00006	Nevada	CA00006
California	2813	New Hampshire *	2959
Colorado	CA00006	New Jersey *	CA 008
Connecticut	PH-0107	New Mexico	CA00006
Delaware	CA 006	New York *	11320
Florida *	E871024	North Carolina	06701
Georgia	947	North Dakota	R-009
Guam	21-008R	Ohio - 537.1	87786
Hawaii	CA00006	Oregon *	4034
Idaho	CA00006	Pennsylvania *	68-00565
Illinois	200033	Puerto Rico	CA00006
Indiana	C-CA-01	Rhode Island	LAO00326
Iowa – Asbestos	413	South Carolina	87016
Kansas *	E-10268	South Dakota	CA11320
Kentucky	90107	Tennessee	TN02839
Louisiana *	LA008	Texas *	T104704230-20-18
Maine	CA00006	Utah (Primary AB) *	CA00006
Maryland	224	Vermont	VT0114
Marianas Islands	MP0004	Virginia *	460260
Massachusetts	M-CA006	Washington	C838
Michigan	9906	EPA Region 5	CA00006
Mississippi	CA00006	Los Angeles County Sanitation Districts	10264

\* NELAP/TNI Recognized Accreditation Bodies

ISO/IEC 17025:2917 Accredited Method List

The test listed below are accredited and met the requirements of ISO/IEC 17025 as verify by A2LA.

Refer to our certificates and scope of accreditations (no. 5890-1 and 5890-2) found at:

<https://www.eurofinsus.com/Eaton>

Test(s)	Method(s)	Potable Water *	Waste Water
Enterococci	Enterolert	x	x
Escherichia coli (Enumeration)	SM 9221 B.1 SM 9221 F	x	
Fecal Coliform (P/A and Enumeration)	SM 9221 C (MTF/EC), SM 9221 E (MTF/EC)	x	x
Fecal Streptococci and Enterococci	SM 9230 B	x	x
Heterotrophic Bacteria	SM 9215 B	x	
Legionella	Legiolert®	x	
Pseudomonas aeruginosa	Idexx Pseudalart	x	
Total Coliform (P/A and Enumeration)	SM 9221A, SM 9221B, SM 9221 C	x	x
Total Coliform, Total Coliform with Chlorine Present	SM 9221 B	x	x
Total Coliform/E. coli (P/A and Enumeration, Idexx Colilert, Idexx Colilert 18, Colisure)	SM 9223	x	
Total Microcystins and Nodularins	EPA 546	X	
Yeast and Mold	SM 9610	x	
1,2,3-Trichloropropane (TCP) at 5 PPT	CA SRL 524M-TCP	x	
1,4-Dioxane	EPA 522	x	
2,3,7,8-TCDD	Modified EPA 1613 B	x	
Acrylamide	+ LCMS 2440)	x	
Algal Toxins/Microcystin	+ LCMS 3570	x	
Alkalinity	SM 2320B	x	x
Ammonia	EPA 350.1, SM 4500-NH3 H		x
Asbestos	EPA 100.2	x	x
Bicarbonate Alkalinity as HCO3	SM 2330 B	x	x
BOD/CBOD	SM 5210 B		x
Bromate	+ LCMS- 2447	x	
Carbonate as CO3	SM 2330 B	x	x
Carbonyls	EPA 556	x	x
Chemical Oxygen Demand	EPA 410.4, SM 5220D		x
Chlorinated Acids	EPA 515.4	x	
Chlorine Dioxide	Palin Test Chlordio X Plus, SM 4500-CLO2 D	x	
Chlorine, Free, Combined, Total Residual, Chloramines	SM 4500-Cl G	x	
Color	SM2120B	x	
Conductivity	EPA 120.1, SM 2510B	x	x
Corrosivity (Langelier Index), Carbonate as CO3, Hydroxide as OH Calculated	SM 2330 B	x	
Cyanide (Amenable)	SM 4500-CN G	x	x
Cyanide (Free)	SM 4500CN F	x	x
Cyanide (Total)	EPA 335.4	x	x
Cyanogen Chloride (Screen)	+ 335 Mod (WC-24467)	x	
Diquat and Paraquat	EPA 549.2	x	
DBP and HAA	SM 6251 B	x	
Dissolved Organic Carbon	SM 5310 C	x	
Dissolved Oxygen	SM 4500-O G		x
EDB/DCBP/TCP	EPA 504.1	x	
EDB/DBCP and Disinfection Byproducts	EPA 551.1	x	
EDTA and NTA	+ WC-2454	x	
Endothall	EPA 548.1, +(LCMS-2445)	x	
Fluoride	SM 4500F C	x	x
Glyphosate	EPA 547	x	
Glyphosate and AMPA	+ LCMS-3618	x	
Gross Alpha and Gross Beta	EPA 900.0	x	x

Test(s)	Method(s)	Potable Water *	Waste Water
Gross Alpha coprecipitation	SM 7110 C	x	x
Hardness	SM 2340 B	x	x
Hexavalent Chromium	EPA 218.6,	x	x
Hexavalent Chromium	EPA 218.7,	x	
Hexavalent Chromium	SM 3500-Cr B		x
Inorganic Anions and DBPs	EPA 300.0	x	x
Norganic Anions and DBPs	EPA 300.1	x	
Kjeldahl Nitrogen	EPA 351.2		x
Metals	EPA 200.7, EPA200.8	x	x
Nitrosamines	EEA-Agilent 521.1 (GCMS-24250)	x	
Nitrate/Nitrite Nitrogen	EPA 353.2	x	x
Odor	SM2150B	x	
Organohalide Pesticides and PCB	EPA 505	x	
Ortho Phosphate	SM 4500P E	x	
Oxyhalides Disinfection Byproducts	EPA 317.0	x	
Perchlorate	EPA 331.0	x	
Perchlorate (Low and High Levels)	EPA 314.0	x	
Perfluorinated Alkyl Acids	EPA 533, EPA 537, EPA 537.1	x	
PPCP and EDC	+ LCMS-2443	x	
pH	EPA 150.1 SM 4500-H+ B	x	x
Phenolics – Low Level	+WC 2493 (EPA 420.2 and EPA 420.4 MOD)	x	x
Phenylurea Pesticides/Herbicides	+ LCMS-2448	x	
Radium-226, Radium-228	GA Tech (Rad-2374)	x	
Radon-222	SM 7500RN	x	
Residue (Filterable)	SM 2540C	x	x
Residue (Non-Filterable)	SM 2540D		x
Residue (Total)	SM 2540B		x
Residue (Volatile)	EPA 160.4		x
Semi-Volatile Compounds	EPA 525.2	x	
Silica	SM 4500-SiO2 C	x	x
Sulfide	SM 4500-S D		x
Sulfite	SM 4500-SO3 B	x	x
Surfactants	SM 5540C	x	x
Taste and Odor	SM 6040 E	x	
Total Organic Carbon	SM 5310 C	x	x
Total Phenols	EPA 420.1		x
Total Phenols	EPA 420.4	x	x
Triazine Pesticides and their Degradates	+ LCMS-3617	x	
Turbidity	EPA 180.1	x	x
Uranium by ICP/MS	EPA 200.8	x	
UV 254 Organic Constituents	SM 5910B	x	
VOCs	EPA 524.2	x	
VOCs	+(GCMS 2412) by EPA 524.2 modified	x	

(\* ) includes: Bottled Water, Drinking Water and Water as Component of Food & Beverage.

(+ ) In-House Method

**Acknowledgement of Samples Received**

Addr: **Honolulu Board of Water Supply**  
 630 South Beretania Street  
 Public Service Bldg." Room 308  
 Honolulu, HI 96843

Attn: Erwin Kawata  
 Phone: 808-748-5091


Client ID: HONOLULU  
 Folder #: 984836  
 Project: RED-HILL  
 Sample Group: Red-Hill Expanded List  
 (Albuquerque+)  
 Project Manager: Debbie L Frank  
 Phone: (626) 386-1149  
 PO #: C20525101 exp 05312023

The following samples were received from you on **February 02, 2022** at **1952**. They have been scheduled for the tests listed below each sample. If this information is incorrect, please contact your service representative. Thank you for using Eurofins Eaton Analytical, LLC.

Sample #	Sample ID	Sample Date
202202021460	AIEA WELLS PUMP 2 (331-004-WL103) SDWIS PWSID: HI0000331 SDWIS FACILITY ID: WL103 SDWIS SAMPLE POINT ID: 004 (SUB)Gas Fraction Hydrocarbons      TPH 8015 Diesel and Motor Oil      TPH 8015 Jet Fuel 5 TPH 8015 Jef Fuel 8	01/31/2022 1049
202202021461	TRAVEL BLANK::AIEA WELLS PUMP 2 (331-004-WL103) (SUB)Gas Fraction Hydrocarbons	01/31/2022 1049

**Test Description**





Eaton Analytical

# INTERNAL CHAIN OF CUSTODY RECORD

EEA Folder Number: 924536

### SAMPLE TEMP RECEIVED:

Note: If samples are out of temperature range, let the ASMs know. ASMs will determine whether to proceed with analysis or not.

### SAMPLES REC'D DAY OF COLLECTION? Yes / No

IR Gun ID = 401 (Observation = 5.6 °C) (Corr. Factor = 0.2 °C) (Final = 5.4 °C)

TYPE OF ICE: Real  Synthetic  No Ice  CONDITION OF ICE: Frozen  Partially Frozen  Thawed  N/A

METHOD OF SHIPMENT: Pick-Up / Walk-In / FedEx / UPS / DHL / Area Fast / Top Line / Other: \_\_\_\_\_

### Compliance Acceptance Criteria:

- 1) Chemistry: >0, ≤ 6°C, not frozen (NELAP) (if received after 24 hrs of sample collection)
- 2) Microbiology, Distribution: < 10°C, not frozen (can be ≥ 10°C if received on ice the same day as sample collection, within 8 hours)
- 3) Microbiology, Surface Water: < 10°C (if received after 2 hours of sample collection)

If out of temperature range for both Chemistry and Microbiology samples and temperature does not confirm, then measure the temperature of each quadrant and record each temperature of the quadrants

1 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	2 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)
3 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)	4 = (Observation = _____ °C) (Corr. Factor = _____ °C) (Final = _____ °C)

4 Dioxin (1613 or 2,3,7,8 TCDD): must be between 0-4 °C, not frozen (if received after 24 hrs of sample collection)

5) pH Check. Manufacturer: \_\_\_\_\_ Lot Number: \_\_\_\_\_ pH strip type: 0 - 14 or \_\_\_\_\_ Expiration Date \_\_\_\_\_ Results: \_\_\_\_\_

6) Chlorine check. Manufacturer: Sansafe. Lot No.: \_\_\_\_\_ Expiration Date: \_\_\_\_\_ Results: \_\_\_\_\_

7) VOA and Radon Headspace:  No Samples with Headspace:  Samples with Headspace (see below):

### Headspace Documentation (use additional VOC and Radon Internal COFC for additional bottles)

Exempt from headspace concerns: Methods 515.4, HAA(6251,552), 505, SPME, @CH, 532LCMS, 556, 536, Anatoxin, LCMS methods using 40 ml vials, International clients: \_\_\_\_\_

Samp ID	Bottle #	None/<6	>6mm	Test	Samp ID	Bottle #	None/<6	>6mm	Test

Note Sample IDs which have dissimilar headspace (i.e. potential sampling errors): \_\_\_\_\_

RECEIVED BY: Chua Becker SIGNATURE      Chua Becker PRINT NAME      Eurofins Eaton Analytical COMPANY/TITLE      2-2-22 DATE      1952 TIME

SAMPLES CHECKED AGAINST COC BY: \_\_\_\_\_ SIGNATURE      \_\_\_\_\_ PRINT NAME      Eurofins Eaton Analytical COMPANY/TITLE      \_\_\_\_\_ DATE      \_\_\_\_\_ TIME

ORIGIN ID:HIKA (808) 748-5840  
BMS CHEM LAB  
HONOLULU BOARD OF WATER SUPPLY  
630 S. BERETANIA ST.  
CHEMICAL LABORATORY  
HONOLULU, HI 96843  
UNITED STATES US


SHIP DATE: 01FEB22  
ACTWT: 62.00 LB  
CAD: 100205419/NET 4460  
BILL RECIPIENT

TO C CHUCK

EUROFINS EATON ANALYTICAL, INC  
750 ROYAL OAKS DR  
SUITE 100  
MONROVIA CA 91016

REF: (626) 386-1178

PO INV DEPT



J221022010501uv

3 of 3


MPS# 7759 3150 1218  
0263  
Mstr# 7759 3150 1192

0201

WED - 02 FEB 10:30A  
PRIORITY OVERNIGHT

WZ WHPA

91016  
CA-US BUR



56DJ2027C/FE4A

**After printing this label:**

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

**Warning:** Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on [fedex.com](http://fedex.com). FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Laboratory Comments**

**Report:** 984836  
**Project:** RED-HILL  
**Group:** Red-Hill Expanded List  
(Albuquerque+)

Honolulu Board of Water Supply  
Erwin Kawata  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843

---

**Folder Comments**

Results for TPH Gas, Diesel, Motor Oil and Jet Fuels are submitted by Emax Laboratories



Tel: (626) 386-1100  
Fax: (866) 988-3757  
1 800 566 LABS (1 800 566 5227)

**Report:** 984836  
**Project:** RED-HILL  
**Group:** Red-Hill Expanded List  
(Albuquerque+)

**Honolulu Board of Water Supply**  
Erwin Kawata  
630 South Beretania Street  
Public Service Bldg." Room 308  
Honolulu, HI 96843

Samples Received on:  
02/02/2022 1952

---

Analyzed	Analyte	Sample ID	Result	HI Limit	Units	MRL
----------	---------	-----------	--------	----------	-------	-----

---

Tel: (626) 386-1100  
 Fax: (626) 988-3757  
 1 800 566 LABS (1 800 566 5227)

**Report:** 984836  
**Project:** RED-HILL  
**Group:** Red-Hill Expanded List  
 (Albuquerque+)

**Honolulu Board of Water Supply**  
 Erwin Kawata  
 630 South Beretania Street  
 Public Service Bldg. Room 308  
 Honolulu, HI 96843

Samples Received on:  
 02/02/2022 1952

Prepped	Analyzed	Prep Batch	Analytical Batch	Method	Analyte	Result	Units	MRL	Dilution
<b><u>AIEA WELLS PUMP 2 (331-004-WL103) (202202021460)</u></b>						<b>Sampled on 01/31/2022 1049</b>			
Facility ID: WL103									
Sample Point ID: 004									
PWSID: HI0000331									
<b>SW 8015B - (SUB)Gas Fraction Hydrocarbons</b>									
02/04/22	02/04/22 19:21			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1
<b>SW 8015B - TPH 8015 Diesel and Motor Oil</b>									
02/07/22	02/08/22 18:00			(SW 8015B)	TPH Diesel	ND	mg/L	0.024	1
02/07/22	02/08/22 18:00			(SW 8015B)	TPH Motor Oil	ND	mg/L	0.048	1
<b>EPA 8015 - Jet Fuel 5 C8-C18</b>									
02/07/22	02/08/22 18:00			(EPA 8015)	Jet Fuel 5	ND	mg/L	0.048	1
<b>EPA 8015 - Jet Fuel 8 C8-C18</b>									
	02/08/22 18:00			(EPA 8015)	Jet Fuel 8	ND	mg/L	0.048	1
<b><u>TRAVEL BLANK::AIEA WELLS PUMP 2 (331-004-WL103) (202202021461)</u></b>						<b>Sampled on 01/31/2022 1049</b>			
<b>SW 8015B - (SUB)Gas Fraction Hydrocarbons</b>									
02/04/22	02/04/22 19:58			(SW 8015B)	(SUB)Gas Fraction Hydrocarbons	ND	mg/L	0.02	1

Rounding on totals after summation.  
 (c) - indicates calculated results. Analysis is a calculated result. Reported results are not rounded until the final step before reporting. Therefore methods that use a test result with further calculation may have slight differences in final result than the component analyses.



3051 Fujita Street  
Torrance, CA 90505  
Tel: (310)-618-8889

Date: 02-15-2022  
EMAX Batch No.: 22B030

Attn: Jackie Contreras

Eurofins Eaton Analytical  
750 Royal Oaks Dr., Suite 100  
Monrovia, CA 91016-3629

Subject: Laboratory Report  
Project: 984836


-----  
Enclosed is the Laboratory report for samples received on 02/03/22.  
The data reported relate only to samples listed below :

Sample ID	Control #	Col Date	Matrix	Analysis
202202021460	B030-01	01/31/22	WATER	TPH GASOLINE TPH
202202021461	B030-02	01/31/22	WATER	TPH GASOLINE

The results are summarized on the following pages.

Please feel free to call if you have any questions concerning these results.

Sincerely yours,

  
Caspar J. Pang  
Laboratory Director

This report is confidential and intended solely for the use of the individual or entity to whom it is addressed. This report shall not be reproduced except in full or without the written approval of EMAX.

EMAX certifies that results included in this report meets all TNI & DOD requirements unless noted in the Case Narrative.

NELAP Accredited Certificate Number CA002912021-19  
ANAB Accredited DoD ELAP and ISO/IEC 17025 Certificate Number L2278 Testing  
California ELAP Accredited Certificate Number 2672



Eaton Analytical

Ship To:  
EMAX Laboratories, Inc.  
3051 Fujita St.  
Torrance, CA 90505

Phone: 310-618-8889 Fax: 310-618-0818

Folder #: 984836 Report Due: 02/07/2022

### Submittal Form

22B 030

Date: 2/3/2022

\*REPORTING REQUIREMENTS: Do Not Combine Reports with any other samples submitted under different Folder Numbers!  
Report & Invoice must have the Folder# 984836 Job # 1000014

Report all quality control data according to Method. Include dates analyzed, Date extracted (if extracted) and Method reference on the report.  
Results must have Complete data & QC with Approval Signature

Reports: Jackie Contreras Sub-Contracting Administrator  
EMAIL TO: Eaton-MonroviaSubContract@eurofinset.com  
Eurofins Eaton Analytical, LLC 750 Royal Oaks Drive, Suite 100, Monrovia, CA 91016  
Phone (626) 386-1165 Fax (626) 386-1122  
Invoices to: Eurofins Eaton Analytical, LLC  
Accounts Payable 2425 New Holland Pike, Lancaster, PA 17605

Provide in each Report the Specified State Certification # and Exp Date for requested tests + matrix.  
Samples from: HAWAII

2-3 day rush

Sample ID 202202021460 ① Client Sample ID for reference on!  
AIEA WELLS PUMP 2 (331-004-WL103)

Sample type: Sample Event: Sample ID: Facility ID: Sample Point ID: Static ID: PWSID JLS

#### Analysis Requested

Method SW 8015B EPA 5030C (SUB)Gas Fraction Hydrocarbons  
SW 8015B EPA 3550B TPH 8015 Diesel and Motor Oil  
EPA 8015 EPA 8015 Jet Fuel 5 C8-C18  
EPA 8015 Jet Fuel 8 C8-C18

Sample ID 202202021461 ② Client Sample ID for reference on!  
TRAVEL BLANK: AIEA WELLS PUMP 2 (331-004-WL103)

Sample type: Sample Event: Sample ID: Facility ID: Sample Point ID: Static ID: PWSID JLS

#### Analysis Requested

Method SW 8015B EPA 5030C (SUB)Gas Fraction Hydrocarbons

Relinquished by: [Signature] Sample Control

Received by: Alan R. Sample Control

Relinquished by: Sample Control

Received by: Sample Control

Date 2/3/22 Time 12:30

Date 2/3/22 Time 12:20

Date \_\_\_\_\_ Time \_\_\_\_\_

Date \_\_\_\_\_ Time \_\_\_\_\_

NOTIFICATION REQUIRED IF RECEIVED OUTSIDE OF 0-6 CELSIUS

An Acknowledgment of Receipt is requested to attn: Jackie Contreras

Temp. 1.9, 0.8, 0.8

Type of Delivery <input type="checkbox"/> Fedex <input type="checkbox"/> UPS <input type="checkbox"/> GSO <input type="checkbox"/> Others	Airbill / Tracking Number	ECN <u>22 B030</u>
<input type="checkbox"/> EMAX Courier <input checked="" type="checkbox"/> Client Delivery		Recipient <u>Alan Ramos</u>
		Date <u>02/03/22</u> Time <u>12:30</u>

**COC INSPECTION**

<input checked="" type="checkbox"/> Client Name	<input checked="" type="checkbox"/> Client PM/FC	<input type="checkbox"/> Sampler Name	<input checked="" type="checkbox"/> Sampling Date/Time	<input checked="" type="checkbox"/> Sample ID	<input type="checkbox"/> Matrix
<input checked="" type="checkbox"/> Address	<input checked="" type="checkbox"/> Tel # / Fax #	<input type="checkbox"/> Courier Signature	<input checked="" type="checkbox"/> Analysis Required	<input type="checkbox"/> Preservative (if any)	<input checked="" type="checkbox"/> TAT
Safety Issues (if any)	<input type="checkbox"/> High concentrations expected	<input type="checkbox"/> From Superfund Site	<input type="checkbox"/> Rad screening required		

Note: \_\_\_\_\_

**PACKAGING INSPECTION**

Container	<input checked="" type="checkbox"/> Cooler	<input type="checkbox"/> Box	<input type="checkbox"/> Other
Condition	<input type="checkbox"/> Custody Seal	<input type="checkbox"/> Intact	<input type="checkbox"/> Damaged
Packaging	<input checked="" type="checkbox"/> Bubble Pack	<input type="checkbox"/> Styrofoam	<input type="checkbox"/> Popcorn
Temperatures (Cool, ≤6 °C but not frozen)	<input checked="" type="checkbox"/> Cooler 1 <u>1.9</u> °C	<input checked="" type="checkbox"/> Cooler 2 <u>0.8</u> °C	<input checked="" type="checkbox"/> Cooler 3 <u>0.8</u> °C
	<input type="checkbox"/> Cooler 6 _____ °C	<input type="checkbox"/> Cooler 7 _____ °C	<input type="checkbox"/> Cooler 8 _____ °C
Thermometer:	A - S/N <u>210271066</u> @ <u>14/14</u>	B - S/N <u>210271390</u>	C - S/N <u>210271399</u>

Comments:  Temperature is out of range. PM was informed IMMEDIATELY.

Note: \_\_\_\_\_

**DISCREPANCIES**

LabSampleID	LabSampleContainerID	Code	ClientSample Label ID / Information	Corrective Action
<u>1</u>	<u>4-9</u>	<u>D22</u>		<u>R8</u>
<i>[Large diagonal line across the table]</i>				

pH holding time requirement for water samples is 15 mins. Water samples for pH analysis are received beyond 15 minutes from sampling time.

RB 2/6/22

**NOTES/OBSERVATIONS:**

**LEGEND:**

- Code Description-Sample Management**
- D1 Analysis is not indicated in \_\_\_\_\_
  - D2 Analysis mismatch COC vs label
  - D3 Sample ID mismatch COC vs label
  - D4 Sample ID is not indicated in \_\_\_\_\_
  - D5 Container -[improper] [leaking] [broken]
  - D6 Date/Time is not indicated in \_\_\_\_\_
  - D7 Date/Time mismatch COC vs label
  - D8 Sample listed in COC is not received
  - D9 Sample received is not listed in COC
  - D10 No initial/date on corrections in COC/label
  - D11 Container count mismatch COC vs received
  - D12 Container size mismatch COC vs received

- Code Description-Sample Management**
- D13 Out of Holding Time
  - D14 Bubble is >6mm
  - D15 No trip blank in cooler
  - D16 Preservation not indicated in \_\_\_\_\_
  - D17 Preservation mismatch COC vs label
  - D18 Insufficient chemical preservative
  - D19 Insufficient Sample
  - D20 No filtration info for dissolved analysis
  - D21 No sample for moisture determination
  - D22 Jet fuel 8 Analysis not indicated on label
  - D23 \_\_\_\_\_
  - D24 \_\_\_\_\_

Continue to next page.

- Code Description-Sample Management**
- R1 Proceed as indicated in  COC  Label
  - R2 Refer to attached instruction
  - R3 Cancel the analysis
  - R4 Use vial with smallest bubble first
  - R5 Log-in with latest sampling date and time+1 min
  - R6 Adjust pH as necessary
  - R7 Filter and preserved as necessary
  - R8 Informed Client
  - R9 \_\_\_\_\_
  - R10 \_\_\_\_\_
  - R11 \_\_\_\_\_
  - R12 \_\_\_\_\_

**REVIEWS:**

Sample Labeling Maria Rivera  
Date 02/03/22

SRF Arifas  
Date 2/3/22

PM RB  
Date 2/6/22

## REPORTING CONVENTIONS

### DATA QUALIFIERS:

Lab Qualifier	AFCEE Qualifier	Description
J	F	Indicates that the analyte is positively identified and the result is less than RL but greater than MDL.
N		Indicates presumptive evidence of a compound.
B	B	Indicates that the analyte is found in the associated method blank as well as in the sample at above QC level.
E	J	Indicates that the result is above the maximum calibration range or estimated value.
*	*	Out of QC limit.

**Note:** The above qualifiers are used to flag the results unless the project requires a different set of qualification criteria.

### ACRONYMS AND ABBREVIATIONS:

CRDL	Contract Required Detection Limit
RL	Reporting Limit
MRL	Method Reporting Limit
PQL	Practical Quantitation Limit
MDL	Method Detection Limit
DO	Diluted out

### DATES

The date and time information for leaching and preparation reflect the beginning date and time of the procedure unless the method, protocol, or project specifically requires otherwise.

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

984836

METHOD 5030B/8015B  
TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

SDG#: 22B030

## CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 984836

SDG : 22B030

### METHOD 5030B/8015B TOTAL PETROLEUM HYDROCARBONS BY PURGE AND TRAP

A total of two (2) water samples were received on 02/03/22 to be analyzed for Total Petroleum Hydrocarbons by Purge and Trap in accordance with Method 5030B/8015B and project specific requirements.

#### Holding Time

Samples were analyzed within the prescribed holding time.

#### Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

#### Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one (1) method blank was analyzed. VG39B02B - result was compliant to project requirement. Refer to sample result summary form for details.

#### Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one (1) set of LCS/LCD was analyzed. VG39B02L/VG39B02C were within LCS limits. Refer to LCS summary form for details.

#### Matrix QC Sample

Matrix spike sample was prepared and analyzed at a frequency required by the project. For this SDG, one (1) set of MS/MSD was analyzed. Gasoline was within MS QC limits in B027-01M/B027-01S. Refer to Matrix QC summary form for details.

#### Surrogate

Surrogate was added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

#### Sample Analysis

Samples were analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.



# **SAMPLE RESULTS**





# QC SUMMARIES



EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984836  
BATCH NO. : 22B030  
METHOD : 5030B/8015B

MATRIX	: WATER		% MOISTURE:NA
DILUTION FACTOR:	1	1	1
SAMPLE ID	: MBLK1W	LCS1W	LCD1W
LAB SAMPLE ID	: VG39B02B	VG39B02L	VG39B02C
LAB FILE ID	: EB04005A	EB04006A	EB04007A
DATE PREPARED	: 02/04/22 12:04	02/04/22 12:40	02/04/22 13:17
DATE ANALYZED	: 02/04/22 12:04	02/04/22 12:40	02/04/22 13:17
PREP BATCH	: 22VG39B02	22VG39B02	22VG39B02
CALIBRATION REF:	EB04003A	EB04003A	EB04003A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.495	99	0.500	0.529	106	7	60-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	SpikeAmt (mg/L)	LCDResult (mg/L)	LCDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0447	112	0.0400	0.0468	117	70-130

MB: Method Blank sample LCS: Lab Control Sample LCD: Lab Control Sample Duplicate

EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984843  
BATCH NO. : 22B027  
METHOD : 5030B/8015B

MATRIX : WATER		% MOISTURE:NA
DILUTION FACTOR: 1	1	1
SAMPLE ID : 202202021472	202202021472MS	202202021472MSD
LAB SAMPLE ID : B027-01	B027-01M	B027-01S
LAB FILE ID : EB04008A	EB04009A	EB04010A
DATE PREPARED : 02/04/22 13:53	02/04/22 14:30	02/04/22 15:06
DATE ANALYZED : 02/04/22 13:53	02/04/22 14:30	02/04/22 15:06
PREP BATCH : 22VG39B02	22VG39B02	22VG39B02
CALIBRATION REF: EB04003A	EB04003A	EB04003A

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Gasoline	ND	0.500	0.458	92	0.500	0.497	99	8	50-130	30

SURROGATE PARAMETER	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromofluorobenzene	0.0400	0.0399	100	0.0400	0.0456	114	60-140

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

LABORATORY REPORT FOR

EUROFINS EATON ANALYTICAL

984836

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

SDG#: 22B030

CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 984836

SDG : 22B030

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 02/03/22 to be analyzed for Total Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

Holding Time

The sample was analyzed within the prescribed holding time.

Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for Diesel was within LCS QC limits in DSB009WL. Refer to LCS summary form for details.

Matrix QC Sample

No matrix QC sample was provided on this SDG. One(1) set of MS/MSD was analyzed. Diesel was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

## CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 984836

SDG : 22B030

### METHOD 3520C/8015B PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 02/03/22 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

#### Holding Time

The sample was analyzed within the prescribed holding time.

#### Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

#### Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

#### Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP5 was within LCS QC limits in J5B009WL. Refer to LCS summary form for details.

#### Matrix QC Sample

No matrix QC sample was provided on this SDG. One(1) set of MS/MSD was analyzed. JP5 was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

#### Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

#### Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

## CASE NARRATIVE

Client : EUROFINS EATON ANALYTICAL

Project: 984836

SDG : 22B030

### METHOD 3520C/8015B PETROLEUM HYDROCARBONS BY EXTRACTION

One(1) water sample was received on 02/03/22 to be analyzed for Petroleum Hydrocarbons by Extraction in accordance with Method 3520C/8015B and project specific requirements.

#### Holding Time

The sample was analyzed within the prescribed holding time.

#### Calibration

Multi-calibration points were generated to establish initial calibration (ICAL). ICAL was verified using a secondary source (ICV). Continuing calibration (CCV) verifications were carried out on a frequency specified by the project. All calibration requirements were within acceptance criteria. Refer to calibration summary forms of ICAL, ICV and CCV for details. MRL was analyzed as required by the project. Refer to MRL summary form for details.

#### Method Blank

Method blank was prepared and analyzed at the frequency required by the project. For this SDG, one(1) method blank was analyzed. DSB009WB - result was compliant to project requirement. Refer to sample result summary form for details.

#### Lab Control Sample

Lab control sample was prepared and analyzed at a frequency required by the project. For this SDG, one(1) LCS was analyzed. Percent recovery for JP8 was within LCS QC limits in J8B009WL. Refer to LCS summary form for details.

#### Matrix QC Sample

No matrix QC sample was provided on this SDG. One(1) set of MS/MSD was analyzed. JP8 was within MS QC limits in 22B027-01M/22B027-01S. Refer to Matrix QC summary form for details.

#### Surrogate

Surrogates were added on QC and field samples. All surrogate recoveries were within QC limits. Refer to sample result summary forms for details.

#### Sample Analysis

The sample was analyzed according to prescribed analytical procedures. Results were evaluated in accordance to project requirements. For this SDG, all quality control requirements were met.

LAB CHRONICLE  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL
Project     : 984836
=====
SDG NO.    : 22B030
Instrument ID : D5
=====

```

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis DateTime	Extraction DateTime	Sample Data FN	Calibration Data FN	Prep. Batch	Notes
MLK1W	DSB009WB	1	NA	02/08/2213:42	02/07/2210:15	LB08011A	LB08004A	22DSB009W	Method Blank
LCS1W	DSB009WL	1	NA	02/08/2214:00	02/07/2210:15	LB08012A	LB08004A	22DSB009W	Lab Control Sample (LCS)
202202021460	B030-01	1	NA	02/08/2218:00	02/07/2210:15	LB08025A	LB08004A	22DSB009W	Field Sample

```

FN      - Filename
% Moist - Percent Moisture

```



LAB CHRONICLE  
 PETROLEUM HYDROCARBONS BY EXTRACTION

SDG NO. : 22B030  
 Instrument ID : D5

Client : EUROFINS EATON ANALYTICAL  
 Project : 984836

Client Sample ID	Laboratory Sample ID	Dilution Factor	% Moist	Analysis Date/Time	Extraction Date/Time	Sample Data FN	Calibration Data FN	Notes
202202021460	DSB009WB	1	NA	02/08/2213:42	02/07/2210:15	LB08011A	LB08006A	22DSB009W Method Blank
	J8B009WL	1	NA	02/08/2214:37	02/07/2210:15	LB08014A	LB08006A	22DSB009W Lab Control Sample (LCS)
	B030-01	1	NA	02/08/2218:00	02/07/2210:15	LB08025A	LB08006A	22DSB009W Field Sample

FN - Filename  
 % Moist - Percent Moisture

# **SAMPLE RESULTS**

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 01/31/22 10:49
Project    : 984836                      Date Received: 02/03/22
Batch No.  : 22B030                      Date Extracted: 02/07/22 10:15
Sample ID  : 202202021460                Date Analyzed: 02/08/22 18:00
Lab Samp ID: 22B030-01                   Dilution Factor: 1
Lab File ID: LB08025A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
Diesel	ND	0.024	0.012
Motor Oil	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.377	0.475	79	60-130
Hexacosane	0.107	0.119	90	60-130

Notes:

Parameter      H-C Range  
Diesel            C10-C24  
Motor Oil        C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1050ml                      Final Volume : 5ml  
Prepared by    : JMuert                         Analyzed by : SDeeso

METHOD 3520C/8015B  
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 01/31/22 10:49
Project     : 984836                     Date Received: 02/03/22
Batch No.   : 22B030                     Date Extracted: 02/07/22 10:15
Sample ID   : 202202021460              Date Analyzed: 02/08/22 18:00
Lab Samp ID: 22B030-01                   Dilution Factor: 1
Lab File ID: LB08025A                     Matrix: WATER
Ext Btch ID: 22DSB009W                    % Moisture: NA
Calib. Ref.: LB08005A                     Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP5	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.377	0.475	79	60-130
Hexacosane	0.107	0.119	90	60-130

Notes:

RL : Reporting Limit  
 Parameter H-C Range  
 JP5 C8-C18  
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
 Sample Amount : 1050ml Final Volume : 5ml  
 Prepared by : JMuert Analyzed by : SDeeso

METHOD 3520C/8015B  
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client       : EUROFINS EATON ANALYTICAL   Date Collected: 01/31/22 10:49
Project      : 984836                       Date Received: 02/03/22
Batch No.    : 22B030                       Date Extracted: 02/07/22 10:15
Sample ID    : 202202021460                Date Analyzed: 02/08/22 18:00
Lab Samp ID  : 22B030-01                   Dilution Factor: 1
Lab File ID  : LB08025A                     Matrix: WATER
Ext Btch ID  : 22DSB009W                   % Moisture: NA
Calib. Ref. : LB08006A                     Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP8	ND	0.048	0.024

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.377	0.475	79	60-130
Hexacosane	0.107	0.119	90	60-130

Notes:

RL : Reporting Limit

Parameter H-C Range

JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1050ml

Final Volume : 5ml

Prepared by : JMuert

Analyzed by : SDeeso

# QC SUMMARIES

METHOD 3520C/8015B  
TOTAL PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/07/22 10:15
Project     : 984836                     Date Received: 02/07/22
Batch No.   : 22B030                     Date Extracted: 02/07/22 10:15
Sample ID   : MBLK1W                     Date Analyzed: 02/08/22 13:42
Lab Samp ID: DSB009WB                    Dilution Factor: 1
Lab File ID: LB08011A                    Matrix: WATER
Ext Btch ID: 22DSB009W                    % Moisture: NA
Calib. Ref.: LB08004A                    Instrument ID: D5
=====

```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)		
Diesel	ND	0.025	0.012		
Motor Oil	ND	0.050	0.025		
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT	
Bromobenzene	0.371	0.500	74	60-130	
Hexacosane	0.119	0.125	96	60-130	

Notes:

Parameter H-C Range  
Diesel C10-C24  
Motor Oil C24-C36

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml Final Volume : 5ml  
Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984836  
BATCH NO. : 22B030  
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA  
DILUTION FACTOR: 1 1  
SAMPLE ID : MBLK1W LCS1W  
LAB SAMPLE ID : DSB009WB DSB009WL  
LAB FILE ID : LB08011A LB08012A  
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15  
DATE ANALYZED : 02/08/22 13:42 02/08/22 14:00  
PREP BATCH : 22DSB009W 22DSB009W  
CALIBRATION REF: LB08004A LB08004A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Diesel	ND	2.50	2.42	97	50-130

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.405	81	60-130
Hexacosane	0.125	0.117	94	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984843  
BATCH NO. : 22B027  
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202202021472                       202202021472MSD
LAB SAMPLE ID : 22B027-01                         22B027-01S
LAB FILE ID  : LB08015A                          LB08017A
DATE PREPARED : 02/07/22 10:15                   02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56                   02/08/22 15:51
PREP BATCH   : 22DSB009W                         22DSB009W
CALIBRATION REF: LB08004A                        LB08004A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
Diesel	ND	2.70	2.65	98	2.65	2.65	100	0	50-130	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.540	0.474	88	0.530	0.414	78	60-130
Hexacosane	0.135	0.128	95	0.132	0.126	95	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B  
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/07/22 10:15
Project     : 984836                       Date Received: 02/07/22
Batch No.   : 22B030                       Date Extracted: 02/07/22 10:15
Sample ID   : MBLK1W                       Date Analyzed: 02/08/22 13:42
Lab Samp ID : DSB009WB                     Dilution Factor: 1
Lab File ID : LB08011A                     Matrix: WATER
Ext Btch ID: 22DSB009W                     % Moisture: NA
Calib. Ref.: LB08005A                     Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)
JP5	ND	0.050	0.025

SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.371	0.500	74	60-130
Hexacosane	0.119	0.125	96	60-130

Notes:

RL : Reporting Limit  
 Parameter H-C Range  
 JP5 C8-C18  
 Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.  
 Sample Amount : 1000ml Final Volume : 5ml  
 Prepared by : JMuert Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984836  
BATCH NO. : 22B030  
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA  
DILUTION FACTOR: 1 1  
SAMPLE ID : MBLK1W LCS1W  
LAB SAMPLE ID : DSB009WB J5B009WL  
LAB FILE ID : LB08011A LB08013A  
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15  
DATE ANALYZED : 02/08/22 13:42 02/08/22 14:19  
PREP BATCH : 22DSB009W 22DSB009W  
CALIBRATION REF: LB08005A LB08005A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP5	ND	2.50	2.40	96	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.456	91	60-130
Hexacosane	0.125	0.113	90	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984843  
BATCH NO. : 22B027  
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202202021472                       202202021472MSD
LAB SAMPLE ID : 22B027-01                         22B027-01S
LAB FILE ID  : LB08015A                           LB08020A
DATE PREPARED : 02/07/22 10:15                   02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56                   02/08/22 16:27
PREP BATCH   : 22DSB009W                          22DSB009W
CALIBRATION REF: LB08005A                         LB08005A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP5	ND	2.60	2.30	88	2.70	2.60	96	12	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.520	0.458	88	0.540	0.491	91	60-130
Hexacosane	0.130	0.115	88	0.135	0.122	90	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate

METHOD 3520C/8015B  
 PETROLEUM HYDROCARBONS BY EXTRACTION

```

=====
Client      : EUROFINS EATON ANALYTICAL   Date Collected: 02/07/22 10:15
Project     : 984836                     Date Received: 02/07/22
Batch No.   : 22B030                     Date Extracted: 02/07/22 10:15
Sample ID   : MBLK1W                     Date Analyzed: 02/08/22 13:42
Lab Samp ID: DSB009WB                    Dilution Factor: 1
Lab File ID: LB08011A                    Matrix: WATER
Ext Btch ID: 22DSB009W                   % Moisture: NA
Calib. Ref.: LB08006A                     Instrument ID: D5
=====
  
```

PARAMETERS	RESULTS (mg/L)	RL (mg/L)	MDL (mg/L)	
JP8	ND	0.050	0.025	
SURROGATE PARAMETERS	RESULT	SPK_AMT	%RECOVERY	QC LIMIT
Bromobenzene	0.371	0.500	74	60-130
Hexacosane	0.119	0.125	96	60-130

Notes:

RL : Reporting Limit  
 Parameter H-C Range  
 JP8 C8-C18

Reported ND at RL quantitated per pattern recognition.

Detection limits are reported relative to sample result significant figures.

Sample Amount : 1000ml                      Final Volume : 5ml  
 Prepared by : JMuert                         Analyzed by : SDeeso

EMAX QUALITY CONTROL DATA  
LAB CONTROL SAMPLE ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984836  
BATCH NO. : 22B030  
METHOD : 3520C/8015B

MATRIX : WATER % MOISTURE:NA  
DILUTION FACTOR: 1 1  
SAMPLE ID : MBLK1W LCS1W  
LAB SAMPLE ID : DSB009WB J8B009WL  
LAB FILE ID : LB08011A LB08014A  
DATE PREPARED : 02/07/22 10:15 02/07/22 10:15  
DATE ANALYZED : 02/08/22 13:42 02/08/22 14:37  
PREP BATCH : 22DSB009W 22DSB009W  
CALIBRATION REF: LB08006A LB08006A

ACCESSION:

PARAMETERS	MBResult (mg/L)	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
JP8	ND	2.50	2.04	82	30-160

SURROGATE PARAMETERS	SpikeAmt (mg/L)	LCSResult (mg/L)	LCSRec (%)	QCLimit (%)
Bromobenzene	0.500	0.478	96	60-130
Hexacosane	0.125	0.110	88	60-130

MB: Method Blank sample LCS: Lab Control Sample

EMAX QUALITY CONTROL DATA  
MS/MSD ANALYSIS

CLIENT : EUROFINS EATON ANALYTICAL  
PROJECT : 984843  
BATCH NO. : 22B027  
METHOD : 3520C/8015B

```

=====
MATRIX      : WATER                               % MOISTURE:NA
DILUTION FACTOR: 1                               1
SAMPLE ID   : 202202021472                       202202021472MSD
LAB SAMPLE ID : 22B027-01                         22B027-01S
LAB FILE ID  : LB08015A                           LB08021A
DATE PREPARED : 02/07/22 10:15                   02/07/22 10:15
DATE ANALYZED : 02/08/22 14:56                   02/08/22 17:04
PREP BATCH   : 22DSB009W                          22DSB009W
CALIBRATION REF: LB08006A                          LB08006A
=====
  
```

ACCESSION:

PARAMETERS	PSResult (mg/L)	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	RPD (%)	QCLimit (%)	MaxRPD (%)
JP8	ND	2.38	2.03	85	2.38	2.07	87	2	30-160	30

SURROGATE PARAMETERS	SpikeAmt (mg/L)	MSResult (mg/L)	MSRec (%)	SpikeAmt (mg/L)	MSDResult (mg/L)	MSDRec (%)	QCLimit (%)
Bromobenzene	0.475	0.489	103	0.475	0.484	102	60-130
Hexacosane	0.119	0.108	91	0.119	0.107	90	60-130

PS: Parent Sample MS: Matrix Spike MSD: Matrix Spike Duplicate