

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

O‘ahu Zone 9, Fern/Fern Ally

| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
|--|---|-------------|-------------|-------------|
| <i>Adenophorus abietinus</i> | N/A | Endemic | <1 | 1 |
| <i>Adenophorus haalilioanus</i> | N/A | Endemic | <1 | 1 |
| <i>Adenophorus hymenophylloides</i> | Pai, palai huna | Endemic | <1 | 1 |
| <i>Adenophorus oahuensis</i> | N/A | Endemic | <1 | 1 |
| <i>Adenophorus oahuensis x A. pinnatifidus</i> | N/A | Endemic | <1 to 3 | 1 |
| <i>Adenophorus periens</i> | Palai lā‘au | Endemic | <1 to 2 | 1 |
| <i>Adenophorus pinnatifidus</i> var. <i>pinnatifidus</i> | N/A | Endemic | <1 | 1 |
| <i>Adenophorus pinnatifidus</i> var. <i>rockii</i> | N/A | Endemic | <1 | 1 |
| <i>Adenophorus tamariscinus</i> var. <i>tamariscinus</i> | Wahine noho mauna | Endemic | <1 | 1 |
| <i>Adenophorus tripinnatifidus</i> | N/A | Endemic | <1 to 2 | 4 |
| <i>Amauropelta globulifera</i> | Palapalai a Kamapua‘a | Endemic | 2 to 4 | 4 |
| <i>Arachniodes insularis</i> | N/A | Endemic | 1 to 5 | 3 |
| <i>Asplenium acuminatum</i> | Lola, spleenwort | Endemic | 2 to 6 | 4 |
| <i>Asplenium aethiopicum</i> | ‘Iwa‘iwa a Kāne, spleenwort | Indigenous | <1 | 1 |
| <i>Asplenium contiguum</i> var. <i>contiguum</i> | Spleenwort | Endemic | <1 to 2 | 2 |
| <i>Asplenium horridum</i> var. <i>glabratum</i> | ‘Iwa, ‘alae, spleenwort | Indigenous | 1 to 4 | 4 |
| <i>Asplenium horridum</i> var. <i>horridum</i> | ‘Iwa, ‘alae, spleenwort | Indigenous | 1 to 4 | 4 |
| <i>Asplenium insiticium</i> | Pi‘ipi‘i lau manamana, spleenwort | Indigenous | 1 to 4 | 4 |
| <i>Asplenium kaulfussii</i> f. <i>bipinnatum</i> | Kūau, spleenwort | Endemic | 1 to 4 | 4 |
| <i>Asplenium kaulfussii</i> f. <i>dareoides</i> | Kūau, spleenwort | Endemic | 1 to 4 | 4 |
| <i>Asplenium kaulfussii</i> f. <i>gemmae</i> | Kūau, spleenwort | Endemic | 1 to 4 | 4 |
| <i>Asplenium kaulfussii</i> f. <i>kaulfussii</i> | Kūau, spleenwort | Endemic | 1 to 4 | 4 |
| <i>Asplenium lobulatum</i> | Pi‘ipi‘i lau manamana, ‘anali‘i, spleenwort | Indigenous | 1 to 4 | 4 |
| <i>Asplenium macraei</i> | ‘Iwa‘iwa lau li‘i, spleenwort | Endemic? | 3 to 2 | 2 |
| <i>Asplenium normale</i> | Spleenwort | Indigenous | 1 to 4 | 2 |
| <i>Asplenium polyodon</i> | Pūnana manu, spleenwort | Indigenous | 1 to 4 | 4 |
| <i>Asplenium unilaterale</i> | Pāmoho, spleenwort | Indigenous | <1 to 2 | 2 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

O‘ahu Zone 9, Fern/Fern Ally

| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
|---|---|-------------|-------------|-------------|
| <i>Athyrium microphyllum</i> | ‘Ākōlea | Endemic | 2 to 5 | 8 |
| <i>Christella boydiae</i> | N/A | Endemic | <1 to 2 | 2 |
| <i>Christella cyatheoides</i> | Kikawaiō, kikawaioa, pikikawaiō | Endemic | <1 | 8 |
| <i>Christella cyatheoides</i> x <i>C. dentata</i> | N/A | Endemic | 3 to 8 | 8 |
| <i>Cibotium chamissoi</i> | Hāpu‘u, Hawaiian tree fern | Endemic | 4 to 23 | 8 |
| <i>Cibotium glaucum</i> | Hāpu‘u, hāpu‘u pulu, Hawaiian tree fern | Endemic | 4 to 23 | 8 |
| <i>Cibotium menziesii</i> | Hāpu‘u ‘i‘i, ‘i‘i, i‘i‘i, Hawaiian tree fern | Endemic | 8 to 27 | 8 |
| <i>Coniogramme pilosa</i> | Lo‘ulu, bamboo fern | Endemic | 1 to 3 | 2 |
| <i>Ctenitis latifrons</i> | ‘Ākōlea | Endemic | 3 to 6 | 3 |
| <i>Cyclosorus interruptus</i> | Neke, swamp cyclosorus | Indigenous | 2 | 8 |
| <i>Deparia prolifera</i> | N/A | Endemic | 2 to 4 | 6 |
| <i>Dicranopteris linearis</i> f. <i>emarginata</i> | Uluhe, unuhe, false staghorn | Endemic | 4 to 8 | 38 |
| <i>Dicranopteris linearis</i> f. <i>linearis</i> | Uluhe, unuhe, false staghorn | Indigenous | 4 to 8 | 38 |
| <i>Diplazium arnotii</i> x <i>D. sandwichianum</i> | N/A | Endemic | 3 to 6 | 8 |
| <i>Diplazium arnottii</i> | Hō‘i‘o, pohole | Endemic | 3 to 6 | 8 |
| <i>Diplopterygium pinnatum</i> | Uluhe lau nui, giant uluhe | Endemic | 4 to 10 | 38 |
| <i>Dryopteris crinalis</i> var. <i>crinalis</i> | Palapalai, ‘aumakua | Endemic | 1 to 3 | 1 |
| <i>Dryopteris fusco-atra</i> var. <i>fusco-atra</i> | ‘I‘i | Endemic | 1 to 4 | 2 |
| <i>Dryopteris glabra</i> var. <i>glabra</i> | Kīlau, hohipu | Endemic | 1 to 4 | 2 |
| <i>Dryopteris glabra</i> var. <i>nuda</i> | Kīlau, hohipu | Endemic | 1 to 4 | 2 |
| <i>Dryopteris hawaiiensis</i> | N/A | Endemic | 1 to 4 | 2 |
| <i>Dryopteris unidentata</i> var. <i>paleacea</i> | ‘Akole | Endemic | 4 to 8 | 3 |
| <i>Dryopteris unidentata</i> var. <i>unidentata</i> | ‘Akole | Endemic | 4 to 8 | 3 |
| <i>Elaphoglossum alatum</i> | Hoe a Māui, ‘ēkaha, stag's tongue fern | Endemic | 1 to 2 | 3 |
| <i>Elaphoglossum alatum</i> x <i>E. fauriei</i> | Stag's tongue fern | Endemic | 1 to 2 | 2 |
| <i>Elaphoglossum crassifolium</i> | Hoe a Māui, ‘ēkaha, stag's tongue fern | Endemic | 1 to 3 | 2 |
| <i>Elaphoglossum fauriei</i> | Hoe a Māui, ‘ēkaha, stag's tongue fern | Endemic | 1 to 2 | 2 |
| <i>Elaphoglossum paleaceum</i> | Māku‘e, stag's tongue fern | Indigenous | <1 to 2 | 2 |
| <i>Elaphoglossum wawrae</i> | Laukahī, hoe a Māui, ‘ēkaha, stag's tongue fern | Endemic | <1 to 2 | 2 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Fern/Fern Ally | | | | |
|--|--|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Gonocormus minutus</i> | N/A | Indigenous | <1 | 2 |
| <i>Grammitis hookeri</i> | Māku‘e lau li‘i | Indigenous | <1 | <1 |
| <i>Grammitis tenella</i> | Kolokolo, mahinalua | Endemic | <1 | 1 |
| <i>Haplopteris elongata</i> | ‘Ohe‘ohe, mana | Indigenous | <1 to 2 | 2 |
| <i>Huperzia erubescens</i> x <i>H. serrata</i> | Gemmiferous fir moss | Endemic | <1 | 1 |
| <i>Huperzia erubescens</i> | Gemmiferous fir moss | Indigenous | <1 | 1 |
| <i>Huperzia filiformis</i> | N/A | Indigenous | <1 | 1 |
| <i>Huperzia nutans</i> | Hanging fern moss | Endemic | 1 | 1 |
| <i>Huperzia nutans</i> x <i>H. phyllantha</i> | N/A | Endemic | 1 to 2 | 1 |
| <i>Huperzia phyllantha</i> | Wāwae‘iole | Indigenous | 1 to 3 | 1 |
| <i>Huperzia serrata</i> | Gemmiferous fir moss | Indigenous | <1 | 8 |
| <i>Hypolepis hawaiiensis</i> var. <i>hawaiiensis</i> | Olua | Endemic | <1 to 6 | 4 |
| <i>Lepisorus thunbergianus</i> | Pākahakaha, ‘ēkaha, ‘ākōlea, pua‘a | Indigenous | 1 to 2 | 1 |
| <i>Lindsaea repens</i> var. <i>macraeana</i> | Laukahī | Endemic | 1 to 2 | 8 |
| <i>Lycopodiella cernua</i> | Wāwae‘iole, huluhulu a ‘iole, hulu ‘iole, Christmas tree club moss | Indigenous | 3 to 4 | 2 |
| <i>Lycopodium venustulum</i> var. <i>venustulum</i> | N/A | Indigenous | <1 | 8 |
| <i>Marattia douglasii</i> | Pala, kapua‘i lio, mule’s foot fern | Endemic | 5 to 10 | 21 |
| <i>Mecodium recurvum</i> | ‘Ōhi‘a kū | Endemic | <1 | 2 |
| <i>Microlepia speluncae</i> | N/A | Indigenous | 3 to 6 | 4 |
| <i>Microlepia strigosa</i> var. <i>strigosa</i> | Palapalai, palai | Indigenous | 1 to 4 | 4 |
| <i>Microsorum spectrum</i> var. <i>spectrum</i> | Pe‘ahi | Endemic | 1 | 8 |
| <i>Nephrolepis cordifolia</i> | Kupukupu, ‘ōkupukupu, sword fern | Indigenous | 1 to 3 | 8 |
| <i>Nephrolepis exaltata</i> ssp. <i>hawaiiensis</i> | Ni‘ani‘au, ‘ōkupukupu, pāmoho, kupukupu, palapalai, sword fern | Endemic | 1 to 4 | 8 |
| <i>Ophioderma pendulum</i> ssp. <i>falcatum</i> | Puapua moa, laukahi, adder’s tongue | Indigenous | 1 to 2 | 1 |
| <i>Pneumatopteris hudsoniana</i> | Laukahī | Endemic | 4 to 6 | 4 |
| <i>Pneumatopteris sandwicensis</i> | Hō‘i‘o kula | Endemic | 1 to 4 | 2 |
| <i>Polypodium pellucidum</i> var. <i>pellucidum</i> f. <i>pellucidum</i> | ‘Ae, ‘ae lau nui | Endemic | 2 | 1 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

O‘ahu Zone 9, Fern/Fern Ally

| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
|---|---|-------------|-------------|-------------|
| <i>Pseudophegopteris keraudreniana</i> | Waimakanui, ‘ākōlea, ‘ala‘alai | Endemic | 8 to 11 | 27 |
| <i>Psilotum complanatum</i> | Moa, moa nahele, pipi, flat-stemmed whiskfern | Indigenous | <1 to 2 | 1 |
| <i>Psilotum intermedium</i> (<i>P. complanatum</i> x <i>P. nudum</i>) | N/A | Endemic | 2 | 1 |
| <i>Psilotum nudum</i> | Moa, moa nahele, pipi, ‘o‘omoa, upright whiskfern | Indigenous | <1 to 2 | 2 |
| <i>Pteridium aquilinum</i> var. <i>decompositum</i> | Kīlau, kīlau pueo, pai‘ā, bracken fern | Endemic | 1 to 6 | 8 |
| <i>Pteris excelsa</i> | Waimakanui, ‘iwa | Indigenous | 4 to 10 | 8 |
| <i>Pteris lidgatei</i> | N/A | Endemic | 1 to 4 | 2 |
| <i>Sadleria cyatheoides</i> | ‘Ama‘u, ma‘u, ma‘uma‘u, pua‘a ‘ehu‘ehu, ‘ama‘uma‘u | Endemic | 6 to 13 | 10 |
| <i>Sadleria pallida</i> | ‘Ama‘u, ma‘u, ma‘uma‘u, pua‘a ‘ehu‘ehu, ‘ama‘uma‘u, ‘ama‘u ‘i‘i, ‘i‘i, ‘i‘i‘i | Endemic | 4 to 13 | 10 |
| <i>Sadleria souleyetiana</i> | ‘Ama‘u, ma‘u, ma‘uma‘u, pua‘a ‘ehu‘ehu, ‘ama‘uma‘u | Endemic | 4 to 15 | 10 |
| <i>Sceptridium subbifoliatum</i> | Makou | Endemic | 1 to 2 | 1 |
| <i>Schizaea robusta</i> | ‘Oāli‘i makali‘i, haili o Pua | Endemic | <1 to 2 | <1 |
| <i>Selaginella arbuscula</i> | Lepelepe a moa | Endemic | <1 to 2 | 5 |
| <i>Sphaerocionium lanceolatum</i> | Palai hinahina | Endemic | <1 | 2 |
| <i>Sphaerocionium obtusum</i> | Palai lau li‘i | Endemic | <1 | 2 |
| <i>Sphenomeris chinensis</i> | Pala‘ā, palapala‘ā, pā‘ū o Pala‘e, pala‘e, lace fern | Indigenous | 1 to 3 | 2 |
| <i>Tectaria gaudichaudii</i> | ‘Iwa‘iwa lau nui | Endemic | 1 to 5 | 2 |
| <i>Vandenboschia cyrtotheca</i> | N/A | Endemic | 6 to 8 | 2 |
| <i>Vandenboschia davallioides</i> | Palai hihi, kīlau | Endemic | 6 to 8 | 2 |
| <i>Vandenboschia draytoniana</i> | N/A | Endemic | 1 to 2 | 1 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Grass/Sedge | | | | |
|---|------------------------|---------------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Agrostis avenacea</i> | He‘upueo, bentgrass | Indigenous | 1 to 2 | <1 |
| <i>Carex alligata</i> | N/A | Endemic | 2 to 6 | 1 |
| <i>Cyperus hypochlorus</i> ssp. <i>hypochlorus</i> | ‘Ahu‘awa | Endemic | 1 to 3 | 2 |
| <i>Cyperus polystachyos</i> | N/A | Indigenous | 1 to 2 | 1 |
| <i>Cyperus sandwicensis</i> | N/A | Endemic | 1 to 5 | 2 |
| <i>Dichanthelium koolauense</i> | N/A | Endemic | <1 to 1 | 2 |
| <i>Eragrostis grandis</i> | Lovegrass | Endemic | 6 to 8 | 6 |
| <i>Fimbristylis dichotoma</i> | N/A | Indigenous | <1 to 3 | 1 |
| <i>Gahnia beecheyi</i> | N/A | Endemic | 2 to 5 | 4 |
| <i>Machaerina angustifolia</i> | ‘Uki | Indigenous | 1 to 5 | 5 |
| <i>Machaerina mariscoides</i> ssp. <i>meyenii</i> | ‘Ahaniu, ‘uki | Endemic | 2 to 3 | 2 |
| <i>Oreobolus furcatus</i> | N/A | Endemic | <1 | 4 |
| <i>Paspalum scrobiculatum</i> | Mau‘u laiki, ricegrass | Indigenous | 2 to 5 | 2 |
| <i>Schoenoplectus californicus</i> | Kaluhā, ‘aka‘akai | Possibly Indigenous | 3 to 15 | 6 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Herbaceous Plant | | | | |
|---|--|--------------------------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Adenostemma viscosum</i> | Kāmanamana | Indigenous | 2 to 4 | 2 |
| <i>Anoectochilus sandvicensis</i> | Jewel orchid | Endemic | <1 to 2 | 2 |
| <i>Astelia menziesiana</i> | Kaluaha, pua‘akuhinia | Endemic | 1 to 6 | 4 |
| <i>Bidens campylotheca</i> ssp. <i>campylotheca</i> | Ko‘oko‘olau, ko‘olau | Endemic | 3 to 15 | 8 |
| <i>Bidens macrocarpa</i> | Ko‘oko‘olau, ko‘olau | Endemic | 2 to 8 | 4 |
| <i>Bidens populifolia</i> | Ko‘oko‘olau, ko‘olau | Endemic | 2 to 3 | 4 |
| <i>Bidens torta</i> | Ko‘oko‘olau, ko‘olau | Endemic | 4 to 10 | 8 |
| <i>Coprosma granadensis</i> | Mākole | Indigenous | <1 | 3 |
| <i>Dianella sandwicensis</i> | ‘Uki‘uki, ‘uki | Indigenous | 2 to 8 | 6 |
| <i>Gunnera petaloidea</i> | ‘Ape‘ape, ‘ape, hāhā | Endemic | 4 to 23 | 11 |
| <i>Joinvillea ascendens</i> ssp. <i>ascendens</i> | ‘Ohe | Endemic | 6 to 19 | 11 |
| <i>Korthalsella complanata</i> | Hulumoa, kaumahana | Endemic | <1 to 2 | <1 |
| <i>Korthalsella remyana</i> | Hulumoa, kaumahana | Endemic | <1 to 1 | <1 |
| <i>Liparis hawaiensis</i> | ‘Awapuhiakanaloa, twayblade | Endemic | <1 to 1 | 1 |
| <i>Ludwigia octovalvis</i> | Kāmole, alohalua, kāmole lau li‘i, kāmole lau li‘i, primrose willow | Possible Polynesian Introduced | 4 to 15 | 11 |
| <i>Musa x paradisiaca</i> | Mai‘a, banana | Polynesian introduction | 8 to 38 | 11 |
| <i>Oxalis corniculata</i> | ‘Ihi ‘ai, ‘ihi ‘awa, ‘ihi maka ‘ula, ‘ihi mākole, yellow wood sorrel | Possible Polynesian Introduced | <1 to 1 | 2 |
| <i>Peperomia blanda</i> var. <i>floribunda</i> | ‘Ala‘ala wai nui | Indigenous | 1 | 2 |
| <i>Peperomia ellipticibacca</i> | ‘Ala‘ala wai nui | Endemic | <1 to 1 | 1 |
| <i>Peperomia latifolia</i> | ‘Ala‘ala wai nui | Endemic | 1 to 2 | 1 |
| <i>Peperomia macraeana</i> | ‘Ala‘ala wai nui | Endemic | 1 to 8 | 4 |
| <i>Peperomia membranacea</i> | ‘Ala‘ala wai nui | Endemic | 1 to 3 | 1 |
| <i>Peperomia remyi</i> | ‘Ala‘ala wai nui | Endemic | 1 to 2 | 2 |
| <i>Peperomia sandwicensis</i> | ‘Ala‘ala wai nui | Endemic | <1 to 1 | 1 |
| <i>Peperomia tetraphylla</i> | ‘Ala‘ala wai nui | Endemic | 3 to 2 | 2 |
| <i>Persicaria glabra</i> | Kāmole | Possibly Indigenous | 2 to 6 | 6 |
| <i>Phyllostegia glabra</i> var. <i>glabra</i> | Ulihi | Endemic | 3 to 19 | 11 |
| <i>Phyllostegia mollis</i> | N/A | Endemic | 2 to 6 | 4 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Herbaceous Plant | | | | |
|---|---|---------------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Phyllostegia parviflora</i> var. <i>lydgatei</i> | N/A | Endemic | 2 to 6 | 4 |
| <i>Phyllostegia parviflora</i> var. <i>parviflora</i> | N/A | Endemic | 2 to 6 | 4 |
| <i>Phytolacca sandwicensis</i> | Pōpolo kū mai, pōpolo, Hawaiian pokeberry | Endemic | 3 to 15 | 8 |
| <i>Pilea peploides</i> | N/A | Indigenous | <1 to 1 | 2 |
| <i>Plantago pachyphylla</i> | Laukahī kuahiwi, manene | Endemic | 1 | <1 |
| <i>Plantago princeps</i> var. <i>longibracteata</i> | Laukahī kuahiwi, ale | Endemic | <1 | 2 |
| <i>Platanthera holochila</i> | Fringed orchid | Endemic | 1 to 2 | 1 |
| <i>Sanicula purpurea</i> | N/A | Endemic | <1 to 1 | 1 |
| <i>Schiedea kaalae</i> | N/A | Endemic | <1 to 1 | 1 |
| <i>Solanum americanum</i> | Pōpolo, ‘olohua, polopolo, pōpolohua, glossy nightshade | Possibly Indigenous | 4 to 5 | 4 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Subshrub | | | | |
|--|---------------|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Hedyotis centranthoides</i> | N/A | Endemic | 1 to 8 | 4 |
| <i>Hedyotis elatior</i> | ‘Uiwi, ‘āwiwi | Endemic | 1 to 2 | 4 |
| <i>Hedyotis schlechtendahliana</i> var. <i>schlechtendahliana</i> | Kopa | Endemic | 4 to 8 | 23 |
| <i>Phyllostegia hirsuta</i> | N/A | Endemic | 4 to 11 | 8 |
| <i>Viola oahuensis</i> | Violet | Endemic | 0 to 2 | 0 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Shrub | | | | |
|---|---------------------------------|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Alyxia oliviformis</i> | Maile | Endemic | 4 to 11 | 8 |
| <i>Boehmeria grandis</i> | ‘Ākōlea | Endemic | 4 to 8 | 4 |
| <i>Broussaisia arguta</i> | Kanawao, pū‘ahanui | Endemic | 8 to 19 | 10 |
| <i>Chamaesyce clusiifolia</i> | ‘Akoko, koko, ‘ekoko, kōkōmālei | Endemic | 4 to 11 | 8 |
| <i>Chamaesyce multiformis</i> var. <i>microphylla</i> | ‘Akoko, koko, ‘ekoko, kōkōmālei | Endemic | 2 to 11 | 8 |
| <i>Chamaesyce multiformis</i> var. <i>multiformis</i> | ‘Akoko, koko, ‘ekoko, kōkōmālei | Endemic | 2 to 11 | 8 |
| <i>Chamaesyce rockii</i> | ‘Akoko, koko, ‘ekoko, kōkōmālei | Endemic | 2 to 8 | 4 |
| <i>Coprosma foliosa</i> | Pilo, hupilo | Endemic | 4 to 31 | 15 |
| <i>Cyanea angustifolia</i> | Hāhā | Endemic | 6 to 19 | 10 |
| <i>Cyanea calycina</i> | Hāhā | Endemic | 4 to 11 | 8 |
| <i>Cyanea crispa</i> | Hāhā | Endemic | 1 to 5 | 2 |
| <i>Cyanea grimesiana</i> ssp. <i>grimesiana</i> | Hāhā | Endemic | 4 to 12 | 8 |
| <i>Cyanea grimesiana</i> ssp. <i>obatae</i> | Hāhā | Endemic | 4 to 12 | 8 |
| <i>Cyanea humboldtiana</i> | Hāhā | Endemic | 4 to 8 | 2 |
| <i>Cyanea koolauensis</i> | Hāhā | Endemic | 4 to 6 | 2 |
| <i>Cyanea lanceolata</i> | Hāhā | Endemic | 4 to 11 | 6 |
| <i>Cyanea longiflora</i> | Hāhā | Endemic | 4 to 11 | 4 |
| <i>Cyanea st.-johnii</i> | Hāhā | Endemic | 2 to 2 | 1 |
| <i>Cyrtandra crenata</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 4 to 8 | 2 |
| <i>Cyrtandra garnotiana</i> | Hahala | Endemic | 4 to 15 | 8 |
| <i>Cyrtandra grandiflora</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 4 to 8 | 4 |
| <i>Cyrtandra hawaiensis</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 4 to 19 | 8 |
| <i>Cyrtandra kalihii</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 4 to 19 | 8 |
| <i>Cyrtandra lessoniana</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 8 to 15 | 11 |
| <i>Cyrtandra macraei</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 6 to 15 | 8 |
| <i>Cyrtandra paludosa</i> var. <i>paludosa</i> | Moa, hahala | Endemic | 4 to 19 | 8 |
| <i>Cyrtandra propinqua</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 10 to 27 | 10 |
| <i>Cyrtandra rivularis</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 2 to 8 | 4 |
| <i>Cyrtandra sessilis</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 2 to 4 | 2 |
| <i>Cyrtandra viridiflora</i> | Ha‘iwale, kanawao ke‘oke‘o | Endemic | 2 to 8 | 2 |
| <i>Cyrtandra waianaeensis</i> | Hahala | Endemic | 4 to 27 | 8 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Shrub | | | | |
|--|---|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Dubautia laxa</i> ssp. <i>bryanii</i> | Na‘ena‘e pua melemele | Endemic | 15 to 19 | 11 |
| <i>Dubautia laxa</i> ssp. <i>hirsuta</i> | Na‘ena‘e pua melemele | Endemic | 15 to 19 | 11 |
| <i>Dubautia laxa</i> ssp. <i>laxa</i> | Na‘ena‘e pua melemele | Endemic | 15 to 19 | 11 |
| <i>Dubautia laxa</i> ssp. <i>pseudoplantaginea</i> | Na‘ena‘e pua melemele | Endemic | 15 to 19 | 11 |
| <i>Hedyotis acuminata</i> | Au, pilo | Endemic | 8 to 15 | 8 |
| <i>Hedyotis fluviatilis</i> | Kamapua‘a, pilo | Endemic | 2 to 4 | 10 |
| <i>Hedyotis fosbergii</i> | Manono | Endemic | 6 to 10 | 8 |
| <i>Isodendrion longifolium</i> | Aupaka | Endemic | 1 to 14 | 2 |
| <i>Labordia fragaeoidea</i> | Kāmakahala | Endemic | 4 to 8 | 6 |
| <i>Labordia sessilis</i> | Kāmakahala | Endemic | 4 to 11 | 8 |
| <i>Labordia waiolani</i> | Kāmakahala | Endemic | 1 to 8 | 4 |
| <i>Lobelia gaudichaudii</i> ssp. <i>gaudichaudii</i> | N/A | Endemic | 1 to 4 | 1 |
| <i>Lobelia gaudichaudii</i> ssp. <i>koolauensis</i> | N/A | Endemic | 1 to 4 | 1 |
| <i>Lobelia hypoleuca</i> | Kuhi‘aikamo‘owahie, liua, mo‘owahie, ‘ōpelu | Endemic | 6 to 11 | 4 |
| <i>Lobelia oahuensis</i> | N/A | Endemic | 4 to 11 | 4 |
| <i>Lysimachia filifolia</i> | N/A | Endemic | 1 to 2 | 1 |
| <i>Lysimachia forbesii</i> | N/A | Endemic | 4 to 6 | 2 |
| <i>Lysimachia hillebrandii</i> | Kolokolo kuahiwi, kolekole lehua, kolokolo lehua, puahekili | Endemic | 2 to 6 | 10 |
| <i>Melicope lydgatei</i> | Alani, alani kuahiwi | Endemic | 2 to 8 | 6 |
| <i>Melicope rotundifolia</i> | Alani, alani kuahiwi | Endemic | 4 to 15 | 23 |
| <i>Metrosideros rugosa</i> | Lehua papa | Endemic | 4 to 15 | 10 |
| <i>Myrsine buddii</i> | Kōlea | Endemic | 4 to 8 | 4 |
| <i>Scaevola gaudichaudiana</i> | Naupaka kuahiwi | Endemic | 6 to 11 | 8 |
| <i>Scaevola glabra</i> | ‘Ohe naupaka | Endemic | 6 to 15 | 8 |
| <i>Scaevola mollis</i> | Naupaka kuahiwi | Endemic | 4 to 10 | 8 |
| <i>Sida fallax</i> | ‘Ilima | Indigenous | 1 to 11 | 8 |
| <i>Touchardia latifolia</i> | Olonā | Endemic | 4 to 15 | 11 |
| <i>Trematolobelia macrostachys</i> | Koli‘i | Endemic | 4 to 15 | 6 |
| <i>Vaccinium calycinum</i> | ‘Ōhelo, ‘ohelo kau lā‘au | Endemic | 4 to 19 | 6 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Tree/Shrub | | | | |
|---|--|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Clermontia fauriei</i> | ‘Ōhā wai, ‘ōhā, hāhā | Endemic | 8 to 27 | 11 |
| <i>Clermontia kakeana</i> | ‘Ōhā wai, ‘ōhā, hāhā | Endemic | 4 to 23 | 11 |
| <i>Clermontia oblongiflora</i> ssp. <i>oblongifolia</i> | ‘Ōhā wai, ‘ōhā, hāhā | Endemic | 8 to 27 | 11 |
| <i>Clermontia persicifolia</i> | ‘Ōhā wai, ‘ōhā, hāhā | Endemic | 8 to 23 | 10 |
| <i>Coprosma longifolia</i> | Pilo, hupilo | Endemic | 8 to 19 | 11 |
| <i>Coprosma ochracea</i> | Pilo, hupilo | Endemic | 8 to 23 | 11 |
| <i>Dodonaea viscosa</i> | ‘A‘ali‘i, ‘a‘ali‘i kū makani, ‘a‘ali‘i kū ma kua, kūmakani | Indigenous | 8 to 31 | 15 |
| <i>Dubautia plantaginea</i> ssp. <i>plantaginea</i> | Na‘ena‘e, kūpaoa, hanupaoa, hina‘aikamalama, ne‘ine‘i | Endemic | 11 to 27 | 11 |
| <i>Eurya sandwicensis</i> | Ānini, wānini | Endemic | 8 to 23 | 15 |
| <i>Exocarpos gaudichaudii</i> | Hulumoa, kaumahana | Endemic | 8 to 27 | 15 |
| <i>Hedyotis terminalis</i> | Manono | Endemic | 4 to 19 | 11 |
| <i>Hesperomannia arbuscula</i> | N/A | Endemic | 8 to 13 | 8 |
| <i>Hibiscus arnottianus</i> ssp. <i>arnottianus</i> | Koki‘o ke‘oke‘o, hau hele, koki‘o kea, pāmakani | Endemic | 31 to 38 | 19 |
| <i>Hibiscus arnottianus</i> ssp. <i>punaluuensis</i> | Koki‘o ke‘oke‘o, hau hele, koki‘o kea, pāmakani | Endemic | 31 to 38 | 19 |
| <i>Hibiscus kokio</i> ssp. <i>kokio</i> | Koki‘o, koki‘o ‘ula, koki‘o ‘ula‘ula, mākū | Endemic | 4 to 27 | 11 |
| <i>Hibiscus tiliaceus</i> | Hau | Indigenous | 8 to 76 | 38 |
| <i>Ilex anomala</i> | Kāwa‘u, ‘aiea | Indigenous | 4 to 46 | 38 |
| <i>Labordia hirtella</i> | Kāmakahala | Endemic | 6 to 23 | 11 |
| <i>Labordia kaalae</i> | Kāmakahala | Endemic | 8 to 23 | 8 |
| <i>Labordia tinifolia</i> var. <i>tinifolia</i> | Kāmakahala | Endemic | 5 to 57 | 19 |
| <i>Melicope clusiifolia</i> | Kūkaemoa, kolokolo mokihana | Endemic | 8 to 38 | 19 |
| <i>Melicope kaalaensis</i> | Alani, alani kuahiwi | Endemic | 11 to 27 | 15 |
| <i>Melicope oahuensis</i> | Alani, alani kuahiwi | Endemic | 8 to 27 | 15 |
| <i>Melicope ovata</i> | Alani, alani kuahiwi | Endemic | 11 to 31 | 19 |
| <i>Metrosideros polymorpha</i> var. <i>glaberrima</i> | ‘Ōhi‘a, ‘ohi‘a lehua, lehua | Endemic | 6 to 27 | 11 |
| <i>Metrosideros polymorpha</i> var. <i>incana</i> | ‘Ōhi‘a, ‘ohi‘a lehua, lehua | Endemic | 11 to 57 | 15 |
| <i>Metrosideros polymorpha</i> var. <i>polymorpha</i> | ‘Ōhi‘a, ‘ohi‘a lehua, lehua | Endemic | 10 to 57 | 19 |
| <i>Metrosideros tremuloides</i> | Lehua ‘āhihi, ‘āhihi, ‘āhihi kū ma kua, ‘āhihi lehua, kūmakua, ‘ōhi‘a ‘āhihi | Endemic | 8 to 31 | 15 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Tree/Shrub | | | | |
|---|--|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Myrsine fosbergii</i> | Kōlea | Endemic | 8 to 15 | 8 |
| <i>Myrsine sandwicensis</i> | Kōlea lau nui | Endemic | 6 to 27 | 8 |
| <i>Nothocestrum longifolium</i> | ‘Aiea, hälena | Endemic | 19 to 23 | 11 |
| <i>Pipturus albidus</i> | Māmaki, māmake, waimea | Endemic | 8 to 23 | 15 |
| <i>Pisonia brunoniana</i> | Pāpala kēpau, pāpala | Indigenous | 11 to 23 | 11 |
| <i>Pisonia umbellifera</i> | Pāpala kēpau, pāpala | Indigenous | 19 to 38 | 19 |
| <i>Pittosporum confertiflorum</i> | Hō‘awa, hā‘awa | Endemic | 8 to 34 | 11 |
| <i>Pittosporum glabrum</i> | Hō‘awa, hā‘awa, papahekili | Endemic | 15 to 31 | 11 |
| <i>Platydesma spathulata</i> | Pilo kea | Endemic | 8 to 46 | 19 |
| <i>Psychotria hexandra</i> ssp. <i>oahuensis</i> var. <i>hosakana</i> | Kōpiko | Endemic | 19 to 23 | 19 |
| <i>Psychotria hexandra</i> ssp. <i>oahuensis</i> var. <i>oahuensis</i> | Kōpiko | Endemic | 19 to 23 | 19 |
| <i>Psychotria hexandra</i> ssp. <i>oahuensis</i> var. <i>rockii</i> | Kōpiko | Endemic | 19 to 23 | 19 |
| <i>Psychotria kaduana</i> | Kōpiko kea | Endemic | 15 to 31 | 19 |
| <i>Psydrax odorata</i> | Alahe‘e, ‘ōhe‘e, walahe‘e | Indigenous | 11 to 57 | 23 |
| <i>Santalum freycinetianum</i> var. <i>freycinetianum</i> | ‘Iliahi, ‘a‘ahi, ‘aoa, lā‘au ‘ala, wahie ‘ala, Sandalwood | Endemic | 4 to 50 | 27 |
| <i>Sophora chrysophylla</i> | Māmane, mamani | Endemic | 46 to 57 | 19 |
| <i>Streblus pendulinus</i> | A‘ia‘i | Indigenous | 8 to 31 | 15 |
| <i>Urera glabra</i> | Ōpuhe, hōpue, hona | Endemic | 8 to 31 | 15 |
| <i>Wikstroemia oahuensis</i> var. <i>oahuensis</i> | ‘Ākia, kauhi | Endemic | 15 to 23 | 11 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Tree | | | | |
|--|---|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Acacia koa</i> | Koa | Endemic | 96 to 134 | 57 |
| <i>Antidesma platyphyllum</i> var. <i>platyphyllum</i> | Hame, ha‘ā, ha‘āmaile, hamehame, mehamehame | Endemic | 11 to 57 | 19 |
| <i>Bobea brevipes</i> | ‘Ahahea lau li‘i, ‘akupa | Endemic | 34 to 38 | 19 |
| <i>Bobea elatior</i> | ‘Ahakea lau nui | Endemic | 46 to 57 | 19 |
| <i>Charpentiera ovata</i> var. <i>niuensis</i> | Pāpala | Endemic | 15 to 23 | 11 |
| <i>Charpentiera ovata</i> var. <i>ovata</i> | Pāpala | Endemic | 15 to 23 | 11 |
| <i>Cheirodendron platyphyllum</i> ssp. <i>platyphyllum</i> | ‘Ōlapa, lapalapa | Endemic | 8 to 38 | 27 |
| <i>Cheirodendron trigynum</i> ssp. <i>trigynum</i> | ‘Ōlapa, lapalapa | Endemic | 19 to 57 | 27 |
| <i>Diospyros sandwicensis</i> | Lama, ēlama | Endemic | 8 to 57 | 23 |
| <i>Elaeocarpus bifidus</i> | Kalia | Endemic | 10 to 38 | 23 |
| <i>Gardenia mannii</i> | Nānū, nā‘ū | Endemic | 19 to 57 | 19 |
| <i>Hesperomannia arborescens</i> | N/A | Endemic | 6 to 38 | 15 |
| <i>Metrosideros macropus</i> | ‘Ōhi‘a, ‘ohi‘a lehua, lehua | Endemic | 19 to 27 | 11 |
| <i>Myrsine degeneri</i> | Kōlea | Endemic | 8 to 15 | 11 |
| <i>Myrsine pukooensis</i> | Kōlea | Endemic | 19 to 23 | 11 |
| <i>Perrottetia sandwicensis</i> | Olomea, pua‘a olomea, waimea | Endemic | 8 to 31 | 15 |
| <i>Pisonia sandwicensis</i> | Āulu, kaulu | Endemic | 46 to 57 | 19 |
| <i>Pittosporum flocculosum</i> | Hō‘awa, hā‘awa | Endemic | 15 to 42 | 11 |
| <i>Pritchardia martii</i> | Loulu hiwa | Endemic | 11 to 61 | 11 |
| <i>Psychotria fauriei</i> | Kōpiko | Endemic | 11 to 19 | 15 |
| <i>Psychotria mariniana</i> | Kōpiko | Endemic | 38 to 76 | 38 |
| <i>Rhus sandwicensis</i> | Neleau, neneleau, sumac | Endemic | 11 to 31 | 11 |
| <i>Tetraplasandra gymnocalypsa</i> | ‘Ohe‘ohe | Endemic | 10 to 38 | 19 |
| <i>Tetraplasandra kavaiensis</i> | ‘Ohe‘ohe | Endemic | 31 to 96 | 31 |
| <i>Tetraplasandra oahuensis</i> | ‘Ohe mauka | Endemic | 11 to 38 | 31 |
| <i>Xylosma hawaiiense</i> | Maua, a‘e | Endemic | 11 to 34 | 15 |
| <i>Zanthoxylum dipetalum</i> var. <i>dipetalum</i> | Kāwa‘u, kāwa‘u kua kuku kapa | Endemic | 15 to 57 | 19 |
| <i>Zanthoxylum dipetalum</i> var. <i>dipetalum</i> | Kāwa‘u, kāwa‘u kua kuku kapa | Endemic | 15 to 57 | 23 |
| <i>Zanthoxylum kauaense</i> | A‘e, mānele, hea‘e | Endemic | 4 to 57 | 23 |
| <i>Zanthoxylum oahuense</i> | A‘e, mānele, hea‘e | Endemic | 11 to 23 | 15 |

O‘ahu Zone 9

(Greater than 100 inches rainfall per year, 1,000 to 3,000 feet elevation)

| O‘ahu Zone 9, Vine/Liana | | | | |
|---------------------------------|---|-------------|-------------|-------------|
| Species | Common name | End/ind/pol | Height (ft) | Spread (ft) |
| <i>Embelia pacifica</i> | Kilioe | Endemic | 8 to 11 | 8 |
| <i>Freycinetia arborea</i> | ‘Ie‘ie, ‘ie | Indigenous | 38 to 57 | 15 |
| <i>Phyllostegia grandiflora</i> | Kāpana | Endemic | 4 to 11 | 8 |
| <i>Phyllostegia lantanoides</i> | N/A | Endemic | 4 to 8 | 8 |
| <i>Smilax melastomifolia</i> | Hoi kuahiwi, aka‘awa, pi‘oi, uhi, ulehihi, catbrier, greenbrier | Endemic | 11 to 23 | 19 |
| <i>Strongylodon ruber</i> | Nuku ‘i‘iwi, kā‘i‘iwi, nuku | Endemic | 38 to 46 | 19 |