

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 3/9/2026 5:34:02 PM

## JOB DESCRIPTION

RED-HILL  
PFAS: Halawa Shaft Viewing Pool

## JOB NUMBER

380-201556-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
3/9/2026 5:34:02 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
Isotope Dilution Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	26
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	31

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Qualifiers

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-201556-1

**Job ID: 380-201556-1**

**Eurofins Pomona**

## Job Narrative 380-201556-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 3/5/2026 10:20 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.7°C.

### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Pomona

# Detection Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-201556-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.5		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.2		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.5		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.7		2.0	ng/L	1		EPA 537.1 V2	Total/NA

## Client Sample ID: Halawa Shaft Viewing Pool Blank

Lab Sample ID: 380-201556-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona



# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-201556-1**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.5</b>		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.2</b>		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:58	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	100		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C6 PFDA	110		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C5 PFHxA	103		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C4 PFHpA	105		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C8 PFOA	113		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C9 PFNA	113		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C7 PFUnA	110		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C2 PFDoA	112		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C4 PFBA	108		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C5 PFPeA	110		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C3 PFBS	103		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C3 PFHxS	108		50 - 200	03/06/26 18:15	03/07/26 12:58	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: Halawa Shaft Viewing Pool**

**Lab Sample ID: 380-201556-1**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	107		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C2-4:2-FTS	112		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C2-6:2-FTS	105		50 - 200	03/06/26 18:15	03/07/26 12:58	1
13C2-8:2-FTS	113		50 - 200	03/06/26 18:15	03/07/26 12:58	1

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>3.5</b>		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.7</b>		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
Perfluorotridecanoic acid (PFTTrDA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:40	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	100		70 - 130			03/07/26 13:53	03/08/26 17:40	1
13C2 PFHxA	99		70 - 130			03/07/26 13:53	03/08/26 17:40	1
13C2 PFDA	97		70 - 130			03/07/26 13:53	03/08/26 17:40	1
13C3-GenX	96		70 - 130			03/07/26 13:53	03/08/26 17:40	1

**Client Sample ID: Halawa Shaft Viewing Pool Blank**

**Lab Sample ID: 380-201556-2**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: Halawa Shaft Viewing Pool Blank**

**Lab Sample ID: 380-201556-2**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		03/06/26 18:15	03/07/26 16:17	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	87		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C6 PFDA	105		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C5 PFHxA	101		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C4 PFHpA	98		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C8 PFOA	105		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C9 PFNA	106		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C7 PFUnA	104		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C2 PFDoA	106		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C4 PFBA	105		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C5 PFPeA	103		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C3 PFBS	101		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C3 PFHxS	106		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C8 PFOS	102		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C2-4:2-FTS	104		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C2-6:2-FTS	106		50 - 200	03/06/26 18:15	03/07/26 16:17	1
13C2-8:2-FTS	103		50 - 200	03/06/26 18:15	03/07/26 16:17	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

**Client Sample ID: Halawa Shaft Viewing Pool Blank**

**Lab Sample ID: 380-201556-2**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		03/07/26 13:53	03/08/26 17:49	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	92		70 - 130			03/07/26 13:53	03/08/26 17:49	1
13C2 PFHxA	91		70 - 130			03/07/26 13:53	03/08/26 17:49	1
13C2 PFDA	98		70 - 130			03/07/26 13:53	03/08/26 17:49	1
13C3-GenX	84		70 - 130			03/07/26 13:53	03/08/26 17:49	1

## Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

### Client Sample ID: Halawa Shaft Viewing Pool

Lab Sample ID: 380-201556-1

#### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.5		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.2		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.5		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.7		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA

### Client Sample ID: Halawa Shaft Viewing Pool Blank

Lab Sample ID: 380-201556-2

#### Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-201556-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

**Matrix: Water**

**Prep Type: Total/NA**

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-200672-B-7-A MS	Matrix Spike	94	96	97	93
380-200672-C-7-A MSD	Matrix Spike Duplicate	99	100	103	95
380-201556-1	Halawa Shaft Viewing Pool	100	99	97	96
380-201556-2	Halawa Shaft Viewing Pool	92	91	98	84
	Blank				
LCS 380-211549/21-A	Lab Control Sample	87	89	97	83
MBL 380-211549/19-A	Method Blank	89	96	109	83
MRL 380-211549/20-A	Lab Control Sample	98	101	98	97

  

**Surrogate Legend**

d5NEFOS = d5-NEtFOSAA  
 PFHxA = 13C2 PFHxA  
 PFDA = 13C2 PFDA  
 GenX = 13C3-GenX

# Isotope Dilution Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-201556-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Matrix: Water**

**Prep Type: Total/NA**

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFD <sub>o</sub> A (50-200)
380-201556-1	Halawa Shaft Viewing Pool	100	110	103	105	113	113	110	112
380-201556-1 MS	Halawa Shaft Viewing Pool	104	110	101	104	108	114	111	115
380-201556-1 MSD	Halawa Shaft Viewing Pool	103	110	97	101	107	109	111	113
380-201556-2	Halawa Shaft Viewing Pool	87	105	101	98	105	106	104	106
	Blank								
LCS 380-211488/22-A	Lab Control Sample	95	109	103	101	112	107	112	114
MBL 380-211488/20-A	Method Blank	90	111	104	104	106	109	109	121
MRL 380-211488/21-A	Lab Control Sample	91	106	99	98	106	108	108	112

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-201556-1	Halawa Shaft Viewing Pool	108	110	103	108	107	112	105	113
380-201556-1 MS	Halawa Shaft Viewing Pool	107	107	103	103	105	100	103	104
380-201556-1 MSD	Halawa Shaft Viewing Pool	105	108	104	106	105	106	106	104
380-201556-2	Halawa Shaft Viewing Pool	105	103	101	106	102	104	106	103
	Blank								
LCS 380-211488/22-A	Lab Control Sample	102	107	104	105	108	104	105	106
MBL 380-211488/20-A	Method Blank	102	104	102	103	102	102	105	109
MRL 380-211488/21-A	Lab Control Sample	105	105	106	107	110	106	107	110

**Surrogate Legend**

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFD<sub>o</sub>A = 13C2 PFD<sub>o</sub>A
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-211488/20-A**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Analyte	MBL Result	MBL Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<0.25		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		03/06/26 18:15	03/07/26 12:30	1

Isotope Dilution	MBL %Recovery	MBL Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	90		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C6 PFDA	111		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C5 PFHxA	104		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C4 PFHpA	104		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C8 PFOA	106		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C9 PFNA	109		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C7 PFUnA	109		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C2 PFDoA	121		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C4 PFBA	102		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C5 PFPeA	104		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C3 PFBS	102		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C3 PFHxS	103		50 - 200	03/06/26 18:15	03/07/26 12:30	1

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-211488/20-A**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Isotope Dilution	MBL MBL		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C8 PFOS	102		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C2-4:2-FTS	102		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C2-6:2-FTS	105		50 - 200	03/06/26 18:15	03/07/26 12:30	1
13C2-8:2-FTS	109		50 - 200	03/06/26 18:15	03/07/26 12:30	1

**Lab Sample ID: LCS 380-211488/22-A**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.1	60.6		ng/L		101	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.1	59.7		ng/L		99	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.1	61.0		ng/L		101	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.1	64.6		ng/L		107	70 - 130
Perfluorodecanoic acid (PFDA)	60.1	60.4		ng/L		100	70 - 130
Perfluorododecanoic acid (PFDoA)	60.1	62.4		ng/L		104	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.1	60.9		ng/L		101	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.1	60.4		ng/L		100	70 - 130
Perfluorohexanoic acid (PFHxA)	60.1	59.5		ng/L		99	70 - 130
Perfluorononanoic acid (PFNA)	60.1	60.1		ng/L		100	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.1	59.3		ng/L		99	70 - 130
Perfluorooctanoic acid (PFOA)	60.1	59.2		ng/L		98	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.1	60.7		ng/L		101	70 - 130
Perfluorobutanoic acid (PFBA)	60.1	61.3		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.1	63.4		ng/L		105	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.1	63.3		ng/L		105	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.1	62.2		ng/L		103	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.1	64.3		ng/L		107	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	60.1	68.6		ng/L		114	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.1	66.3		ng/L		110	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.1	55.3		ng/L		92	70 - 130
Perfluoropentanoic acid (PFPeA)	60.1	58.1		ng/L		97	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.1	59.7		ng/L		99	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-211488/22-A**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.1	58.7		ng/L		98	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	95		50 - 200				
13C6 PFDA	109		50 - 200				
13C5 PFHxA	103		50 - 200				
13C4 PFHpA	101		50 - 200				
13C8 PFOA	112		50 - 200				
13C9 PFNA	107		50 - 200				
13C7 PFUnA	112		50 - 200				
13C2 PFDoA	114		50 - 200				
13C4 PFBA	102		50 - 200				
13C5 PFPeA	107		50 - 200				
13C3 PFBS	104		50 - 200				
13C3 PFHxS	105		50 - 200				
13C8 PFOS	108		50 - 200				
13C2-4:2-FTS	104		50 - 200				
13C2-6:2-FTS	105		50 - 200				
13C2-8:2-FTS	106		50 - 200				

**Lab Sample ID: MRL 380-211488/21-A**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.97	J	ng/L		98	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.17	J	ng/L		108	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	2.32	J	ng/L		116	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.35	J	ng/L		117	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.30	J	ng/L		115	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.33	J	ng/L		116	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.25	J	ng/L		112	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.15	J	ng/L		107	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.23	J	ng/L		111	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.15	J	ng/L		107	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.29	J	ng/L		114	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.26	J	ng/L		113	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.34	J	ng/L		117	50 - 150

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-211488/21-A**

**Matrix: Water**

**Analysis Batch: 211540**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 211488**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.27	J	ng/L		113	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.35	J	ng/L		117	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.71	J	ng/L		135	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	2.38	J	ng/L		119	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.40	J	ng/L		120	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	2.39	J	ng/L		119	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	2.15	J	ng/L		107	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.32	J	ng/L		116	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	2.18	J	ng/L		109	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	2.18	J	ng/L		109	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	91		50 - 200
13C6 PFDA	106		50 - 200
13C5 PFHxA	99		50 - 200
13C4 PFHpA	98		50 - 200
13C8 PFOA	106		50 - 200
13C9 PFNA	108		50 - 200
13C7 PFUnA	108		50 - 200
13C2 PFDoA	112		50 - 200
13C4 PFBA	105		50 - 200
13C5 PFPeA	105		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	107		50 - 200
13C8 PFOS	110		50 - 200
13C2-4:2-FTS	106		50 - 200
13C2-6:2-FTS	107		50 - 200
13C2-8:2-FTS	110		50 - 200

**Lab Sample ID: 380-201556-1 MS**

**Matrix: Water**

**Analysis Batch: 211540**

**Client Sample ID: Halawa Shaft Viewing Pool**

**Prep Type: Total/NA**

**Prep Batch: 211488**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	51.3		ng/L		85	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	58.8		ng/L		98	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	61.2		ng/L		102	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-201556-1 MS

Client Sample ID: Halawa Shaft Viewing Pool

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 211540

Prep Batch: 211488

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Hexafluoropropylene Oxide	<2.0		60.2	57.4		ng/L		95	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	61.5		ng/L		101	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.2	61.4		ng/L		102	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	61.0		ng/L		101	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	61.2		ng/L		101	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	3.5		60.2	65.6		ng/L		103	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	58.0		ng/L		94	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		60.2	57.9		ng/L		96	70 - 130
Perfluorooctanesulfonic acid (PFOS)	3.2		60.2	62.5		ng/L		98	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.2	62.0		ng/L		101	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	61.0		ng/L		101	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.2	61.4		ng/L		102	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	63.8		ng/L		106	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	61.1		ng/L		101	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	64.2		ng/L		107	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	61.9		ng/L		103	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	66.9		ng/L		111	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	67.9		ng/L		113	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	57.0		ng/L		95	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	59.0		ng/L		97	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	60.4		ng/L		100	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	59.9		ng/L		99	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	104		50 - 200
13C6 PFDA	110		50 - 200
13C5 PFHxA	101		50 - 200
13C4 PFHpA	104		50 - 200
13C8 PFOA	108		50 - 200
13C9 PFNA	114		50 - 200
13C7 PFUnA	111		50 - 200
13C2 PFDoA	115		50 - 200
13C4 PFBA	107		50 - 200
13C5 PFPeA	107		50 - 200
13C3 PFBS	103		50 - 200
13C3 PFHxS	103		50 - 200
13C8 PFOS	105		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-201556-1 MS**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Halawa Shaft Viewing Pool**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C2-4:2-FTS	100		50 - 200
13C2-6:2-FTS	103		50 - 200
13C2-8:2-FTS	104		50 - 200

**Lab Sample ID: 380-201556-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 211540**

**Client Sample ID: Halawa Shaft Viewing Pool**  
**Prep Type: Total/NA**  
**Prep Batch: 211488**

Analyte	Sample	Sample	Spike	MSD		Unit	D	%Rec	%Rec	Limits	RPD	RPD	Limit
	Result	Qualifier		Added	Result								
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.4	55.0		ng/L		91	70 - 130	7		30	
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.4	61.1		ng/L		101	70 - 130	4		30	
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.4	60.7		ng/L		101	70 - 130	1		30	
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.4	57.3		ng/L		95	70 - 130	0		30	
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.4	60.5		ng/L		99	70 - 130	2		30	
Perfluorodecanoic acid (PFDA)	<2.0		60.4	60.6		ng/L		100	70 - 130	1		30	
Perfluorododecanoic acid (PFDoA)	<2.0		60.4	62.5		ng/L		103	70 - 130	2		30	
Perfluoroheptanoic acid (PFHpA)	<2.0		60.4	61.0		ng/L		100	70 - 130	0		30	
Perfluorohexanesulfonic acid (PFHxS)	3.5		60.4	60.9		ng/L		95	70 - 130	7		30	
Perfluorohexanoic acid (PFHxA)	<2.0		60.4	62.2		ng/L		101	70 - 130	7		30	
Perfluorononanoic acid (PFNA)	<2.0		60.4	61.4		ng/L		102	70 - 130	6		30	
Perfluorooctanesulfonic acid (PFOS)	3.2		60.4	62.5		ng/L		98	70 - 130	0		30	
Perfluorooctanoic acid (PFOA)	<2.0		60.4	61.8		ng/L		101	70 - 130	0		30	
Perfluoroundecanoic acid (PFUnA)	<2.0		60.4	60.5		ng/L		100	70 - 130	1		30	
Perfluorobutanoic acid (PFBA)	<2.0		60.4	62.2		ng/L		103	70 - 130	1		30	
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.4	64.8		ng/L		107	70 - 130	2		30	
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.4	63.6		ng/L		105	70 - 130	4		30	
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.4	62.5		ng/L		104	70 - 130	3		30	
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.4	65.9		ng/L		109	70 - 130	6		30	
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.4	63.7		ng/L		106	70 - 130	5		30	
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.4	69.8		ng/L		116	70 - 130	3		30	
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.4	59.2		ng/L		98	70 - 130	4		30	
Perfluoropentanoic acid (PFPeA)	<2.0		60.4	60.8		ng/L		100	70 - 130	3		30	
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.4	60.9		ng/L		101	70 - 130	1		30	
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.4	57.3		ng/L		95	70 - 130	4		30	

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	103		50 - 200
13C6 PFDA	110		50 - 200
13C5 PFHxA	97		50 - 200
13C4 PFHpA	101		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	109		50 - 200
13C7 PFUnA	111		50 - 200
13C2 PFDoA	113		50 - 200
13C4 PFBA	105		50 - 200
13C5 PFPeA	108		50 - 200
13C3 PFBS	104		50 - 200
13C3 PFHxS	106		50 - 200
13C8 PFOS	105		50 - 200
13C2-4:2-FTS	106		50 - 200
13C2-6:2-FTS	106		50 - 200
13C2-8:2-FTS	104		50 - 200

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

**Lab Sample ID: MBL 380-211549/19-A**  
**Matrix: Water**  
**Analysis Batch: 211574**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 211549**

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Perfluorotridecanoic acid (PFTTrDA)	<0.36		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		03/07/26 13:53	03/08/26 15:36	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	89		70 - 130			03/07/26 13:53	03/08/26 15:36	1
13C2 PFHxA	96		70 - 130			03/07/26 13:53	03/08/26 15:36	1
13C2 PFDA	109		70 - 130			03/07/26 13:53	03/08/26 15:36	1

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MBL 380-211549/19-A**  
**Matrix: Water**  
**Analysis Batch: 211574**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 211549**

<i>Surrogate</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	83	Qualifier	70 - 130	03/07/26 13:53	03/08/26 15:36	1

**Lab Sample ID: LCS 380-211549/21-A**  
**Matrix: Water**  
**Analysis Batch: 211574**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 211549**

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>
<i>Analyte</i>	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>
Hexafluoropropylene Oxide	25.1	21.6		ng/L		86	70 - 130
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	25.1	26.5		ng/L		106	70 - 130
Perfluoroundecanoic acid (PFUnA)	25.1	25.9		ng/L		103	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	25.1	23.3		ng/L		93	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	25.1	22.9		ng/L		91	70 - 130
Perfluorohexanoic acid (PFHxA)	25.1	23.8		ng/L		95	70 - 130
Perfluorododecanoic acid (PFDoA)	25.1	26.1		ng/L		104	70 - 130
Perfluorooctanoic acid (PFOA)	25.1	25.6		ng/L		102	70 - 130
Perfluorodecanoic acid (PFDA)	25.1	26.0		ng/L		104	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	25.1	27.0		ng/L		107	70 - 130
Perfluorobutanesulfonic acid (PFBS)	25.1	26.6		ng/L		106	70 - 130
Perfluoroheptanoic acid (PFHpA)	25.1	25.0		ng/L		99	70 - 130
Perfluorononanoic acid (PFNA)	25.1	25.3		ng/L		101	70 - 130
Perfluorotetradecanoic acid (PFTA)	25.1	25.4		ng/L		101	70 - 130
Perfluorotridecanoic acid (PFTrDA)	25.1	27.4		ng/L		109	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	25.1	26.7		ng/L		106	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	25.1	26.2		ng/L		104	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	25.1	23.0		ng/L		92	70 - 130

<i>Surrogate</i>	<i>LCS</i>	<i>LCS</i>	<i>Limits</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	87		70 - 130
13C2 PFHxA	89		70 - 130
13C2 PFDA	97		70 - 130
13C3-GenX	83		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MRL 380-211549/20-A**  
**Matrix: Water**  
**Analysis Batch: 211574**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 211549**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	2.05	J	ng/L		102	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.29	J	ng/L		114	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.11	J	ng/L		105	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.01	2.01	J	ng/L		100	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.01	2.02	J	ng/L		101	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.15	J	ng/L		107	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.20	J	ng/L		109	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.09	J	ng/L		104	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	2.18	J	ng/L		108	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	2.11	J	ng/L		105	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	2.25	J	ng/L		112	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.19	J	ng/L		109	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.01	2.00	J	ng/L		100	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.01	2.25	J	ng/L		112	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	2.09	J	ng/L		104	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	2.09	J	ng/L		104	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.10	J	ng/L		105	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	98		70 - 130
13C2 PFHxA	101		70 - 130
13C2 PFDA	98		70 - 130
13C3-GenX	97		70 - 130

**Lab Sample ID: 380-200672-B-7-A MS**  
**Matrix: Water**  
**Analysis Batch: 211574**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 211549**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		50.2	47.9		ng/L		95	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		50.2	50.7		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		50.2	49.6		ng/L		99	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		50.2	48.3		ng/L		96	70 - 130

Eurofins Pomona





# QC Association Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-201556-1  
 SDG: PFAS: Halawa Shaft Viewing Pool

## LCMS

### Prep Batch: 211488

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-201556-1	Halawa Shaft Viewing Pool	Total/NA	Water	533	
380-201556-2	Halawa Shaft Viewing Pool Blank	Total/NA	Water	533	
MBL 380-211488/20-A	Method Blank	Total/NA	Water	533	
LCS 380-211488/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-211488/21-A	Lab Control Sample	Total/NA	Water	533	
380-201556-1 MS	Halawa Shaft Viewing Pool	Total/NA	Water	533	
380-201556-1 MSD	Halawa Shaft Viewing Pool	Total/NA	Water	533	

### Analysis Batch: 211540

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-201556-1	Halawa Shaft Viewing Pool	Total/NA	Water	533	211488
380-201556-2	Halawa Shaft Viewing Pool Blank	Total/NA	Water	533	211488
MBL 380-211488/20-A	Method Blank	Total/NA	Water	533	211488
LCS 380-211488/22-A	Lab Control Sample	Total/NA	Water	533	211488
MRL 380-211488/21-A	Lab Control Sample	Total/NA	Water	533	211488
380-201556-1 MS	Halawa Shaft Viewing Pool	Total/NA	Water	533	211488
380-201556-1 MSD	Halawa Shaft Viewing Pool	Total/NA	Water	533	211488

### Prep Batch: 211549

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-201556-1	Halawa Shaft Viewing Pool	Total/NA	Water	537.1 DW	
380-201556-2	Halawa Shaft Viewing Pool Blank	Total/NA	Water	537.1 DW	
MBL 380-211549/19-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-211549/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-211549/20-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-200672-B-7-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-200672-C-7-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

### Analysis Batch: 211574

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-201556-1	Halawa Shaft Viewing Pool	Total/NA	Water	EPA 537.1 V2	211549
380-201556-2	Halawa Shaft Viewing Pool Blank	Total/NA	Water	EPA 537.1 V2	211549
MBL 380-211549/19-A	Method Blank	Total/NA	Water	EPA 537.1 V2	211549
LCS 380-211549/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	211549
MRL 380-211549/20-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	211549
380-200672-B-7-A MS	Matrix Spike	Total/NA	Water	EPA 537.1 V2	211549
380-200672-C-7-A MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 537.1 V2	211549

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Client Sample ID: Halawa Shaft Viewing Pool

**Lab Sample ID: 380-201556-1**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			211488	E2HD	EA POM	03/06/26 18:15
Total/NA	Analysis	533		1	211540	Y5FM	EA POM	03/07/26 12:58
Total/NA	Prep	537.1 DW			211549	N8NE	EA POM	03/07/26 13:53
Total/NA	Analysis	EPA 537.1 V2		1	211574	M7ML	EA POM	03/08/26 17:40

## Client Sample ID: Halawa Shaft Viewing Pool Blank

**Lab Sample ID: 380-201556-2**

Date Collected: 03/03/26 09:36

Matrix: Water

Date Received: 03/05/26 10:20

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			211488	E2HD	EA POM	03/06/26 18:15
Total/NA	Analysis	533		1	211540	Y5FM	EA POM	03/07/26 16:17
Total/NA	Prep	537.1 DW			211549	N8NE	EA POM	03/07/26 13:53
Total/NA	Analysis	EPA 537.1 V2		1	211574	M7ML	EA POM	03/08/26 17:49

**Laboratory References:**

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

## Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-201556-1  
SDG: PFAS: Halawa Shaft Viewing Pool

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-201556-1	Halawa Shaft Viewing Pool	Water	03/03/26 09:36	03/05/26 10:20	Hawaii
380-201556-2	Halawa Shaft Viewing Pool Blank	Water	03/03/26 09:36	03/05/26 10:20	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

**Monrovia, CA (Suite 100)**  
 750 Royal Oaks Drive Suite 100  
 Monrovia, CA 91016  
 Phone (626) 386-1100

# Chain of Custody Record



Enviro  
Ameri



380-201556 COC

**Client Information**  
 Client Contact: kurk iwamoto  
 City & County of Honolulu  
 Address: 630 South Beretania Street, Chemistry Lab  
 City: Honolulu  
 State, Zip: HI, 96843  
 Phone: 808-748-5840 (tel)  
 Email: kiwamoto@hbws.org  
 Project Name: RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill  
 Site:

**Sampler:** Jason Rakofsky  
 Phone: +1 808 748 5840  
 Lab PM: Arada, Rachelle  
 E-Mail: Rachelle.Arada@et.euronisus.com

**Carrier Tracking No(s):** 380-27941-2757.2  
**Page:** Page 2 of 2  
**Job #:**

**Due Date Requested:**  
 TAT Requested (days): RUSH  
 Compliance Project: Δ No  
 PO #: C20525101 exp 05312023  
 WO #: 38001111  
 Project #: 38001111  
 SSON#:

**Analysis Requested**

Field Filtered Sample (Yes or No)	Perform MRM/MSD (Yes or No)	SUBCONTRACT - 625 PAH Phys LL (EAL) + TICs	0016B_GRO_LL - (MOD) GRO	0016B_DRO_LL_CS - HNL Ranges: c10-c24/c24-c38/cs-c18	625.2_PREG - (MOD) 625plus PLUS TICs	637.1_PW_PREG - 637.1 Full List	633 - All Analytes
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (Water, Seawater, On-site, etc.)	Preservation Code:	R	A	Q	QA	Y	I	Total Number of Containers	Special Instructions/Note:
Halawa Shaft Viewing Pool	3-Mar-2026	0936	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3	
Halawa Shaft Viewing Pool Blank	3-Mar-2026	✓	G	Water		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1	

**Possible Hazard Identification**  
 Non-Hazard  Flammable  Skin Irritant  Poison B  Unknown  Radiological

**Deliverable Requested:** I, II, III, IV, Other (specify)

**Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)**  
 Return To Client  Disposal By Lab  Archive For Months

**Special Instructions/QC Requirements:**

**Empty Kit Relinquished by:** [Redacted] **Date:** 3/14/26  
**Relinquished by:** [Redacted] **Date/Time:** 3/14/26 1100  
 Company: HBWS

**Relinquished by:** [Redacted] **Date/Time:** 3/15/26 1020  
 Company: FEAP

**Relinquished by:** [Redacted] **Date/Time:** [Redacted]  
 Company: [Redacted]

**Custody Seals Intact:** Δ Yes Δ No  
**Custody Seal No.:** 751A 3.17.26 gel frozen  
 Cooler Temperature(s) and Other Remarks:



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-201556-1  
SDG Number: PFAS: Halawa Shaft Viewing Pool

**Login Number: 201556**

**List Number: 1**

**Creator: Del Rosario, Michael**

**List Source: Eurofins Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

