

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Erwin Kawata
City & County of Honolulu
630 South Beretania Street
Public Service Bldg. Room 310
Honolulu, Hawaii 96843

Generated 4/21/2026 9:13:04 AM

JOB DESCRIPTION

RED-HILL
PFAS: Halawa Shaft Viewing Pool

JOB NUMBER

380-208733-1

Eurofins Pomona

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

Authorization



Authorized for release by
Maria Lopez, Project Manager
Maria.Lopez@et.eurofinsus.com
(626)386-1100

Generated
4/21/2026 9:13:04 AM



Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Action Limit Summary	11
Surrogate Summary	12
Isotope Dilution Summary	13
QC Sample Results	14
QC Association Summary	24
Lab Chronicle	25
Certification Summary	26
Method Summary	27
Sample Summary	28
Chain of Custody	29
Receipt Checklists	30

Definitions/Glossary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: City & County of Honolulu
Project: RED-HILL

Job ID: 380-208733-1

Job ID: 380-208733-1

Eurofins Pomona

Job Narrative 380-208733-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/16/2026 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.5°C.

PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool

Lab Sample ID: 380-208733-1

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorohexanesulfonic acid (PFHxS)	3.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.7		2.0	ng/L	1		EPA 537.1 V2	Total/NA

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona



Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool

Lab Sample ID: 380-208733-1

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorohexanesulfonic acid (PFHxS)	3.1		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorooctanesulfonic acid (PFOS)	3.1		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:18	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	107		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C6 PFDA	112		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C5 PFHxA	116		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C4 PFHpA	111		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C8 PFOA	112		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C9 PFNA	115		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C7 PFUnA	105		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C2 PFDoA	115		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C4 PFBA	113		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C5 PFPeA	119		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C3 PFBS	116		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C3 PFHxS	111		50 - 200	04/18/26 08:30	04/20/26 10:18	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool

Lab Sample ID: 380-208733-1

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C8 PFOS	116		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C2-4:2-FTS	134		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C2-6:2-FTS	125		50 - 200	04/18/26 08:30	04/20/26 10:18	1
13C2-8:2-FTS	120		50 - 200	04/18/26 08:30	04/20/26 10:18	1

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorooctanesulfonic acid (PFOS)	3.4		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorohexanesulfonic acid (PFHxS)	3.7		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Perfluorotridecanoic acid (PFTTrDA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:05	1
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac		
d5-NEtFOSAA	106		70 - 130	04/17/26 00:27	04/17/26 12:05	1		
13C2 PFHxA	106		70 - 130	04/17/26 00:27	04/17/26 12:05	1		
13C2 PFDA	104		70 - 130	04/17/26 00:27	04/17/26 12:05	1		
13C3-GenX	104		70 - 130	04/17/26 00:27	04/17/26 12:05	1		

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1

Eurofins Pomona

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		04/18/26 08:30	04/20/26 10:28	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	108		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C6 PFDA	109		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C5 PFHxA	114		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C4 PFHpA	111		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C8 PFOA	113		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C9 PFNA	117		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C7 PFUnA	114		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C2 PFDoA	119		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C4 PFBA	113		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C5 PFPeA	117		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C3 PFBS	119		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C3 PFHxS	112		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C8 PFOS	115		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C2-4:2-FTS	124		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C2-6:2-FTS	122		50 - 200	04/18/26 08:30	04/20/26 10:28	1
13C2-8:2-FTS	117		50 - 200	04/18/26 08:30	04/20/26 10:28	1

Client Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/17/26 00:27	04/17/26 12:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	92		70 - 130	04/17/26 00:27	04/17/26 12:15	1
13C2 PFHxA	97		70 - 130	04/17/26 00:27	04/17/26 12:15	1
13C2 PFDA	102		70 - 130	04/17/26 00:27	04/17/26 12:15	1
13C3-GenX	92		70 - 130	04/17/26 00:27	04/17/26 12:15	1

Action Limit Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool

Lab Sample ID: 380-208733-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.1		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.1		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	3.4		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.7		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL		RL	Method	Prep Type
				Limit				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4		2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10		2.0	EPA 537.1 V2	Total/NA

Surrogate Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-208733-1
 SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-208719-B-1-A MS	Matrix Spike	97	101	107	99
380-208719-C-1-A MSD	Matrix Spike Duplicate	95	104	107	101
380-208733-1	HALAWA SHAFT Viewing Pool	106	106	104	104
380-208733-2	HALAWA SHAFT Viewing Pool	92	97	102	92
	Blank				
LCS 380-220771/21-A	Lab Control Sample	101	107	110	103
MBL 380-220771/19-A	Method Blank	108	113	114	108
MRL 380-220771/20-A	Lab Control Sample	95	101	108	93

Surrogate Legend

- d5NEFOS = d5-NEtFOSAA
- PFHxA = 13C2 PFHxA
- PFDA = 13C2 PFDA
- GenX = 13C3-GenX



Isotope Dilution Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-208733-1
 SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Matrix: Water

Prep Type: Total/NA

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFD _o A (50-200)
380-208733-1	HALAWA SHAFT Viewing Pool	107	112	116	111	112	115	105	115
380-208733-2	HALAWA SHAFT Viewing Pool	108	109	114	111	113	117	114	119
	Blank								
380-208811-F-1-A MS	Matrix Spike	107	111	113	114	112	112	111	109
380-208811-G-1-A MSD	Matrix Spike Duplicate	101	112	108	108	113	110	113	116
LCS 380-221053/22-A	Lab Control Sample	97	107	101	104	107	107	113	111
MRL 380-221053/21-A	Lab Control Sample	80	92	89	91	90	92	94	97

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-208733-1	HALAWA SHAFT Viewing Pool	113	119	116	111	116	134	125	120
380-208733-2	HALAWA SHAFT Viewing Pool	113	117	119	112	115	124	122	117
	Blank								
380-208811-F-1-A MS	Matrix Spike	115	157	108	107	111	132	133	123
380-208811-G-1-A MSD	Matrix Spike Duplicate	109	136	115	111	114	141	131	128
LCS 380-221053/22-A	Lab Control Sample	101	105	115	112	114	119	115	115
MRL 380-221053/21-A	Lab Control Sample	91	92	109	108	109	116	114	109

Surrogate Legend

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFD_oA = 13C2 PFD_oA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

Lab Sample ID: LCS 380-221053/22-A

Matrix: Water

Analysis Batch: 221271

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 221053

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.0	52.7		ng/L		88	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.0	53.7		ng/L		90	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.0	53.4		ng/L		89	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.0	57.0		ng/L		95	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.0	56.9		ng/L		95	70 - 130
Perfluorodecanoic acid (PFDA)	60.0	54.6		ng/L		91	70 - 130
Perfluorododecanoic acid (PFDoA)	60.0	56.9		ng/L		95	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.0	54.0		ng/L		90	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.0	55.1		ng/L		92	70 - 130
Perfluorohexanoic acid (PFHxA)	60.0	59.9		ng/L		100	70 - 130
Perfluorononanoic acid (PFNA)	60.0	55.4		ng/L		92	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.0	54.5		ng/L		91	70 - 130
Perfluorooctanoic acid (PFOA)	60.0	55.0		ng/L		92	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.0	54.4		ng/L		91	70 - 130
Perfluorobutanoic acid (PFBA)	60.0	54.7		ng/L		91	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.0	55.5		ng/L		92	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.0	57.6		ng/L		96	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.0	59.2		ng/L		99	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.0	54.6		ng/L		91	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	60.0	54.2		ng/L		90	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.0	54.1		ng/L		90	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.0	51.3		ng/L		86	70 - 130
Perfluoropentanoic acid (PFPeA)	60.0	55.2		ng/L		92	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.0	56.3		ng/L		94	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	60.0	54.2		ng/L		90	70 - 130

Isotope Dilution	LCS LCS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	97		50 - 200
13C6 PFDA	107		50 - 200
13C5 PFHxA	101		50 - 200
13C4 PFHpA	104		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	107		50 - 200

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: LCS 380-221053/22-A

Matrix: Water

Analysis Batch: 221271

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 221053

Isotope Dilution	LCS LCS		Limits
	%Recovery	Qualifier	
13C7 PFUnA	113		50 - 200
13C2 PFDoA	111		50 - 200
13C4 PFBA	101		50 - 200
13C5 PFPeA	105		50 - 200
13C3 PFBS	115		50 - 200
13C3 PFHxS	112		50 - 200
13C8 PFOS	114		50 - 200
13C2-4:2-FTS	119		50 - 200
13C2-6:2-FTS	115		50 - 200
13C2-8:2-FTS	115		50 - 200

Lab Sample ID: MRL 380-221053/21-A

Matrix: Water

Analysis Batch: 221271

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 221053

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec
							Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.92	J	ng/L		96	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	1.93	J	ng/L		96	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.94	J	ng/L		97	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	2.15	J	ng/L		107	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.12	J	ng/L		106	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.09	J	ng/L		104	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.13	J	ng/L		106	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.03	J	ng/L		101	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.09	J	ng/L		104	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.20	J	ng/L		110	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.09	J	ng/L		104	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.05	J	ng/L		102	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.18	J	ng/L		109	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.18	J	ng/L		109	50 - 150
Perfluorobutanoic acid (PFBA)	2.00	2.02	J	ng/L		101	50 - 150
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.00	2.19	J	ng/L		109	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.00	2.42	J	ng/L		121	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.00	2.36	J	ng/L		118	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.00	2.00	J	ng/L		100	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.00	2.12	J	ng/L		106	50 - 150

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: MRL 380-221053/21-A

Matrix: Water

Analysis Batch: 221271

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 221053

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.00	1.89	J	ng/L		94	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.00	1.88	J	ng/L		94	50 - 150
Perfluoropentanoic acid (PFPeA)	2.00	2.00	J	ng/L		100	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.00	2.04	J	ng/L		102	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.00	2.00	J	ng/L		100	50 - 150

Isotope Dilution	%Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	80		50 - 200
13C6 PFDA	92		50 - 200
13C5 PFHxA	89		50 - 200
13C4 PFHpA	91		50 - 200
13C8 PFOA	90		50 - 200
13C9 PFNA	92		50 - 200
13C7 PFUnA	94		50 - 200
13C2 PFDoA	97		50 - 200
13C4 PFBA	91		50 - 200
13C5 PFPeA	92		50 - 200
13C3 PFBS	109		50 - 200
13C3 PFHxS	108		50 - 200
13C8 PFOS	109		50 - 200
13C2-4:2-FTS	116		50 - 200
13C2-6:2-FTS	114		50 - 200
13C2-8:2-FTS	109		50 - 200

Lab Sample ID: 380-208811-F-1-A MS

Matrix: Water

Analysis Batch: 221271

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 221053

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.1	52.6		ng/L		88	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.1	52.7		ng/L		88	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.1	54.3		ng/L		90	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.1	58.6		ng/L		98	70 - 130
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.1	58.0		ng/L		96	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.1	53.9		ng/L		90	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		60.1	58.3		ng/L		97	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.1	56.6		ng/L		94	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.1	56.3		ng/L		94	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.1	57.7		ng/L		96	70 - 130

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-208733-1
 SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-208811-F-1-A MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 221271

Prep Batch: 221053

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Perfluorononanoic acid (PFNA)	<2.0		60.1	56.3		ng/L		94	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.1	54.0		ng/L		89	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.1	57.0		ng/L		95	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.1	55.4		ng/L		92	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.1	53.6		ng/L		89	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.1	56.1		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.1	62.0		ng/L		103	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.1	59.3		ng/L		99	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.1	54.5		ng/L		91	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.1	56.8		ng/L		94	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.1	64.6		ng/L		107	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.1	53.9		ng/L		90	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.1	55.0		ng/L		91	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.1	54.4		ng/L		91	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.1	55.4		ng/L		92	70 - 130

Isotope Dilution	MS	MS	Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	107		50 - 200
13C6 PFDA	111		50 - 200
13C5 PFHxA	113		50 - 200
13C4 PFHpA	114		50 - 200
13C8 PFOA	112		50 - 200
13C9 PFNA	112		50 - 200
13C7 PFUnA	111		50 - 200
13C2 PFDoA	109		50 - 200
13C4 PFBA	115		50 - 200
13C5 PFPeA	157		50 - 200
13C3 PFBS	108		50 - 200
13C3 PFHxS	107		50 - 200
13C8 PFOS	111		50 - 200
13C2-4:2-FTS	132		50 - 200
13C2-6:2-FTS	133		50 - 200
13C2-8:2-FTS	123		50 - 200

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-208811-G-1-A MSD

Client Sample ID: Matrix Spike Duplicate

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 221271

Prep Batch: 221053

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	54.5		ng/L		90	70 - 130	4	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	54.8		ng/L		91	70 - 130	4	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	52.8		ng/L		88	70 - 130	3	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.2	57.5		ng/L		95	70 - 130	2	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	54.6		ng/L		91	70 - 130	6	30
Perfluorodecanoic acid (PFDA)	<2.0		60.2	56.1		ng/L		93	70 - 130	4	30
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	55.7		ng/L		92	70 - 130	4	30
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	55.1		ng/L		91	70 - 130	3	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	56.6		ng/L		94	70 - 130	1	30
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	56.7		ng/L		94	70 - 130	2	30
Perfluorononanoic acid (PFNA)	<2.0		60.2	57.9		ng/L		96	70 - 130	3	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	55.6		ng/L		91	70 - 130	3	30
Perfluorooctanoic acid (PFOA)	<2.0		60.2	55.8		ng/L		93	70 - 130	2	30
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	56.4		ng/L		94	70 - 130	2	30
Perfluorobutanoic acid (PFBA)	<2.0		60.2	57.2		ng/L		95	70 - 130	7	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	56.3		ng/L		93	70 - 130	0	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	57.3		ng/L		95	70 - 130	8	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	58.0		ng/L		96	70 - 130	2	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	54.8		ng/L		91	70 - 130	1	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		60.2	56.9		ng/L		94	70 - 130	0	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	64.1		ng/L		106	70 - 130	1	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	54.9		ng/L		91	70 - 130	2	30
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	56.8		ng/L		94	70 - 130	3	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	56.4		ng/L		94	70 - 130	4	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	57.9		ng/L		96	70 - 130	5	30

Isotope Dilution	MSD	MSD	Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	101		50 - 200
13C6 PFDA	112		50 - 200
13C5 PFHxA	108		50 - 200
13C4 PFHpA	108		50 - 200
13C8 PFOA	113		50 - 200
13C9 PFNA	110		50 - 200

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-208811-G-1-A MSD
Matrix: Water
Analysis Batch: 221271

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 221053

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C7 PFUnA	113		50 - 200
13C2 PFDoA	116		50 - 200
13C4 PFBA	109		50 - 200
13C5 PFPeA	136		50 - 200
13C3 PFBS	115		50 - 200
13C3 PFHxS	111		50 - 200
13C8 PFOS	114		50 - 200
13C2-4:2-FTS	141		50 - 200
13C2-6:2-FTS	131		50 - 200
13C2-8:2-FTS	128		50 - 200

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-220771/19-A
Matrix: Water
Analysis Batch: 220802

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 220771

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
Perfluorotridecanoic acid (PFTrDA)	<0.36		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<0.30		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		04/17/26 00:27	04/17/26 09:06	1

Surrogate	MBL MBL		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
d5-NEtFOSAA	108		70 - 130	04/17/26 00:27	04/17/26 09:06	1
13C2 PFHxA	113		70 - 130	04/17/26 00:27	04/17/26 09:06	1
13C2 PFDA	114		70 - 130	04/17/26 00:27	04/17/26 09:06	1
13C3-GenX	108		70 - 130	04/17/26 00:27	04/17/26 09:06	1

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: LCS 380-220771/21-A
Matrix: Water
Analysis Batch: 220802

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 220771

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	50.0	49.6		ng/L		99	70 - 130
Perfluorooctanesulfonic acid (PFOS)	50.0	49.8		ng/L		100	70 - 130
Perfluoroundecanoic acid (PFUnA)	50.0	50.4		ng/L		101	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	50.0	51.0		ng/L		102	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	50.0	48.8		ng/L		98	70 - 130
Perfluorohexanoic acid (PFHxA)	50.0	52.0		ng/L		104	70 - 130
Perfluorododecanoic acid (PFDoA)	50.0	50.3		ng/L		101	70 - 130
Perfluorooctanoic acid (PFOA)	50.0	50.5		ng/L		101	70 - 130
Perfluorodecanoic acid (PFDA)	50.0	52.3		ng/L		105	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	50.0	50.6		ng/L		101	70 - 130
Perfluorobutanesulfonic acid (PFBS)	50.0	51.8		ng/L		104	70 - 130
Perfluoroheptanoic acid (PFHpA)	50.0	48.8		ng/L		98	70 - 130
Perfluorononanoic acid (PFNA)	50.0	51.6		ng/L		103	70 - 130
Perfluorotetradecanoic acid (PFTA)	50.0	41.4		ng/L		83	70 - 130
Perfluorotridecanoic acid (PFTrDA)	50.0	52.2		ng/L		104	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	50.0	50.6		ng/L		101	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	50.0	48.3		ng/L		97	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	50.0	51.0		ng/L		102	70 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	101		70 - 130
13C2 PFHxA	107		70 - 130
13C2 PFDA	110		70 - 130
13C3-GenX	103		70 - 130

Lab Sample ID: MRL 380-220771/20-A
Matrix: Water
Analysis Batch: 220802

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 220771

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.84	J	ng/L		92	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.08	J	ng/L		104	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.09	J	ng/L		104	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	1.98	J	ng/L		99	50 - 150

Eurofins Pomona

QC Sample Results

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

Lab Sample ID: MRL 380-220771/20-A

Matrix: Water

Analysis Batch: 220802

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 220771

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	1.93	J	ng/L		97	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.11	J	ng/L		105	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.06	J	ng/L		103	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	1.98	J	ng/L		99	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.05	J	ng/L		103	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	1.92	J	ng/L		96	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	2.05	J	ng/L		103	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.20	J	ng/L		110	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	1.83	J	ng/L		92	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.00	2.02	J	ng/L		101	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.09	J	ng/L		105	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.92	J	ng/L		96	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.89	J	ng/L		95	50 - 150

Surrogate	MRL		Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	95		70 - 130
13C2 PFHxA	101		70 - 130
13C2 PFDA	108		70 - 130
13C3-GenX	93		70 - 130

Lab Sample ID: 380-208719-B-1-A MS

Matrix: Water

Analysis Batch: 220802

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 220771

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec Limits
				Result	Qualifier				
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	25.2		ng/L		101	70 - 130
Perfluorooctanesulfonic acid (PFOS)	15		25.1	40.2		ng/L		101	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	26.0		ng/L		104	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.5		ng/L		102	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	24.9		ng/L		99	70 - 130
Perfluorohexanoic acid (PFHxA)	14		25.1	39.3		ng/L		100	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	26.1		ng/L		104	70 - 130
Perfluorooctanoic acid (PFOA)	5.5		25.1	31.0		ng/L		102	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		25.1	26.2		ng/L		105	70 - 130

Eurofins Pomona

QC Association Summary

Client: City & County of Honolulu
 Project/Site: RED-HILL

Job ID: 380-208733-1
 SDG: PFAS: Halawa Shaft Viewing Pool

LCMS

Prep Batch: 220771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-208733-1	HALAWA SHAFT Viewing Pool	Total/NA	Water	537.1 DW	
380-208733-2	HALAWA SHAFT Viewing Pool Blank	Total/NA	Water	537.1 DW	
MBL 380-220771/19-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-220771/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-220771/20-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-208719-B-1-A MS	Matrix Spike	Total/NA	Water	537.1 DW	
380-208719-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	

Analysis Batch: 220802

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-208733-1	HALAWA SHAFT Viewing Pool	Total/NA	Water	EPA 537.1 V2	220771
380-208733-2	HALAWA SHAFT Viewing Pool Blank	Total/NA	Water	EPA 537.1 V2	220771
MBL 380-220771/19-A	Method Blank	Total/NA	Water	EPA 537.1 V2	220771
LCS 380-220771/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	220771
MRL 380-220771/20-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	220771
380-208719-B-1-A MS	Matrix Spike	Total/NA	Water	EPA 537.1 V2	220771
380-208719-C-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 537.1 V2	220771

Prep Batch: 221053

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-208733-1	HALAWA SHAFT Viewing Pool	Total/NA	Water	533	
380-208733-2	HALAWA SHAFT Viewing Pool Blank	Total/NA	Water	533	
LCS 380-221053/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-221053/21-A	Lab Control Sample	Total/NA	Water	533	
380-208811-F-1-A MS	Matrix Spike	Total/NA	Water	533	
380-208811-G-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	

Analysis Batch: 221271

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 380-221053/22-A	Lab Control Sample	Total/NA	Water	533	221053
MRL 380-221053/21-A	Lab Control Sample	Total/NA	Water	533	221053
380-208811-F-1-A MS	Matrix Spike	Total/NA	Water	533	221053
380-208811-G-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	221053

Analysis Batch: 221297

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-208733-1	HALAWA SHAFT Viewing Pool	Total/NA	Water	533	221053
380-208733-2	HALAWA SHAFT Viewing Pool Blank	Total/NA	Water	533	221053

Lab Chronicle

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Client Sample ID: HALAWA SHAFT Viewing Pool

Lab Sample ID: 380-208733-1

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			221053	XTD8	EA POM	04/18/26 08:30
Total/NA	Analysis	533		1	221297	SZ9R	EA POM	04/20/26 10:18
Total/NA	Prep	537.1 DW			220771	G9MN	EA POM	04/17/26 00:27
Total/NA	Analysis	EPA 537.1 V2		1	220802	SZ9R	EA POM	04/17/26 12:05

Client Sample ID: HALAWA SHAFT Viewing Pool Blank

Lab Sample ID: 380-208733-2

Date Collected: 04/14/26 09:45

Matrix: Water

Date Received: 04/16/26 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			221053	XTD8	EA POM	04/18/26 08:30
Total/NA	Analysis	533		1	221297	SZ9R	EA POM	04/20/26 10:28
Total/NA	Prep	537.1 DW			220771	G9MN	EA POM	04/17/26 00:27
Total/NA	Analysis	EPA 537.1 V2		1	220802	SZ9R	EA POM	04/17/26 12:15

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

Accreditation/Certification Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



Sample Summary

Client: City & County of Honolulu
Project/Site: RED-HILL

Job ID: 380-208733-1
SDG: PFAS: Halawa Shaft Viewing Pool

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
380-208733-1	HALAWA SHAFT Viewing Pool	Water	04/14/26 09:45	04/16/26 10:10	Hawaii
380-208733-2	HALAWA SHAFT Viewing Pool Blank	Water	04/14/26 09:45	04/16/26 10:10	Hawaii

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-208733-1
SDG Number: PFAS: Halawa Shaft Viewing Pool

Login Number: 208733

List Number: 1

Creator: Del Rosario, Michael

List Source: Eurofins Pomona

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

