

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Erwin Kawata  
City & County of Honolulu  
630 South Beretania Street  
Public Service Bldg. Room 310  
Honolulu, Hawaii 96843

Generated 4/6/2026 4:54:20 PM

## JOB DESCRIPTION

RED-HILL  
PFAS: Ka'amilo Wells P1

## JOB NUMBER

380-205677-1

# Eurofins Pomona

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below. (DW, Water matrices)

## Authorization



Authorized for release by  
Maria Lopez, Project Manager  
[Maria.Lopez@et.eurofinsus.com](mailto:Maria.Lopez@et.eurofinsus.com)  
(626)386-1100

Generated  
4/6/2026 4:54:20 PM



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	3
Definitions/Glossary . . . . .	4
Case Narrative . . . . .	5
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Action Limit Summary . . . . .	11
Surrogate Summary . . . . .	12
Isotope Dilution Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	25
Lab Chronicle . . . . .	26
Certification Summary . . . . .	27
Method Summary . . . . .	28
Sample Summary . . . . .	29
Chain of Custody . . . . .	30
Receipt Checklists . . . . .	31

# Definitions/Glossary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Qualifiers

### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: City & County of Honolulu  
Project: RED-HILL

Job ID: 380-205677-1

**Job ID: 380-205677-1**

**Eurofins Pomona**

## Job Narrative 380-205677-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

### Receipt

The samples were received on 4/1/2026 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.2°C.

### PFAS

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

## Detection Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-205677-1  
 SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-1**

**PWSID Number: HI0000331**

Analyte	Result	Qualifier	RL	Unit	Dil Fac	D	Method	Prep Type
Perfluorobutanesulfonic acid (PFBS)	3.3		2.0	ng/L	1		533	Total/NA
Perfluoroheptanoic acid (PFHpA)	2.0		2.0	ng/L	1		533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.5		2.0	ng/L	1		533	Total/NA
Perfluorohexanoic acid (PFHxA)	3.8		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	5.1		2.0	ng/L	1		533	Total/NA
Perfluorooctanoic acid (PFOA)	4.1		2.0	ng/L	1		533	Total/NA
Perfluoropentanoic acid (PFPeA)	4.3		2.0	ng/L	1		533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	5.7		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanoic acid (PFHxA)	4.5		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	4.7		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.3		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluorobutanesulfonic acid (PFBS)	3.8		2.0	ng/L	1		EPA 537.1 V2	Total/NA
Perfluoroheptanoic acid (PFHpA)	2.2		2.0	ng/L	1		EPA 537.1 V2	Total/NA

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

**PWSID Number: HI0000331**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-1**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

PWSID Number: HI0000331

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluorobutanesulfonic acid (PFBS)</b>	<b>3.3</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluoroheptanoic acid (PFHpA)</b>	<b>2.0</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>3.5</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluorohexanoic acid (PFHxA)</b>	<b>3.8</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>5.1</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluorooctanoic acid (PFOA)</b>	<b>4.1</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Perfluoropentanoic acid (PFPeA)</b>	<b>4.3</b>		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:50	1
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C3 HFPO-DA	103		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C6 PFDA	106		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C5 PFHxA	105		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C4 PFHpA	104		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C8 PFOA	110		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C9 PFNA	110		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C7 PFUnA	103		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C2 PFDoA	105		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C4 PFBA	112		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C5 PFPeA	115		50 - 200			04/02/26 05:56	04/02/26 18:50	1
13C3 PFBS	103		50 - 200			04/02/26 05:56	04/02/26 18:50	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-1**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

PWSID Number: HI0000331

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 PFHxS	105		50 - 200	04/02/26 05:56	04/02/26 18:50	1
13C8 PFOS	107		50 - 200	04/02/26 05:56	04/02/26 18:50	1
13C2-4:2-FTS	123		50 - 200	04/02/26 05:56	04/02/26 18:50	1
13C2-6:2-FTS	122		50 - 200	04/02/26 05:56	04/02/26 18:50	1
13C2-8:2-FTS	117		50 - 200	04/02/26 05:56	04/02/26 18:50	1

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>5.7</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
N-methylperfluorooctanesulfonamidecetic acid (NMeFOSAA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
N-ethylperfluorooctanesulfonamideacetic acid (NEtFOSAA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluorohexanoic acid (PFHxA)</b>	<b>4.5</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluorooctanoic acid (PFOA)</b>	<b>4.7</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluorohexanesulfonic acid (PFHxS)</b>	<b>4.3</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluorobutanesulfonic acid (PFBS)</b>	<b>3.8</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
<b>Perfluoroheptanoic acid (PFHpA)</b>	<b>2.2</b>		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
Perfluorotridecanoic acid (PFTTrDA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
d5-NEtFOSAA	110		70 - 130	04/03/26 11:12	04/04/26 23:21	1
13C2 PFHxA	99		70 - 130	04/03/26 11:12	04/04/26 23:21	1
13C2 PFDA	116		70 - 130	04/03/26 11:12	04/04/26 23:21	1
13C3-GenX	108		70 - 130	04/03/26 11:12	04/04/26 23:21	1

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

PWSID Number: HI0000331

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1

Eurofins Pomona

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

PWSID Number: HI0000331

**Method: EPA 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluorobutanoic acid (PFBA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Nonafluoro-3,6-dioxahexanoic acid (NFDHA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoropentanoic acid (PFPeA)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1
Perfluoropentanesulfonic acid (PFPeS)	<2.0		2.0	ng/L		04/02/26 05:56	04/02/26 18:59	1

Isotope Dilution	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
13C3 HFPO-DA	107		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C6 PFDA	111		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C5 PFHxA	110		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C4 PFHpA	110		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C8 PFOA	109		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C9 PFNA	115		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C7 PFUnA	109		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C2 PFDoA	107		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C4 PFBA	117		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C5 PFPeA	115		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C3 PFBS	114		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C3 PFHxS	110		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C8 PFOS	112		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C2-4:2-FTS	123		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C2-6:2-FTS	119		50 - 200	04/02/26 05:56	04/02/26 18:59	1
13C2-8:2-FTS	121		50 - 200	04/02/26 05:56	04/02/26 18:59	1

# Client Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

PWSID Number: HI0000331

**Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020**

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorooctanesulfonic acid (PFOS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluoroundecanoic acid (PFUnA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
N-methylperfluorooctanesulfonamide acetic acid (NMeFOSAA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
N-ethylperfluorooctanesulfonamide acetic acid (NEtFOSAA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorohexanoic acid (PFHxA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorododecanoic acid (PFDoA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorooctanoic acid (PFOA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorodecanoic acid (PFDA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorohexanesulfonic acid (PFHxS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorobutanesulfonic acid (PFBS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluoroheptanoic acid (PFHpA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorononanoic acid (PFNA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorotetradecanoic acid (PFTA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
Perfluorotridecanoic acid (PFTrDA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9Cl-PF3ONS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		2.0	ng/L		04/03/26 11:12	04/04/26 23:31	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>			<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
d5-NEtFOSAA	100		70 - 130			04/03/26 11:12	04/04/26 23:31	1
13C2 PFHxA	99		70 - 130			04/03/26 11:12	04/04/26 23:31	1
13C2 PFDA	113		70 - 130			04/03/26 11:12	04/04/26 23:31	1
13C3-GenX	87		70 - 130			04/03/26 11:12	04/04/26 23:31	1

# Action Limit Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-1**

**PWSID Number: HI0000331**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	3.5		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>5.1</b>		ng/L	<b>4</b>	2.0	533	Total/NA
<b>Perfluorooctanoic acid (PFOA)</b>	<b>4.1</b>		ng/L	<b>4</b>	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
<b>Perfluorooctanesulfonic acid (PFOS)</b>	<b>5.7</b>		ng/L	<b>4</b>	2.0	EPA 537.1 V2	Total/NA
<b>Perfluorooctanoic acid (PFOA)</b>	<b>4.7</b>		ng/L	<b>4</b>	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	4.3		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

**PWSID Number: HI0000331**

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

Analyte	Result	Qualifier	Unit	EPAMCL	RL	Method	Prep Type
				Limit			
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	533	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	533	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	533	Total/NA
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanesulfonic acid (PFOS)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorooctanoic acid (PFOA)	<2.0		ng/L	4	2.0	EPA 537.1 V2	Total/NA
Perfluorohexanesulfonic acid (PFHxS)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA
Perfluorononanoic acid (PFNA)	<2.0		ng/L	10	2.0	EPA 537.1 V2	Total/NA

# Surrogate Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-205677-1  
 SDG: PFAS: Ka'amilo Wells P1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Matrix: Water

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		d5NEFOS (70-130)	PFHxA (70-130)	PFDA (70-130)	GenX (70-130)
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	110	99	116	108
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	100	99	113	87
380-205868-E-1-A MSD	Matrix Spike Duplicate	109	107	115	106
380-205868-F-1-A MS	Matrix Spike	114	104	113	105
LCS 380-217710/22-A	Lab Control Sample	93	92	104	82
MBL 380-217710/20-A	Method Blank	104	106	116	86
MRL 380-217710/21-A	Lab Control Sample	106	104	115	105

**Surrogate Legend**

d5NEFOS = d5-NEtFOSAA  
 PFHxA = 13C2 PFHxA  
 PFDA = 13C2 PFDA  
 GenX = 13C3-GenX



# Isotope Dilution Summary

Client: City & County of Honolulu  
 Project/Site: RED-HILL

Job ID: 380-205677-1  
 SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Matrix: Water**

**Prep Type: Total/NA**

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	HFPODA (50-200)	C6PFDA (50-200)	13C5PHA (50-200)	C4PFHA (50-200)	C8PFOA (50-200)	C9PFNA (50-200)	13C7PUA (50-200)	PFDoA (50-200)
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	103	106	105	104	110	110	103	105
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	107	111	110	110	109	115	109	107
380-205767-C-1-A MS	Matrix Spike	111	107	109	109	107	111	105	109
380-205767-D-1-A MSD	Matrix Spike Duplicate	101	105	104	102	101	102	102	104
LCS 380-217383/22-A	Lab Control Sample	101	106	110	104	108	109	106	105
MBL 380-217383/20-A	Method Blank	97	99	104	102	104	105	98	101
MRL 380-217383/21-A	Lab Control Sample	91	99	96	95	99	100	98	101

		Percent Isotope Dilution Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	PFBA (50-200)	PFPeA (50-200)	C3PFBS (50-200)	C3PFHS (50-200)	C8PFOS (50-200)	42FTS (50-200)	62FTS (50-200)	82FTS (50-200)
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	112	115	103	105	107	123	122	117
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	117	115	114	110	112	123	119	121
380-205767-C-1-A MS	Matrix Spike	110	114	107	105	108	123	117	116
380-205767-D-1-A MSD	Matrix Spike Duplicate	103	104	106	104	103	112	108	108
LCS 380-217383/22-A	Lab Control Sample	105	111	106	106	108	127	120	115
MBL 380-217383/20-A	Method Blank	108	106	112	110	114	127	124	118
MRL 380-217383/21-A	Lab Control Sample	100	103	106	105	109	117	116	115

**Surrogate Legend**

- HFPODA = 13C3 HFPO-DA
- C6PFDA = 13C6 PFDA
- 13C5PHA = 13C5 PFHxA
- C4PFHA = 13C4 PFHpA
- C8PFOA = 13C8 PFOA
- C9PFNA = 13C9 PFNA
- 13C7PUA = 13C7 PFUnA
- PFDoA = 13C2 PFDoA
- PFBA = 13C4 PFBA
- PFPeA = 13C5 PFPeA
- C3PFBS = 13C3 PFBS
- C3PFHS = 13C3 PFHxS
- C8PFOS = 13C8 PFOS
- 42FTS = 13C2-4:2-FTS
- 62FTS = 13C2-6:2-FTS
- 82FTS = 13C2-8:2-FTS

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water

**Lab Sample ID: MBL 380-217383/20-A**  
**Matrix: Water**  
**Analysis Batch: 217542**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 217383**

Analyte	MBL	MBL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluorobutanoic acid (PFBA)	<0.69		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<0.38		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<0.37		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<0.48		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<0.47		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoro (2-ethoxyethane) sulfonic acid (PFEESA)	<0.25		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoro-3-methoxypropanoic acid (PFMPA)	<0.46		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoro-4-methoxybutanoic acid (PFMBA)	<0.15		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoropentanoic acid (PFPeA)	<0.38		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoroheptanesulfonic acid (PFHpS)	<0.36		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1
Perfluoropentanesulfonic acid (PFPeS)	<0.39		2.0	ng/L		04/02/26 05:56	04/02/26 15:28	1

Isotope Dilution	MBL	MBL	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
13C3 HFPO-DA	97		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C6 PFDA	99		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C5 PFHxA	104		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C4 PFHpA	102		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C8 PFOA	104		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C9 PFNA	105		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C7 PFUnA	98		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C2 PFDoA	101		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C4 PFBA	108		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C5 PFPeA	106		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C3 PFBS	112		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C3 PFHxS	110		50 - 200	04/02/26 05:56	04/02/26 15:28	1

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MBL 380-217383/20-A**  
**Matrix: Water**  
**Analysis Batch: 217542**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 217383**

<i>Isotope Dilution</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	<i>%Recovery</i>	<i>Qualifier</i>				
13C8 PFOS	114		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C2-4:2-FTS	127		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C2-6:2-FTS	124		50 - 200	04/02/26 05:56	04/02/26 15:28	1
13C2-8:2-FTS	118		50 - 200	04/02/26 05:56	04/02/26 15:28	1

**Lab Sample ID: LCS 380-217383/22-A**  
**Matrix: Water**  
**Analysis Batch: 217542**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 217383**

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>
	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>				<i>Limits</i>
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	60.2	53.5		ng/L		89	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	60.2	56.7		ng/L		94	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	60.2	60.0		ng/L		100	70 - 130
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	60.2	57.5		ng/L		95	70 - 130
Perfluorobutanesulfonic acid (PFBS)	60.2	59.7		ng/L		99	70 - 130
Perfluorodecanoic acid (PFDA)	60.2	58.7		ng/L		97	70 - 130
Perfluorododecanoic acid (PFDoA)	60.2	58.5		ng/L		97	70 - 130
Perfluoroheptanoic acid (PFHpA)	60.2	58.3		ng/L		97	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	60.2	54.4		ng/L		90	70 - 130
Perfluorohexanoic acid (PFHxA)	60.2	54.7		ng/L		91	70 - 130
Perfluorononanoic acid (PFNA)	60.2	59.0		ng/L		98	70 - 130
Perfluorooctanesulfonic acid (PFOS)	60.2	58.4		ng/L		97	70 - 130
Perfluorooctanoic acid (PFOA)	60.2	56.6		ng/L		94	70 - 130
Perfluoroundecanoic acid (PFUnA)	60.2	60.9		ng/L		101	70 - 130
Perfluorobutanoic acid (PFBA)	60.2	57.9		ng/L		96	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	60.2	56.4		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	60.2	56.0		ng/L		93	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	60.2	58.0		ng/L		96	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	60.2	61.7		ng/L		102	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	60.2	60.9		ng/L		101	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	60.2	60.7		ng/L		101	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	60.2	54.7		ng/L		91	70 - 130
Perfluoropentanoic acid (PFPeA)	60.2	56.2		ng/L		93	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	60.2	57.4		ng/L		95	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: LCS 380-217383/22-A**

**Matrix: Water**

**Analysis Batch: 217542**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 217383**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Perfluoropentanesulfonic acid (PFPeS)	60.2	58.0		ng/L		96	70 - 130
<b>LCS LCS</b>							
<b>Isotope Dilution</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				
13C3 HFPO-DA	101		50 - 200				
13C6 PFDA	106		50 - 200				
13C5 PFHxA	110		50 - 200				
13C4 PFHpA	104		50 - 200				
13C8 PFOA	108		50 - 200				
13C9 PFNA	109		50 - 200				
13C7 PFUnA	106		50 - 200				
13C2 PFDoA	105		50 - 200				
13C4 PFBA	105		50 - 200				
13C5 PFPeA	111		50 - 200				
13C3 PFBS	106		50 - 200				
13C3 PFHxS	106		50 - 200				
13C8 PFOS	108		50 - 200				
13C2-4:2-FTS	127		50 - 200				
13C2-6:2-FTS	120		50 - 200				
13C2-8:2-FTS	115		50 - 200				

**Lab Sample ID: MRL 380-217383/21-A**

**Matrix: Water**

**Analysis Batch: 217542**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 217383**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.01	1.90	J	ng/L		94	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.01	1.97	J	ng/L		98	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.01	2.12	J	ng/L		106	50 - 150
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.01	2.01	J	ng/L		100	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.01	1.98	J	ng/L		99	50 - 150
Perfluorodecanoic acid (PFDA)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorododecanoic acid (PFDoA)	2.01	2.11	J	ng/L		105	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.01	2.07	J	ng/L		103	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.01	1.92	J	ng/L		96	50 - 150
Perfluorohexanoic acid (PFHxA)	2.01	2.10	J	ng/L		105	50 - 150
Perfluorononanoic acid (PFNA)	2.01	2.12	J	ng/L		106	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.01	2.03	J	ng/L		101	50 - 150
Perfluorooctanoic acid (PFOA)	2.01	2.10	J	ng/L		104	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.01	2.14	J	ng/L		107	50 - 150
Perfluorobutanoic acid (PFBA)	2.01	2.00	J	ng/L		99	50 - 150

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: MRL 380-217383/21-A**

**Matrix: Water**

**Analysis Batch: 217542**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

**Prep Batch: 217383**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	2.01	2.12	J	ng/L		106	50 - 150
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	2.01	2.18	J	ng/L		109	50 - 150
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	2.01	2.36	J	ng/L		118	50 - 150
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	2.01	2.21	J	ng/L		110	50 - 150
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	2.01	2.08	J	ng/L		104	50 - 150
Perfluoro-3-methoxypropanoic acid (PFMPA)	2.01	2.16	J	ng/L		107	50 - 150
Perfluoro-4-methoxybutanoic acid (PFMBA)	2.01	1.98	J	ng/L		98	50 - 150
Perfluoropentanoic acid (PFPeA)	2.01	2.10	J	ng/L		105	50 - 150
Perfluoroheptanesulfonic acid (PFHpS)	2.01	2.04	J	ng/L		102	50 - 150
Perfluoropentanesulfonic acid (PFPeS)	2.01	1.99	J	ng/L		99	50 - 150

Isotope Dilution	MRL %Recovery	MRL Qualifier	MRL Limits
13C3 HFPO-DA	91		50 - 200
13C6 PFDA	99		50 - 200
13C5 PFHxA	96		50 - 200
13C4 PFHpA	95		50 - 200
13C8 PFOA	99		50 - 200
13C9 PFNA	100		50 - 200
13C7 PFUnA	98		50 - 200
13C2 PFDoA	101		50 - 200
13C4 PFBA	100		50 - 200
13C5 PFPeA	103		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	105		50 - 200
13C8 PFOS	109		50 - 200
13C2-4:2-FTS	117		50 - 200
13C2-6:2-FTS	116		50 - 200
13C2-8:2-FTS	115		50 - 200

**Lab Sample ID: 380-205767-C-1-A MS**

**Matrix: Water**

**Analysis Batch: 217542**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

**Prep Batch: 217383**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.2	54.7		ng/L		91	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.2	59.8		ng/L		99	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.2	61.3		ng/L		102	70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Lab Sample ID: 380-205767-C-1-A MS

Client Sample ID: Matrix Spike

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 217542

Prep Batch: 217383

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec Limits
	Result	Qualifier	Added	Result	Qualifier				
Hexafluoropropylene Oxide	<2.0		60.2	57.7		ng/L		96	70 - 130
Dimer Acid (HFPO-DA/GenX)									
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.2	60.3		ng/L		99	70 - 130
Perfluorodecanoic acid (PFDA)	<2.0		60.2	60.3		ng/L		100	70 - 130
Perfluorododecanoic acid (PFDoA)	<2.0		60.2	60.1		ng/L		100	70 - 130
Perfluoroheptanoic acid (PFHpA)	<2.0		60.2	59.0		ng/L		98	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.2	58.6		ng/L		96	70 - 130
Perfluorohexanoic acid (PFHxA)	<2.0		60.2	58.4		ng/L		96	70 - 130
Perfluorononanoic acid (PFNA)	<2.0		60.2	59.6		ng/L		99	70 - 130
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.2	61.1		ng/L		99	70 - 130
Perfluorooctanoic acid (PFOA)	<2.0		60.2	60.7		ng/L		99	70 - 130
Perfluoroundecanoic acid (PFUnA)	<2.0		60.2	62.8		ng/L		104	70 - 130
Perfluorobutanoic acid (PFBA)	<2.0		60.2	62.1		ng/L		103	70 - 130
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.2	56.4		ng/L		94	70 - 130
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.2	58.8		ng/L		98	70 - 130
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.2	58.8		ng/L		98	70 - 130
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.2	60.6		ng/L		101	70 - 130
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.2	63.3		ng/L		105	70 - 130
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.2	62.2		ng/L		103	70 - 130
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.2	60.0		ng/L		100	70 - 130
Perfluoropentanoic acid (PFPeA)	<2.0		60.2	60.7		ng/L		100	70 - 130
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.2	59.3		ng/L		98	70 - 130
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.2	60.6		ng/L		101	70 - 130

Isotope Dilution	MS MS		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	111		50 - 200
13C6 PFDA	107		50 - 200
13C5 PFHxA	109		50 - 200
13C4 PFHpA	109		50 - 200
13C8 PFOA	107		50 - 200
13C9 PFNA	111		50 - 200
13C7 PFUnA	105		50 - 200
13C2 PFDoA	109		50 - 200
13C4 PFBA	110		50 - 200
13C5 PFPeA	114		50 - 200
13C3 PFBS	107		50 - 200
13C3 PFHxS	105		50 - 200
13C8 PFOS	108		50 - 200

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

**Lab Sample ID: 380-205767-C-1-A MS**  
**Matrix: Water**  
**Analysis Batch: 217542**

**Client Sample ID: Matrix Spike**  
**Prep Type: Total/NA**  
**Prep Batch: 217383**

<i>Isotope Dilution</i>	<i>%Recovery</i>	<i>MS MS Qualifier</i>	<i>Limits</i>
13C2-4:2-FTS	123		50 - 200
13C2-6:2-FTS	117		50 - 200
13C2-8:2-FTS	116		50 - 200

**Lab Sample ID: 380-205767-D-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 217542**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 217383**

<i>Analyte</i>	<i>Sample Result</i>	<i>Sample Qualifier</i>	<i>Spike Added</i>	<i>MSD Result</i>	<i>MSD Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec Limits</i>	<i>RPD</i>	<i>RPD Limit</i>
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		60.1	55.5		ng/L		92	70 - 130	1	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		60.1	59.3		ng/L		99	70 - 130	1	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		60.1	60.7		ng/L		101	70 - 130	1	30
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		60.1	59.5		ng/L		99	70 - 130	3	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		60.1	58.3		ng/L		96	70 - 130	3	30
Perfluorodecanoic acid (PFDA)	<2.0		60.1	59.7		ng/L		99	70 - 130	1	30
Perfluorododecanoic acid (PFDoA)	<2.0		60.1	60.0		ng/L		100	70 - 130	0	30
Perfluoroheptanoic acid (PFHpA)	<2.0		60.1	60.0		ng/L		100	70 - 130	2	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		60.1	55.8		ng/L		91	70 - 130	5	30
Perfluorohexanoic acid (PFHxA)	<2.0		60.1	57.0		ng/L		94	70 - 130	2	30
Perfluorononanoic acid (PFNA)	<2.0		60.1	61.8		ng/L		103	70 - 130	4	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		60.1	60.6		ng/L		98	70 - 130	1	30
Perfluorooctanoic acid (PFOA)	<2.0		60.1	63.1		ng/L		103	70 - 130	4	30
Perfluoroundecanoic acid (PFUnA)	<2.0		60.1	61.0		ng/L		102	70 - 130	3	30
Perfluorobutanoic acid (PFBA)	<2.0		60.1	60.0		ng/L		100	70 - 130	3	30
1H,1H,2H,2H-Perfluorodecane sulfonic acid (8:2 FTS)	<2.0		60.1	60.9		ng/L		101	70 - 130	8	30
1H,1H,2H,2H-Perfluorohexane sulfonic acid (4:2 FTS)	<2.0		60.1	61.0		ng/L		101	70 - 130	4	30
1H,1H,2H,2H-Perfluorooctane sulfonic acid (6:2 FTS)	<2.0		60.1	62.3		ng/L		104	70 - 130	6	30
Nonafluoro-3,6-dioxaheptanoic acid (NFDHA)	<2.0		60.1	63.4		ng/L		105	70 - 130	4	30
Perfluoro (2-ethoxyethane) sulfonic acid (PFEEESA)	<2.0		60.1	59.4		ng/L		99	70 - 130	6	30
Perfluoro-3-methoxypropanoic acid (PFMPA)	<2.0		60.1	62.2		ng/L		103	70 - 130	0	30
Perfluoro-4-methoxybutanoic acid (PFMBA)	<2.0		60.1	60.3		ng/L		100	70 - 130	1	30
Perfluoropentanoic acid (PFPeA)	<2.0		60.1	60.0		ng/L		99	70 - 130	1	30
Perfluoroheptanesulfonic acid (PFHpS)	<2.0		60.1	60.2		ng/L		100	70 - 130	2	30
Perfluoropentanesulfonic acid (PFPeS)	<2.0		60.1	57.9		ng/L		96	70 - 130	5	30

Eurofins Pomona

## QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

### Method: 533 - Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water (Continued)

Isotope Dilution	MSD MSD		Limits
	%Recovery	Qualifier	
13C3 HFPO-DA	101		50 - 200
13C6 PFDA	105		50 - 200
13C5 PFHxA	104		50 - 200
13C4 PFHpA	102		50 - 200
13C8 PFOA	101		50 - 200
13C9 PFNA	102		50 - 200
13C7 PFUnA	102		50 - 200
13C2 PFDoA	104		50 - 200
13C4 PFBA	103		50 - 200
13C5 PFPeA	104		50 - 200
13C3 PFBS	106		50 - 200
13C3 PFHxS	104		50 - 200
13C8 PFOS	103		50 - 200
13C2-4:2-FTS	112		50 - 200
13C2-6:2-FTS	108		50 - 200
13C2-8:2-FTS	108		50 - 200

### Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020

Lab Sample ID: MBL 380-217710/20-A  
Matrix: Water  
Analysis Batch: 217865

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 217710

Analyte	MBL MBL		RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<1.0		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorooctanesulfonic acid (PFOS)	<0.43		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluoroundecanoic acid (PFUnA)	<0.42		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<0.58		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<0.42		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorohexanoic acid (PFHxA)	<0.46		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorododecanoic acid (PFDoA)	<0.54		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorooctanoic acid (PFOA)	<0.38		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorodecanoic acid (PFDA)	<0.31		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorohexanesulfonic acid (PFHxS)	<0.32		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorobutanesulfonic acid (PFBS)	<0.37		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluoroheptanoic acid (PFHpA)	<0.39		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorononanoic acid (PFNA)	<0.40		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorotetradecanoic acid (PFTA)	<0.54		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Perfluorotridecanoic acid (PFTTrDA)	<0.36		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<0.30		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<0.30		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<0.60		2.0	ng/L		04/03/26 11:12	04/04/26 20:00	1
Surrogate	MBL MBL		Limits			Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier						
d5-NEtFOSAA	104		70 - 130			04/03/26 11:12	04/04/26 20:00	1
13C2 PFHxA	106		70 - 130			04/03/26 11:12	04/04/26 20:00	1
13C2 PFDA	116		70 - 130			04/03/26 11:12	04/04/26 20:00	1

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MBL 380-217710/20-A**  
**Matrix: Water**  
**Analysis Batch: 217865**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 217710**

<i>Surrogate</i>	<i>MBL</i>	<i>MBL</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
13C3-GenX	86	Qualifier	70 - 130	04/03/26 11:12	04/04/26 20:00	1

**Lab Sample ID: LCS 380-217710/22-A**  
**Matrix: Water**  
**Analysis Batch: 217865**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 217710**

<i>Analyte</i>	<i>Spike</i>	<i>LCS</i>	<i>LCS</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>%Rec</i>
<i>Analyte</i>	<i>Added</i>	<i>Result</i>	<i>Qualifier</i>	<i>Unit</i>	<i>D</i>	<i>%Rec</i>	<i>Limits</i>
Hexafluoropropylene Oxide	25.0	21.1		ng/L		84	70 - 130
Dimer Acid (HFPO-DA/GenX)							
Perfluorooctanesulfonic acid (PFOS)	25.0	26.1		ng/L		104	70 - 130
Perfluoroundecanoic acid (PFUnA)	25.0	26.5		ng/L		106	70 - 130
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	25.0	23.4		ng/L		93	70 - 130
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	25.0	22.5		ng/L		90	70 - 130
Perfluorohexanoic acid (PFHxA)	25.0	23.4		ng/L		93	70 - 130
Perfluorododecanoic acid (PFDoA)	25.0	25.8		ng/L		103	70 - 130
Perfluorooctanoic acid (PFOA)	25.0	24.9		ng/L		100	70 - 130
Perfluorodecanoic acid (PFDA)	25.0	25.6		ng/L		102	70 - 130
Perfluorohexanesulfonic acid (PFHxS)	25.0	27.1		ng/L		108	70 - 130
Perfluorobutanesulfonic acid (PFBS)	25.0	27.0		ng/L		108	70 - 130
Perfluoroheptanoic acid (PFHpA)	25.0	24.9		ng/L		100	70 - 130
Perfluorononanoic acid (PFNA)	25.0	25.1		ng/L		100	70 - 130
Perfluorotetradecanoic acid (PFTA)	25.0	23.7		ng/L		95	70 - 130
Perfluorotridecanoic acid (PFTrDA)	25.0	26.2		ng/L		105	70 - 130
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	25.0	27.3		ng/L		109	70 - 130
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	25.0	26.2		ng/L		105	70 - 130
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	25.0	21.6		ng/L		86	70 - 130

<i>Surrogate</i>	<i>LCS</i>	<i>LCS</i>	<i>Limits</i>
<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>
d5-NEtFOSAA	93		70 - 130
13C2 PFHxA	92		70 - 130
13C2 PFDA	104		70 - 130
13C3-GenX	82		70 - 130

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: MRL 380-217710/21-A**  
**Matrix: Water**  
**Analysis Batch: 217865**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 217710**

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	%Rec Limits
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	2.00	1.78	J	ng/L		89	50 - 150
Perfluorooctanesulfonic acid (PFOS)	2.00	2.04	J	ng/L		102	50 - 150
Perfluoroundecanoic acid (PFUnA)	2.00	2.15	J	ng/L		108	50 - 150
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	2.00	2.01	J	ng/L		101	50 - 150
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	2.00	2.12	J	ng/L		106	50 - 150
Perfluorohexanoic acid (PFHxA)	2.00	2.14	J	ng/L		107	50 - 150
Perfluorododecanoic acid (PFDoA)	2.00	2.16	J	ng/L		108	50 - 150
Perfluorooctanoic acid (PFOA)	2.00	2.23	J	ng/L		112	50 - 150
Perfluorodecanoic acid (PFDA)	2.00	2.17	J	ng/L		108	50 - 150
Perfluorohexanesulfonic acid (PFHxS)	2.00	2.19	J	ng/L		110	50 - 150
Perfluorobutanesulfonic acid (PFBS)	2.00	2.01	J	ng/L		100	50 - 150
Perfluoroheptanoic acid (PFHpA)	2.00	1.92	J	ng/L		96	50 - 150
Perfluorononanoic acid (PFNA)	2.00	2.22	J	ng/L		111	50 - 150
Perfluorotetradecanoic acid (PFTA)	2.00	1.71	J	ng/L		86	50 - 150
Perfluorotridecanoic acid (PFTrDA)	2.00	2.06	J	ng/L		103	50 - 150
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	2.00	2.06	J	ng/L		103	50 - 150
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	2.00	1.92	J	ng/L		96	50 - 150
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	2.00	1.90	J	ng/L		95	50 - 150

Surrogate	MRL %Recovery	MRL Qualifier	Limits
d5-NEtFOSAA	106		70 - 130
13C2 PFHxA	104		70 - 130
13C2 PFDA	115		70 - 130
13C3-GenX	105		70 - 130

**Lab Sample ID: 380-205868-E-1-A MSD**  
**Matrix: Water**  
**Analysis Batch: 217865**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**  
**Prep Batch: 217710**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	26.8		ng/L		107	70 - 130	0	30
Perfluorooctanesulfonic acid (PFOS)	<2.0		25.1	26.8		ng/L		107	70 - 130	1	30
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	27.9		ng/L		111	70 - 130	0	30
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.9		ng/L		103	70 - 130	2	30

Eurofins Pomona

# QC Sample Results

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Method: EPA 537.1 V2 - EPA 537.1 Ver. 2.0 March 2020 (Continued)

**Lab Sample ID: 380-205868-E-1-A MSD**

**Matrix: Water**

**Analysis Batch: 217865**

**Client Sample ID: Matrix Spike Duplicate**

**Prep Type: Total/NA**

**Prep Batch: 217710**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	26.1		ng/L		104	70 - 130	1	30
Perfluorohexanoic acid (PFHxA)	<2.0		25.1	26.5		ng/L		106	70 - 130	1	30
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	27.7		ng/L		111	70 - 130	0	30
Perfluorooctanoic acid (PFOA)	<2.0		25.1	26.9		ng/L		107	70 - 130	0	30
Perfluorodecanoic acid (PFDA)	<2.0		25.1	28.0		ng/L		112	70 - 130	2	30
Perfluorohexanesulfonic acid (PFHxS)	<2.0		25.1	26.3		ng/L		105	70 - 130	2	30
Perfluorobutanesulfonic acid (PFBS)	<2.0		25.1	27.7		ng/L		110	70 - 130	3	30
Perfluoroheptanoic acid (PFHpA)	<2.0		25.1	25.5		ng/L		102	70 - 130	10	30
Perfluorononanoic acid (PFNA)	<2.0		25.1	26.9		ng/L		107	70 - 130	2	30
Perfluorotetradecanoic acid (PFTA)	<2.0		25.1	25.9		ng/L		103	70 - 130	2	30
Perfluorotridecanoic acid (PFTrDA)	<2.0		25.1	28.6		ng/L		114	70 - 130	0	30
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid(9Cl-PF3ONS)	<2.0		25.1	26.2		ng/L		105	70 - 130	7	30
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)	<2.0		25.1	27.0		ng/L		108	70 - 130	2	30
4,8-Dioxa-3H-perfluorononanoic acid (ADONA)	<2.0		25.1	24.8		ng/L		99	70 - 130	4	30

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
d5-NEtFOSAA	109		70 - 130
13C2 PFHxA	107		70 - 130
13C2 PFDA	115		70 - 130
13C3-GenX	106		70 - 130

**Lab Sample ID: 380-205868-F-1-A MS**

**Matrix: Water**

**Analysis Batch: 217865**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

**Prep Batch: 217710**

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	RPD	RPD
	Result	Qualifier	Added	Result	Qualifier				Limits		
Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX)	<2.0		25.1	26.8		ng/L		107	70 - 130		
Perfluorooctanesulfonic acid (PFOS)	<2.0		25.1	27.1		ng/L		108	70 - 130		
Perfluoroundecanoic acid (PFUnA)	<2.0		25.1	27.9		ng/L		111	70 - 130		
N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA)	<2.0		25.1	25.5		ng/L		102	70 - 130		
N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA)	<2.0		25.1	26.5		ng/L		106	70 - 130		
Perfluorohexanoic acid (PFHxA)	<2.0		25.1	26.8		ng/L		107	70 - 130		
Perfluorododecanoic acid (PFDoA)	<2.0		25.1	27.6		ng/L		110	70 - 130		
Perfluorooctanoic acid (PFOA)	<2.0		25.1	26.9		ng/L		107	70 - 130		
Perfluorodecanoic acid (PFDA)	<2.0		25.1	27.4		ng/L		110	70 - 130		

Eurofins Pomona



# QC Association Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## LCMS

### Prep Batch: 217383

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	533	
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	533	
MBL 380-217383/20-A	Method Blank	Total/NA	Water	533	
LCS 380-217383/22-A	Lab Control Sample	Total/NA	Water	533	
MRL 380-217383/21-A	Lab Control Sample	Total/NA	Water	533	
380-205767-C-1-A MS	Matrix Spike	Total/NA	Water	533	
380-205767-D-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	

### Analysis Batch: 217542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	533	217383
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	533	217383
MBL 380-217383/20-A	Method Blank	Total/NA	Water	533	217383
LCS 380-217383/22-A	Lab Control Sample	Total/NA	Water	533	217383
MRL 380-217383/21-A	Lab Control Sample	Total/NA	Water	533	217383
380-205767-C-1-A MS	Matrix Spike	Total/NA	Water	533	217383
380-205767-D-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	533	217383

### Prep Batch: 217710

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	537.1 DW	
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	537.1 DW	
MBL 380-217710/20-A	Method Blank	Total/NA	Water	537.1 DW	
LCS 380-217710/22-A	Lab Control Sample	Total/NA	Water	537.1 DW	
MRL 380-217710/21-A	Lab Control Sample	Total/NA	Water	537.1 DW	
380-205868-E-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	537.1 DW	
380-205868-F-1-A MS	Matrix Spike	Total/NA	Water	537.1 DW	

### Analysis Batch: 217865

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	EPA 537.1 V2	217710
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	Total/NA	Water	EPA 537.1 V2	217710
MBL 380-217710/20-A	Method Blank	Total/NA	Water	EPA 537.1 V2	217710
LCS 380-217710/22-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	217710
MRL 380-217710/21-A	Lab Control Sample	Total/NA	Water	EPA 537.1 V2	217710
380-205868-E-1-A MSD	Matrix Spike Duplicate	Total/NA	Water	EPA 537.1 V2	217710
380-205868-F-1-A MS	Matrix Spike	Total/NA	Water	EPA 537.1 V2	217710

# Lab Chronicle

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

**Client Sample ID: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-1**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			217383	XTD8	EA POM	04/02/26 05:56
Total/NA	Analysis	533		1	217542	SZ9R	EA POM	04/02/26 18:50
Total/NA	Prep	537.1 DW			217710	E9PK	EA POM	04/03/26 11:12
Total/NA	Analysis	EPA 537.1 V2		1	217865	M7ML	EA POM	04/04/26 23:21

**Client Sample ID: FB: Ka'amilo Wells P1 (331-031-WL008)**

**Lab Sample ID: 380-205677-2**

Date Collected: 03/30/26 12:16

Matrix: Water

Date Received: 04/01/26 10:10

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Batch Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	533			217383	XTD8	EA POM	04/02/26 05:56
Total/NA	Analysis	533		1	217542	SZ9R	EA POM	04/02/26 18:59
Total/NA	Prep	537.1 DW			217710	E9PK	EA POM	04/03/26 11:12
Total/NA	Analysis	EPA 537.1 V2		1	217865	M7ML	EA POM	04/04/26 23:31

**Laboratory References:**

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100

# Accreditation/Certification Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

## Laboratory: Eurofins Pomona

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Hawaii	State	CA00006	01-31-26 *

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

# Method Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1

Method	Method Description	Protocol	Laboratory
533	Perfluorinated and Polyfluorinated Alkyl Substances in Drinking Water	EPA	EA POM
EPA 537.1 V2	EPA 537.1 Ver. 2.0 March 2020	EPA	EA POM
533	Extraction of Perfluorinated and Polyfluorinated Alkyl Acids	EPA	EA POM
537.1 DW	Extraction of Perfluorinated Alkyl Acids	EPA	EA POM

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

EA POM = Eurofins Pomona, 941 Corporate Center Drive, Pomona, CA 91768-2642, TEL (626)386-1100



# Sample Summary

Client: City & County of Honolulu  
Project/Site: RED-HILL

Job ID: 380-205677-1  
SDG: PFAS: Ka'amilo Wells P1


Lab Sample ID	Client Sample ID	Matrix	Collected	Received	PWSID Number
380-205677-1	Ka'amilo Wells P1 (331-031-WL008)	Water	03/30/26 12:16	04/01/26 10:10	HI0000331
380-205677-2	FB: Ka'amilo Wells P1 (331-031-WL008)	Water	03/30/26 12:16	04/01/26 10:10	HI0000331

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15
- 16
- 17

**Monrovia, CA (Suite 100)**  
 750 Royal Oaks Drive Suite 100  
 Monrovia, CA 91016  
 Phone (626) 386-1100

# Chain of Custody Record



<b>Client Information</b> Client Contact: kirk iwamoto City & County of Honolulu		Lab PM: Lopez, Mana E-Mail: Maria.Lopez@et.euronisus.com		Camper Tracking No(s): State of Origin:		COC No: Page: Job #:	
Address: 630 South Beretania Street, Chemistry Lab City: Honolulu State Zip: HI, 96843 Phone: 808-748-5840 (tel) Email: kiwamoto@hbws.org		Due Date Requested: TAT Requested (days): RUSH Compliance Project: 3 No PO #: C20525101 exp 05312023 WO #:		Analysis Requested  380-205677 COC		Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other: M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecalhydrat U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	
Project Name: RED-HILL/HBWS sites Event Desc: RUSH Weekly Red Hill Site:		Project #: 38001111 SSCW#:		SUBCONTRACT - 625 PAH Physia LL (EAL) + TICs 8015B_GRO_LL (MOD) GRO 8015B_PRO_LL_CS - HNL Ranges. C10-C24/C24-C36/C8-C18 828.2_PRC - (MOD) 525plus PLUS TICs 537.1_DW_PRC - 537.1 Full List 533 - All Analytes		Special Instructions/Note: Total Number of Containers:	
<b>Sample Identification</b> Sample Date: 30-Mar-2026 Sample Time: 1216 Sample Type (C=Comp, G=grab): G Matrix (Inventor, Swab, On-site, Other): Water		Field Filtered Sample (Yes or No): Perform MS/MSD (Yes or No): 8015B_GRO_LL (MOD) GRO 8015B_PRO_LL_CS - HNL Ranges. C10-C24/C24-C36/C8-C18 828.2_PRC - (MOD) 525plus PLUS TICs 537.1_DW_PRC - 537.1 Full List 533 - All Analytes		R A Q DA Y I 3 3 1 1		Special Instructions/Note: Total Number of Containers:	
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Date/Time: 3/30/2026 1400 Date/Time:		Disposal By Lab <input type="checkbox"/> Archive For Months		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)	
Deliverable Requested: I, II, III, IV, Other (specify)		Date:		Method of Shipment: FedEx		Special Instructions/QC Requirements:	
Empty Kit Relinquished by:		Date/Time: 3/30/2026 1400 Date/Time:		Received by: Maria Lopez		Company:	
Relinquished by:		Date/Time:		Received by:		Company:	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Date/Time:		Received by:		Company:	
Custody Seal No.:		Date/Time:		Received by:		Company:	



## Login Sample Receipt Checklist

Client: City & County of Honolulu

Job Number: 380-205677-1  
SDG Number: PFAS: Ka'amilo Wells P1

**Login Number: 205677**

**List Number: 1**

**Creator: Segura, Ryan**

**List Source: Eurofins Pomona**

Question	Answer	Comment
The coolers custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
Samples were received on ice.	True	
Cooler(s) Temperature is acceptable.	True	
Cooler(s) Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and is legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
CIO4 headspace requirement met (>50% for CA, >30% for other states).	True	
Samples do not require splitting or compositing.	True	
Container provided by EEA	True	

